

BRISTOL-MYERS SQUIBB PHARMACEUTICAL GROUP -- KENALOG OINTMENTS 80 GRAMS 0.025%
-- 6505-00-334-1847

===== Product Identification =====

Product ID:KENALOG OINTMENTS 80 GRAMS 0.025%

MSDS Date:02/04/1994

FSC:6505

NIIN:00-334-1847

MSDS Number: CGKZS

=== Responsible Party ===

Company Name:BRISTOL-MYERS SQUIBB PHARMACEUTICAL GROUP

Address:1 SQUIBB DRIVE

Box:191

City:NEW BRUNSWICK

State:NJ

ZIP:08903-50

00

Country:US

Info Phone Num:908-519-3843

Emergency Phone Num:908-519-3843

CAGE:BRIST

=== Contractor Identification ===

Company Name:BRISTOL-MYERS SQUIBB PHARMACEUTICAL GROU

Box:UNKNOW

CAGE:BRIMY

Company Name:BRISTOL-MYERS SQUIBB PHARMACEUTICAL GROUP

Box:191

City:NEW BRUNSWICK

State:NJ

ZIP:08903

Country:US

Phone:908-519-2385

CAGE:BRIST

===== Composition/Information on Ingredients =====

Ingred Name:TRIAMCINOLONE ACETONIDE

CAS:76-25-5

RTECS #:TU3920000

Fraction by Wt: .025-.5%

Ingred Name:MINERAL OIL; PETROLATUM-LIQUID; WHITE MINERAL OIL, PARAFFIN OIL

CAS:8012-95-1

RTECS #:PY8030000

Fraction by Wt: >1%

Other REC Limits:10 MG/CUM STEL

OSHA PEL:5 MG/CUM

ACGIH TLV:5 MG/CUM

Ingred Name:POLYETHYLENE, POLYETHYLENE RESIN (HOMOPOLYMER); POLYWAX 1000 (CARCINOGEN BY IARC GROUP 3) *97-4*

CAS:9002-88-4

RTECS #:TQ3325000

Fraction by Wt: >1%

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50(MOUSE): 5 G/KG

Routes of Entry:

Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN: MAY BE ABSORBED AFTER CONTACT.

INGESTION: LOW TOXICITY. EYES: MILD IRRITANT.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:HEADACHE, DIZZINESS, FATIGUE, FAINTNESS, ENDOCRINE SYMPTOMS, IRRITATION, BURNING, ITCHING, DRYING/CRACKING/TIGHTENING/THINNING OF THE SKIN, ACNEIFORM ERUPTION, ERYTHEMA, FOLLICULITIS, HYPERTRICHOSIS, REDNESS, TEARING, SWELLING, PAIN, MUSCLEWEAKNESS, VERTIGO, SKIN CHANGES, HYPERGLYCEMIA, PEPTIC ULCER.

Medical Cond Aggravated by Exposure:SYSTEM FUNGAL INFECTIONS, TUBERCULOSIS, PEPTIC ULCERS, DIABETES MELLITUS & PSYCHIATRIC CONDITIONS.

=====
===== First Aid Measures =====

First Aid:INGESTION: DON'T INDUCE VOMITING. INHALATION: REMOVE TO FRESH AIR. GIVE CPR/OXYGEN IF NECESSARY. SKIN/EYES: FLUSH W/PLENTY OF WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL

CASES. NOTE TO

PHYSICIAN: DON'T INDUCE VOMITING DUE TO THE HIGH CONCENTRATION OF HEAVY MINERAL OIL IN THE OINTMENT PREPARATION.

===== Fire Fighting Measures =====

Extinguishing Media:WATER, CO2, FOAM/DRY CHEMICAL

Fire Fighting Procedures:WEAR SCBA W/FLAME & CHEMICAL RESISTANT CLOTHING, BOOTS & GLOVES. EVACUATE PERSONNEL TO UPWIND DIRECTION. COOL CONTAINER W/WATER FROM MAXIMUM DISTANCE.

===== Accidental Release Measures =====

=====

Spill Release Procedures:WEAR SUITABLE PROTECTIVE CLOTHING. ABSORB OINTMENT ONTO ABSORBENT MATERIAL, PLACE INTO A CONTAINER FOR DISPOSAL. IMPERMEABLE GLOVES & EYE PROTECTION SHOULD BE WORN. AREA SHOULD BE VENTILATED & DECONTAMINATED AFTER MATERIAL HAS BEEN PICKED UP.

===== Handling and Storage =====

Handling and Storage Precautions:STORE PRODUCT AT ROOM TEMPERATURE. PROTECT FROM LIGHT.

Other Precautions:AVOID SKIN & EYE CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN ENGINEERING CONTROLS AREN'T SUFFICIENT TO CONTROL EXPOSURE, WEAR NIOSH APPROVED RESPIRATORY PROTECTION TO CONTROL EMPLOYEE EXPOSURE; SELF CONTAINED BREATHING APPARATUS SHOULD BE AVAILABLE FOR EMERGENCY USE.

Ventilation:KEEP AIRBORNE CONCENTRATION BELOW EXPOSURE GUIDELINES BY ENCLOSURE OF PROCESSES/LOCAL EXHAUST VENTILATION, AS REQUIRED.

Protective Gloves:IMPERVIOUS, LATEX/NITRILE

Eye Protection:SAFETY GLASSES (ANSI Z87.1)

Other Protective Equipment:PROTECTIVE COVERALLS

Work Hygienic Practices:REMOVE/LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. WASH AFTER HANDLING & BEFORE EATING/SMOKING/USING LAVATORY/END OF DAY

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Density:>1

Spec Gravity:0.88

Solubility in Water:INSOLUBLE

Appearance and

Odor:SOFT/SMOOTH/WHITE/HOMOGENEOUS/TRANSLUCENT/GREASE-LIKE MASS;

COLORLESS THIN LAYE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
Hazardous Decomposition Products: CO, CO2, HAFNIUM

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.