View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-387-4446

## CANON IND -- 178 2911 COLOREDGE 1525 MAGENTA DEVELOPER -- 6850-01-387-4446

Product ID:178 2911 COLOREDGE 1525 MAGENTA DEVELOPER

MSDS Date:05/21/1997

FSC:6850

NIIN:01-387-4446

MSDS Number: CGMMG === Responsible Party === Company Name:CANON IND

Address: 30-2 SHIRMOMARUKO 3 CHOME OMTA-KU

City:TOKYO Country:JA CAGE:EO160

=== Contractor Identification ===

Company Na me:CANON INC

Address:30-2 SHIRMOMARUKO 3 CHOME OMTA-KU

Box:City:TOKYO Country:JA CAGE:EO160

Company Name: CANON INC

Address:30-2 SHIMOMARUKO 3-CHOME, OHTA-KU

Box:City:TOKYO Country:JA

Phone:03-3758-2111/516-328-5600(USA)

CAGE:EO274

Company Name: DANKA OFFICE IMAGING CO

Address:901 ELMGROVE RD

Box:City:ROCHESTER

State:NY ZIP:14653 Country:US CAGE:0ZW37

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US Phone:716-722 -5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

======= Composition/Information on Ingredients ========

Ingred Name: IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000 Fraction by Wt: 85-95%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5MG(FE)/M3FUME,B2;96

Ingred Name: CUPRIC OXIDE

CAS:1317-38-0

RTECS #:GL7900000

Fra

ction by Wt: < 15%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:1 MG CU/M3 ACGIH TLV:1 MG CU/M3

Ingred Name:ZINC OXIDE (SARA 313) (CERCLA)

CAS:1314-13-2

RTECS #:ZH4810000 Fraction by Wt: < 15%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name: BISPHENOL A PROPYLENE OXIDE FUMARATE

CAS:39382-25-7 Fraction by Wt: 3-7%

Other REC Limits: NONE RECOMMENDED

Ingred Name:PIGMENT Fraction by Wt: < 1%

Other REC Limits: NONE RECOMMENDED

Ingred Name:SALICYLIC

ACID CHELATE CAS:72869-85-3 Fraction by Wt: < 1% Other REC Limits:NONE RECOMMENDED
=========== Hazards Identification ===========
LD50 LC50 Mixture:NOT GIVEN Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EXPECTED TO BE A LOW INHALATION HAZARD FOR RECOMMENDED HANDLING. MAY CAUSE TRANSIENT EYE IRRITATION. LOW SKIN CONTACT HAZARD FOR RECOMMENDED HANDLING. EXPECTED TO BE A LOW
INGESTION HAZARD.  Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  CARCINOGENS.  Effects of Overexposure:EYE IRRITATION.  Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.
======================================
First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: WASH OUT IMEEDIATELY WITH
WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.
======================================
Flash Point:NONCOMBUSTIBLE Lower Limits:NOT GIVEN Upper Limits:NOT GIVEN Extinguishing Media:NONFLAMMABLE. USE EXTINGUISHING MEDIA SUITABLE FOR SURROUNDING FIRE. Fire Figh
ting Procedures:FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS. WEAR SELF-CONTAINED BREATHING APPARATUS AND

PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

======== Accidental Release Measures ==========

Spill Release Procedures: DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILLS OF POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE OR EXPLOSION. SWEEP MATERIAL ONTO PAPER AND PLACE IN A FIBER CAR

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
=========== Handling and Storage ============
Handling and Storage Precautions:AVOID BREATHING DUST. USE WITH ADEQUATE VENTILATION. KEEP CONTAINER CLOSED. Other Precautions:NONE SPECIFIED BY MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NONE SHOULD BE NEEDED. Ventilation:GOOD GENERAL VENTILATION, TYPICALLY 10 AIR CHANGES PER
HOUR, SHOULD BE USED. RATES SHOULD MATCH CONDITIONS. Protective Gloves:IMPERVIOUS
Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.
Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES. Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.
======= Physical/Chemical Properties ==========
HCC:N1 Boiling Pt:B.P. Text:NOT GIVEN Melt/Freeze Pt:M.P/F.P Text:212-302F Vapor Pres:NEGLIGIBLE Vapor Density:NOT GIVEN Spec Gravity:1.0-4.5 Evaporation Rate & Description of the Company of the Compan
========== Stability and Reactivity Data ==========
Stability Indicator/Materials to Avoid:YES NONE WITH COMMON MATERIALS AND

TON. AVOID GENERATION OF DU ST.

CONTAMINANTS WITH WHICH THE MATERIAL MAY
REASONABLY COME INTO CONTACT.
Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.
Hazardous Decomposition Products:OXIDES OF IRON

======= Disposal Considerations ===========

Waste Disposal Methods: CAN BE INCINERATED WHEN IN COMPLIANCE WITH LOCAL REGULATIONS. CONTRACT WITH A LICENSED CHEMICAL DISPOSAL AGENCY. DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS.

## Disclaimer (p

rovided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.