View NSN Online: https://aerobasegroup.co.il/nsn/7930-01-436-8023 P-T TECHNOLOGIES, INC. -- DEGREASER SOLVENT -- 7930-01-436-8023 ============= Product Identification =============== Product ID:DEGREASER SOLVENT MSDS Date:09/23/1997 FSC:7930 NIIN:01-436-8023 MSDS Number: CGNQC === Responsible Party === Company Name: P-T TECHNOLOGIES, INC. Address:108 4TH AVE. S. City:SAFETY HARBOR State:FL ZIP:34695 Country:US Info Phone Num:800-441-7874 Emergency Phone Num:800-441-7874 CAGE:0J VH6 === Contractor Identification === Company Name:P-T TECHNOLOGIES INC Address:108 4TH AVENUE, SOUTH Box:City:SAFETY HARBOR State:FL ZIP:34695 Country:US Phone:813-726-4644 CAGE:0JVH6 ======= Composition/Information on Ingredients ======== Ingred Name: ORANGE OIL, TERPENES (NON-HAZARDOUS) CAS:68647-72-3

Other REC Limits: NONE RECOMMENDED

Ingred Name: PARAFFINIC OILS (NON-HAZARDOUS)

CAS:64771-72-8

Other REC Limits: NONE RECOMMENDED

===== Hazards Identification ====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRIT, TEARING, REDNESS. SKIN:
DEFATTING, DRYNESS, DERMATITIS. INHAL: RESPIRATORY TRACT IRRIT,
NAUSEA, DIZZY, HEADACHE. INGEST: ACUTE ORAL TOXICITY, NAUSEA,

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. SKIN: W ASH W/SOAP AND

VOMIT, GI IRRIT, ASPIRATION INTO LUNGS.

WATER. INHAL: GET FRESH AIR. INGEST: DONT INDUCE VOMIT. PRODUCT CONTAINS HYDROCARBONS. IN ALL CASES, GET MED AID.

========== Fire Fighting Measures ===============

Flash Point Method:TCC Flash Point:144F,62C

Autoignition Temp: Autoignition Temp Text: 410F

Lower Limits:1.3 Upper Limits:8.9

Extinguishing Media:CO2, FOAM, DRY CHEMICAL, CLASS B FOR FIRE PROCEDURES.

Fire Fighting Procedures: COMBUSTIBLE LIQUID, CAN FORM COMBUSTIBLE MIXTURES AT OR ABOVE FLASH POINT.

======= Accidental Release Measures ==========

Spill Release Procedures:LAND SPILL: REMOVE IGNITS, CONTAIN SPILL, RECOVER FREE PRODUCTS, ABSORB W/SUITABLE CHEMICAL ABSORBENT FOR DISPOSAL. WATER SPILL: REMOVE FROM WATER BY SKIMMING, OR USE SUITABLE ABSORBENT.

============= Handling and Storage ==========================

Handling and Storage Precautions:STORAGE TEMPERATURE AMBIENT KEEP AWAY FROM HEAT AND IGNITS. KEEP PRODUCT CONTAINER CL

====== Exposure Controls/Personal Protection ========
Ventilation:MECHANICAL DILUTION VENTILATION RECOMMENDED IN CONFINED AREAS, HEATED > AMBIENT TEMPERATURES OR IS AGITATED. Protective Gloves:SOLVENT RESISTANT Eye Protection:SAFETY GLASSES Supplemental Safety and Health NK
======== Physical/Chemical Properties ==========
Boiling Pt:B.P. Text:380 TO 430F Vapor Pres:1 AIR=1 Spec Gravity:0.76 VOC Pounds/Gallon:756 pH:NA Evaporation Rate & Description Rate & Description Solubility in Water:NON-MISCIBLE Appearance and Odor:COLORLESS LIQUID, W/CHARACTERISTIC ODOR. Percent Volatiles by Volume:100
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, SMOKE.
======== Disposal Considerations ==========
Waste Disposal Methods:INCINERATE OR BURY IN APPROV ED LANDFILL IN ACCORDANCE W/STATE, FEDERAL AND LOCAL REGULATIONS.
========== Other Information ============
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defence. The United States of America is no manner whatsoever

OSED WHEN NOT IN

USE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should

seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.