View NSN Online: https://aerobasegroup.co.il/nsn/7930-01-440-0246

Product ID:CLEAN-N-POLISH

MSDS Date:03/03/1996

FSC:7930

NIIN:01-440-0246

MSDS Number: CGNQV === Responsible Party ===

Company Name: WERTH SANITARY SUPPLY COMPANY, INC.

Address:1561 PIONEER WAY

City:EL CAJON

State:CA ZIP:92020 Country:US

Info Phone Num:800-535-5053 Emergency Phone Num:800-

535-5053 CAGE:5T372

=== Contractor Identification ===

Company Name: WERTH SANITARY SUPPLY CO INC

Address:1561 PIONEER WAY

Box:City:EL CAJON

State:CA

ZIP:92020-1637 Country:US

Phone:800-535-5053/619-440-2000

CAGE:5T372

======= Composition/Information on Ingredients ========

Ingred Name:NON-HAZARDOUS INGREDIENTS Other REC Limits:NONE RECOMMENDED OSHA PEL:NOT RELEVANT

OSHA PEL:NOT RELEVANT ACGIH TLV:NOT RELEVANT

========= Hazards Identification ==============

Routes of Entry: Inhalat

IRRIT, DERMATITIS. INHAL: HEADACHE, NAUSEA, IRRIT OF NOSE/THROAT/LUNGS.
Medical Cond Aggravated by Exposure:PRE-EXISTING LUNG DISEASE MAY BE AGGRAVATED.
======================================
First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. CONTACT LENSES SHOULD BE REMOVED IF INITIAL FLUSH DOESN'T WA SH THEM OUT. SKIN: WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES/SHOES, WASH BEFORE USE. INHAL: REMOVE TO FR ESH AIR. INGEST: DRINK TWO GLASSES OF WATER. IN ALL CASES, GET IMMED MED AID.
======================================
Flash Point Method:SCC Flash Point:>300F,>149C Autoignition Temp:Autoignition Temp Text:NE Lower Limits:NA Upper Limits:NA Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, ALCOHOL FOAM, WATER FOG, CO2. Fire Fighting Proced ures:AVOID USE OF WATER. Unusual Fire/Explosion Hazard:DENSE SMOKE. FIRE FIGHTERS SHOULD USE SCBA.
======== Accidental Release Measures ==========
Spill Release Procedures:SPILLS ARE SLIPPERY. ELIMINATE ALL IGNITS. DIKE & CONTAIN W/INERT ABSORBENT MATERIAL. COLLECT FOR DISPOSAL.
============ Handling and Storage ==============
Handling and Storage Precautions:STORE IN A DRY AREA. KEEP CONTAINER TIGHTLY CLOSED. KEEP FROM FREEZING. Other Preca

ion:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: PERMANENT DAMAGE, IRRIT. SKIN:

utions:KEEP AWAY FROM CHILDREN.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE NIOSH/OSHA APPROVED RESPIRATOR W/ORGANIC VAPOR CARTRIDGE IF VAPOR CONCENTRATION EXCEEDS PERMISSIBLE EXPOSURE LIMITS.
Ventilation:LOCAL VENTILATION
Protective Gloves:OIL RESISTANT
Eye Protection:SAFETY GLASSES
Other Protective Equipment:EMERGENCY SAFETY SHOWER & EYE WASH FOUNTAIN NEAR WORK AREA.
Supplemental Safety and Health
NK
========= Physical
/Chemical Properties ==============

Boiling Pt:B.P. Text:>212F,>100C Vapor Pres:20.0 Vapor Density: