

VALVOLINE OIL CO -- TECTYL 884 -- 8030-00-543-7724

=====
Product Identification
=====

Product ID:TECTYL 884
MSDS Date:02/10/1995
FSC:8030
NIIN:00-543-7724
MSDS Number: CGXLP
=== Responsible Party ===
Company Name:VALVOLINE OIL CO
Address:200 E MAIN ST
Box:14000
City:LEXINGTON
State:KY
ZIP:40512
Country:US
Info Phone Num:606-265-7000
Emergency Phone Num:606-265-7000
CAGE:72527
=== Contractor Ident
ification ===
Company Name:EMULTEC INC
Address:1150 HAYDEN DR SUITE 100
Box:City:CARROLLTON
State:TX
ZIP:75006
Country:US
Phone:972-417-1288
CAGE:0HD15
Company Name:VALVOLINE OIL CO
Address:3499 BLAZER PKY
Box:14000
City:LEXINGTON
State:KY
ZIP:40512
Country:US
Phone:606-357-7206 / 800-274-5263
CAGE:72527

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

=====

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRIT, STINGING, TEARS, RED.
SKIN: IRRIT, RED, BURNING. INHAL: NOSE/THROAT/RESP TRACT IRRIT.
INGEST: LOW ORAL TOXICITY, HARMFUL, GI IRRIT, NAUSEA, VOMIT,
DIARRHEA.
Medical Cond Aggravated by Exposure:ASTHMA LIKE CONDITIONS.

=====
First Aid Measures
=====

First Aid:EYE: GET FRESH AIR. FLUSH W/WATER FOR 15 MIN. SKIN: REMOVE
CONTAM CLOTHES, WASH BEFORE REUSE. WASH W/SOAP & WATER. INHAL: GET
FRESH AIR. OXYGEN IF NEEDED. KEEP WARM & QUIET. INGEST: DONT INDUCE
VOMIT. ASPIRATION HAZARD. IF DROWSY/UNCONSCIOUS PLACE ON LEFT
SIDE, HEAD DOWN. DONT LEAVE UNATTENDED. GET IMMED MED AID IN ALL
CASES.

=====
Fire Fighting Measures
=====

Flash Point:375F,191C
Lower Limits:NA
Upper Limits
:NA
Extinguishing Media:REGULAR FOAM, CARBON DIOXIDE, DRY CHEMICAL.
Fire Fighting Procedures:WATER/FOAM MAY CAUSE FROTHING. USE POSITIVE
PRESSURE SCBA W/FULL FACE PIECE, TURN-OUT GEAR/CHEMICAL RESISTANT
PROTECTIVE EQUIPMENT.
Unusual Fire/Explosion Hazard:DONT WELD, CUT ON OR NEAR FULL/EMPTY
DRUM. CAN IGNITE EXPLOSIVELY, EVEN RESIDUE.

=====
Accidental Release Measures
=====

Spill Release Procedures:SM: ABSORB. LG: REMOVE IGNITS. STOP SPILL.
KEEP FROM
BODIES WATER. PUMP/VACUUM TRANSFERRED MATERIAL TO
CONTAINER FOR RECOVERY. ABSORB UNRECOVERABLE MATERIAL. TRANSFER
CONTAM ABSORBENT/SOIL TO CONTAINER FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:EMPTY CONTAINERS CONTAIN RESIDUE.
FOLLOW ALL HAZARD PRECAUTIONS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:IF EXPOSURE LIMITS EXCEEDED USE NIOSH/MSHA
APPROVED AIR-SUP

PLIED RESPIRATOR. OSHA REGS ALSO PERMIT OTHER
NIOSH/MSHA RESPIRATORS (NEGATIVE PRESSURE TYPE) UNDER SPECIFIC
CONDITIONS.

Ventilation:SUFFICIENT MECHANICAL (GENERAL/LOCAL EXHAUST) TO MAINTAIN
EXPOSURE LIMITS.

Protective Gloves:RESISTANT NEOPRENE

Eye Protection:CHEMICAL SPLASH GOGGLES/SAFETY GLASSES

Other Protective Equipment:IMPERVIOUS CLOTHES & BOOTS.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NO DATA

Vapor Pres:NO DATA

Vapor Density:>1 AIR=1

Spec Gravity:0.925 @ 77F

pH:NA

Evaporation Rate & Reference:SLOWER THAN ETHYL ETHER

Appearance and Odor:LIQUID, TAN OPAQUE, NO ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products:CO, CO2.

===== Disposal Considerations =====

Waste Disposal Methods:ACCORDING TO FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.

ion.