View NSN Online: https://aerobasegroup.com/nsn/8030-01-087-3589

HOME OIL COMPANY, INC -- SEALING COMPOUND (LIQUID PROTECTANT & BEAUTIFIER) - 8030-01-087-3589

Product ID:SEALING COMPOUND (LIQUID PROTECTANT & BEAUTIFIER) MSDS Date:02/21/1997 FSC:8030 NIIN:01-087-3589 MSDS Number: CGXPD === Responsible Party === Company Name: HOME OIL COMPANY, INC Address:3511 N OHIO Box:2609 City:WICHITA State:KS ZIP:67201-2609 Country:US Info Phone Num:316-838-4663 Emergency Phone Num:800-633-8253 (PERS) CAGE:0A9L8 === Contractor Identification === Company Name: HOC INDUSTRIES, INC Address:3511 N. OHIO Box:2609 City:WICHITA State:KS ZIP:67219 Country:US Phone:316-838-4663 CAGE:0A9L8

Ingred Name:DIMETHYLPOLYSILOXANES (NON-HAZARDOUS) CAS:9016-00-6 RTECS #:TQ2690000 Fraction by Wt: 20-23% Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER (NON-HAZARDOUS) CAS:7732-1

8-5 RTECS #:ZC0110000 Fraction by Wt: 76.5-79% Other REC Limits:NONE RECOMMENDED

Ingred Name:ETHOXYLATED NONYL PHENOL (NON-HAZARDOUS) CAS:9016-45-9 RTECS #:MD0900000 Fraction by Wt: 0.2-1% Other REC Limits:NONE RECOMMENDED

Ingred Name:OCTYLPHENOXYPOLYETHOXYETHANOL (NON-HAZARDOUS) CAS:9036-19-5 RTECS #:MD0907600 Fraction by Wt: 0.2-1% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Re ports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: IRRIT. SKIN: IRRIT.

First Aid:EYE: FLUSH W/WATER FOR 15 MINUTES. SKIN: REMOVE CONTAM CLOTHES/SHOES. WASH W/SOAP & WATER. INGEST: DONT INDUCE VOMIT. DRINK 1-2 GLASSES OF WATER/MILK. IN ALL CASES, GET MEDICAL ATTENTION.

Flash Point Method:PMCC Flash Point:420 F,216C Lower Limits:NA Upper Limits:NA Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA. Fire Fighting Procedures:POSITIVE PRESSURE SCBA AND PROTECTIVE CLOTHES. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures:WIPE, SCRAPE OR SOAK UP IN AN INERT MATERIAL AND PUT IN A CONTAINER FOR DISPOSAL. WASH WALKING SURFACES W/DETERGENT AND WATER. WEAR PROPER PROTECTIVE EQUIPMENT.

======= Exposure Controls/Per

sonal Protection ========

Respiratory Protection:USE NIOSH RESPIRATOR IF OVEREXPOSURE IS LIKELY. Ventilation:USE IN A WELL VENTILATED AREA. MECHANICAL VENTILATION. Protective Gloves:RUBBER Eye Protection:SAFETY GLASSES Other Protective Equipment:EYEWASH STATIONS Work Hygienic Practices:DONT WEAR CONTACT LENSES. Supplemental Safety and Health *PH ADDITIONAL 6.5-8.5

Boiling Pt:B.P. Text:212F,100C Spec Gravity:1 @ 60F pH:

Evaporation Rate & amp; Reference: