View NSN Online: https://aerobasegroup.co.il/nsn/8010-01-232-8514 HENTZEN COATINGS INC -- 383 GREEN ZENTHANE MIL-C-53039A -- 8010-01-232-8514 Product ID:383 GREEN ZENTHANE MIL-C-53039A MSDS Date:07/29/1996 FSC:8010 NIIN:01-232-8514 MSDS Number: CHKJJ === Responsible Party === Company Name: HENTZEN COATINGS INC Address:6937 W MILL ROAD Box:18749 City:MILWAUKEE State:WI ZIP:53218-1225 Country:US Info Phone Num:414-353-4200 gency Phone Num:414-353-4200 800-424-9300(CHEMTREC) Preparer's Name: JANE FREEMAN CAGE:09225 === Contractor Identification === Company Name: HENTZEN COATINGS INC Address:6937 WEST MILL ROAD Box:18749 City:MILWAUKEE State:WI ZIP:53218 Country:US Phone:414-353-4200

CAGE:09225

======= Composition/Information on Ingredients ========

Ingred Name:NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT

======== Hazards Identification ===========

Routes of Entry: Inhalation

:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO Health Hazards Acute and Chronic: INHAL: IRRIT/NOSE/RESP TRACT BURNING/BRONCHITIS/BRONCHIAL SPASM/PULMINARY EDEMA/CHEM PNEUMONITIS/DRY THROAT/TIGHT CHEST/HEADACHE/NAUSEA/FATIGUE/LOW APPETITE. SKIN: IRRIT/RED/RASH/SWELLING/SCALING/BLIS TER/SENSITIZATION/DEFATTING/DERMATITIS.EYE: IRRIT/TEARS/RED/SWELLING/STINGING/BURNING/CORNEA DAMAGE. INGEST: **IRRIT\*** Explanation of Carcinogenicity:NTP/IARC LIST CERTAIN CHROMIUM COMPOUNDS/SILICA/COBALT AS POSSIBLY HUMAN CARCINOGEN. Effects of Overexposure: \*CORROSIVE TO DIGESTIVE SYSTEM&MOUTH/SORE THROAT/ABDOM PAIN/NAUSEA/VOMITING/DIARRHEA/ASPIRATION/CHEMICAL PNEUMONITIS. CHRONIC: PERMANENT BRAIN/NS/LIVER/KIDNEY DAMAGE. SYMPTOMS COULD BE DELAYED. Medical Cond Aggravated by Exposure: PREEXISTING NONSPECIFIC BRONCHIAL HYPER ACTIVITY. ASTHMA/OTHER RESP AILMENTS, SKIN ALLERGIES, ECZEMA, OTHER SKIN SENSITIZATION \_\_\_\_\_

===== First Aid Measures ============

First Aid:INHAL: GET FRESH AIR. GIVE OXYGEN/ARTIF RESP. GET MED AID. ASTHMATIC SYMPTOMS MAY BE DELAYED. TREAT SYMPTOMATICALLY. EYE: FLUSH W/LUKE WARM WATER LOW PRESURE 15 MIN LIFTING LIDS. GET MED AID. SKIN: RE MOVE CONTAM CLOTHES WASH BEFORE REUSE. WASH THOROUGHLY W/SOAP & WATER. USE SAFETY SHOWER. GET MED AID. INGEST: GET IMMED MED AID. DONT INDUCE VOMITING.

Flash Point Method:TCC Flash Point:54.0F,12.2C

Lower Limits:0.9 **Upper Limits:8.2** 

Extinguishing Media:CO2, DRY CHEMICAL, FOAM OR ALCOHOL FOAM.

Fire Fighting Procedures: USE FULL PROTECTIVE GEAR/SCBA.

IRRITATING/HIGHLY TOXIC GASES

Unusual Fire/Explosion Hazard: KEEP CLSD CNTNRS FROM IGNITS. CLSD CNTNR MAY EXPLODE W/HIGH HEAT/CONTAM BY WATER. KEEP FROM HOT SURFACES. DONT CUT/WELD ON/NEAR CNTNR/RESIDUE EXPLOSIVE.

======== Accidental Release Measures ============

Spill Release Procedures:EVACUATE. REMOVE ALL IGNITS. VENTILATE. AVOID VAPORS/SKIN CONTACT. KEEP FROM WATERWAYS/SEWERS. NOTIFY AUTHORITIES. COVER W/INERT ABSORBENT. POUR LIQ DECONTAMINANT OVER SPILL/LET REACT >10 MIN. COLLECT IN OPEN CNTNR. ADD MORE DECONTAM/COVERLOOSELY.\*\*

Neutralizing Agent:\*\*LET STAND 24-48 HRS. WASH AREA W/DECONTAM SOLUTION NOT ALLOWING INTOSEWERS.

=========== Handling and Storage ===============

Handling and Storage Precautions:AVOI
D VAPORS/SKIN/EYE CONTACT. USE
GROUNDING/BONDING WHEN TRANSFERING TO PREVENT STATIC
DISCHARGE/FIRE. AVOID FREE FALL LIQ. USE SPARKPROOF TOOLS.
Other Precautions:DONT STORE >120F/