

CHEVRON INTERNATIONAL OIL CO -- DELO 400 MULTIGRADE SAE 15 W-40 -- 9150-01-351-9018

=====
Product Identification
=====

Product ID:DELO 400 MULTIGRADE SAE 15 W-40

MSDS Date:06/07/1997

FSC:9150

NIIN:01-351-9018

MSDS Number: CHKZD

=== Responsible Party ===

Company Name:CHEVRON INTERNATIONAL OIL CO

Address:570 MARKET ST

City:SAN FRANCISCO

State:CA

ZIP:94106-2856

Country:US

Info Phone Num:415-894-2858

/416-894-1899

Emergency Phone Num:202-483-7616/800-424-9300(CHEMTREC)

CAGE:2H740

=== Contractor Identification ===

Company Name:CHEVRON PRODUCTS CO GLOBAL LUBRICANTS

Address:555 MARKET STREET ROOM 803

Box:City:SAN FRANCISCO

State:CA

ZIP:94105-2870

Country:US

Phone:800-228-3500/415-894-0703

CAGE:2H740

Company Name:CHEVRON PRODUCTS COMPANY LUBRICANTS AND SPECIALTY PRODUCTS

Address:6001 BOLLINGER CANYON RD

Box:City:SAN RAMON

State:CA

ZIP:94583

Country:US

Phone:800-414-6737 / 800-582-3835

CAGE:81230

Company Name:CHEVRON USA INC DBA CHEVRON PRODUCTS CO

Address:575 LENNON LN

Box:City:WALNUT CREEK

State:CA

ZIP:94598

Country:US

Phone:510-977-7283

CAGE:04BH0

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL, SOLVENT REVFINED HEAVY PARAFFINIC, SEVERELY
HYDROTREATED

CAS:64741-88-4

RTECS #:PY8040501

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

-89-5

RTECS #:PY8041500

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT REFINED (MILD),
HEAVY NAPHTHENIC (CARCENOGENIC - IARC)

CAS:64741-96-4

RTECS #:PY8040000

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT REFINED
(SEVERE), LIGHT NAPHTHENIC,
(NON-CARCINOGENIC - IARC)

CAS:64741-97-5

RTECS #:PY8041001

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:SOLVENT REFINED RESIDUE

CAS:64742-01-4

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 OIL MIST

ACGIH TLV:5 MG/M3 OIL MIST

Ingred Name:MINERAL OIL, HYDROTREATED (MILD), HEAVY NAPHTHENIC
DISTILLATE, PETROLEUM

CAS:64742-52-5

RTECS #:PY8035000

Fraction by Wt: 0 - >75%

Other R

EC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:MINERAL OIL

CAS:64742-53-6

RTECS #:PY8036000

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED
(MILD), HEAVY PARAFFINIC

CAS:64742-54-7

RTECS #:PY8035500

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 (OIL MIST)

ACGIH TLV:5 MG/M3 (OIL MIST)

ingred Name:SOLVENT DEWAXED RESIDUAL OIL (PETROLEUM)

CAS:64742-62-7

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

ingred Name:MINERAL OIL, PETROLEUM DISTILLATE, SOLVENT DEWAXED (MILD),
HEAVY PARAFFINIC/PETROLEUM LUBE OIL

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS OIL MIST

ingred Name:LUBRICATING BASE OIL, SEVERELY REFINED
PETROLEUM DISTILLATE

CAS:72623-83-7

Fraction by Wt: 0 - >75%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 OIL MIST

ACGIH TLV:5 MG/M3 OIL MIST

ingred Name:ADDITIVES

Fraction by Wt: