

CANTOL,INC. -- OIL/WATER SEPARATOR -- 6850-01-423-6448

===== Product Identification =====

Product ID:OIL/WATER SEPARATOR

MSDS Date:06/05/1994

FSC:6850

NIIN:01-423-6448

MSDS Number: CHMGS

=== Responsible Party ===

Company Name:CANTOL,INC.

Address:2211 NORTH AMERICAN STREET

City:PHILADELPHIA

State:PA

ZIP:19133

Country:US

Info Phone Num:215-425-1966

Emergency Phone Num:215-425-1911/800-424-9300(CH  
EMTREC)

Preparer's Name:SEAN G. NICHOLS

CAGE:58380

=== Contractor Identification ===

Company Name:CANTOL,INC.

Address:2211 NORTH AMERICAN STREET

Box:City:PHILADELPHIA

State:PA

ZIP:19133-3306

Country:US

Phone:215-425-1966

CAGE:58380

===== Composition/Information on Ingredients =====

Ingred Name:>1DIUM METASILICATE

CAS:6834-92-0

RTECS #:VV9275000

Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM HYDROXIDE (CERCLA)

CAS:1310-73-2

RTECS #:WB4900000

Fraction by Wt: >1%

Other RE

C Limits:NONE RECOMMENDED  
OSHA PEL:2 MG/M3  
ACGIH TLV:C 2 MG/M3; 9596  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:SODIUM XYLENE SULFONATE  
CAS:1330-72-7  
RTECS #:ZE5100000  
Fraction by Wt: >1%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:PROPYLENE GLYCOL MONBUTYL ETHER  
CAS:5131-66-8  
RTECS #:UA7700000  
Fraction by Wt: >1%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entr  
y: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:EYES:CAUSES IRRIT.SKIN:CAUSES  
IRRIT.INGEST:HARMFUL IF SWALLOWED.IRRITANT TO DIGESTIVE TRACT.  
Explanation of Carcinogenicity:PER  
MSDS:CARCINOGENICITY:NTP/IARC/OSHA:NO.  
Effects of Overexposure:EYES:BURNING, TEARING. SKIN:IRRITATION,  
REDNESS. INGEST:IRRITATION, VOMITING.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Me  
asures =====

First Aid:EYES:IMMED FLUSH W/PLENTY OF WATER FOR @LEAST 15MINS.SEEK  
PROMPT MED ATTN.SKIN:FLUSH W/WATER.INGEST:DO NOT INDUCE  
VOMITING.DRINK LARGE QUANTITIES OF WATER.CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:NONE  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:NO DATA  
Upper Limits:NO DATA  
Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL, CARBON DIOXIDE,  
ALCOHOL FO

AM.  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP SPILL W/RAGS OR OIL ABSORBANT.REMVOE  
ANY RESIDUE W/WATER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID OF CONTACT W/SKIN/EYES.KEEP  
CONTAINER CLOSED.KEEP OUT OF REACH OF CHILDREN.KEEP FROM FREEZING.  
Other P  
recautions:FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY.READ AND  
FOLLOW ALL LABEL DIRECTIONS AND PRECAUTIONS.DONT MIX W/ANY OTHER  
CHEMICALS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE  
Ventilation:NONE  
Protective Gloves:NEOPRENE,RUBBER,PLASTIC  
Eye Protection:GOGGLES  
Other Protective Equipment:NONE  
Work Hygienic Practices:WASH THOROUGHLY AFTER HNDLING.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====  
=====

HCC:N1  
Boiling Pt:B.P. Text:NO DATA  
Melt/Freeze Pt:M.P/F.P Text:NA  
Decomp Temp:Decomp Text:NP  
Vapor Pres:NO DATA  
Vapor Density:>1  
Spec Gravity:1.105  
pH:NP  
Viscosity:NP  
Evaporation Rate & Reference:>1, BUTYL ACETATE=1  
Solubility in Water:COMPLETE  
Appearance and Odor:CLEAR WATER WHITE LIQUID, WITH MILD ODOR  
Percent Volatiles by Volume:NP  
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:BURNING MAY YIELDS CARBON MONOXIDE  
&/OR CARBON DIOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF USED ABSORBANT IN TRASH  
CONTAINER.FOLLOW LOCAL, STATE AND FEDERAL DISPOSAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States o

f America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.