

DOW CORNING CORP. -- SILASTIC L RTV SILICONE RUBBER, BASE -- 9150-00-753-4830

=====
Product Identification
=====

Product ID:SILASTIC L RTV SILICONE RUBBER, BASE

MSDS Date:12/01/1997

FSC:9150

NIIN:00-753-4830

Status Code:A

Kit Part:Y

MSDS Number: CHVVJ

=== Responsible Party ===

Company Name:DOW CORNING CORP.

Address:3901 SOUTH SAGINAW ROAD

Box:997

City:MIDLAND

State:MI

ZIP:48640

Country:US

Info

Phone Num:517-496-5900

Emergency Phone Num:517-496-5900

CAGE:5D028

=== Contractor Identification ===

Company Name:DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

Company Name:DOW CORNING CORP

Address:2200 W SALZBURG RD

Box:City:AUBURN

State:MI

ZIP:48611

Country:US

Phone:517-496-4388

CAGE:71984

Company Name:DOW CORNING CORP

Address:594 PEPPER ST

Box:City:MONROE

State:CT

ZIP:06468

Country:US

Phone:203-452

-9199
CAGE:94499

=====
Composition/Information on Ingredients
=====

Ingred Name: DIMETHYLVINYLATED AND TRIMETHYLATED SILICA
Fraction by Wt: 15-40%
Other REC Limits: NONE RECOMMENDED

=====
Hazards Identification
=====

LD50 LC50 Mixture: NOT GIVEN FOR PRODUCT AS A WHOLE
Routes of Entry: Inhalation: NO Skin: YES Ingestion: NO
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: DIRECT EYE CONTACT MAY CAUSE TEMPORARY

REDNESS & DISCOMFORT. NO SIGNIFICANT SKIN IRRITATION EXPECTED FROM
A SINGLE SHORT-TERM EXPOSURE. NO SIGNIFICANT EFFECTS EXPECTED FROM
A SINGLE SHORT-TERM INHALATION EXPOSURE. SMALL AMOUNTS
TRANSFERRED TO MOUTH DURING USE SHOULD NOT INJURE.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.

Effects of Overexposure: EYE IRRITATION, EYE REDNESS.

Medical Cond Aggravated by Expo
sure: NONE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid: EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS
OPEN. GET MEDICAL ATTENTION. SKIN: NO FIRST AID SHOULD BE NEEDED.
INHALATION: NO FIRST AID SHOULD BE NEEDED. INGESTION: NO FIRST AID
SHOULD BE NEEDED. COMMENTS: TREAT SYMPTOMATICALLY.

=====
Fire Fighting Measures
=====

Flash Point Method: CC

Flash Point: 250F, 121C

Lower Limi

ts: NOT GIVEN

Upper Limits: NOT GIVEN

Extinguishing Media: WATER, WATER FOG OR SPRAY, CARBON DIOXIDE, DRY
CHEMICAL, FOAM.

Fire Fighting Procedures: FIRE FIGHTERS SHOULD WEAR SELF CONTAINED
BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL TANKS AND
CONTAINERS EXPOSED TO FIRE WITH WATER.

Unusual Fire/Explosion Hazard: THERMAL BREAKDOWN OF PRODUCT DURING FIRE
OR VERY HIGH HEAT CONDITIONS MAY EVOLVE HAZARDOUS DECOMPOSITION
PRODUCTS.

=====
Accidental Release Measures
=====

=====

Spill Release Procedures:MOP UP, WIPE UP OR SOAK UP WITH ABSORBENT AND PLACE IN A VENTED CONTAINER FOR SALVAGE OR DISPOSAL. CLEAN ANY REMAINING SLIPPERY SURFACES BY APPROPRIATE TECHNIQUES. OBSERVE ANY SAFETY PRECUATIONS APPLI CABLE TO CLEANING MATERIAL BEING USED.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID EYE CONTACT. USE REASONABLE CARE. WHEN HEATED ABOVE 180C, IN AIR, CAN FORM FORMALDEHYDE VAPORS. FORMALDEHYDE IS A POTENTIAL CARCINOGEN.
Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.
Ventilation:GENERAL VENTILATION RECOMMENDED.
Protective Gloves:NOT REQUIRED.
Eye Protection:SAFETY GLASSES AT A MINIMUM.
Other Protective Equipment:AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.
Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:NOT GIVEN
Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN
Decomp Temp:Decomp Text:NOT GIVEN
Vapor Pres:NOT GIVEN
Vapor Density:NOT GIVEN
Spec Gravity:1.28
Evaporation Rate & Reference:NOT GIVEN
Solubility in Water:NEGLIGIBLE
Appearance and O

dor:OFF-WHITE LIQUID WITH SLIGHT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

OXIDIZING MATERIAL

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products: SILICON DIOXIDE, CARBON DIOXIDE,
CARBON MONOXIDE, TRACES OF INCOMPLETELY BURNED CARBON PRODUCTS,
QUARTZ, FORMALDEHYDE.

===== Disposal Considerations =====

Waste Disposal Methods: PREVENT WASTE FROM

CONTAMINATING SURROUNDING

ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR
LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.