

PERMABOND INTERNATIONAL,DIV NATIONAL STARCH & CHEM -- PRIMER SURFACE
CONDITIONER,PART A -- 2910-01-128-5503

===== Product Identification =====

Product ID:PRIMER SURFACE CONDITIONER,PART A

MSDS Date:09/22/1998

FSC:2910

NIIN:01-128-5503

Status Code:A

MSDS Number: CHVXZ

=== Responsible Party ===

Company Name:PERMABOND INTERNATIONAL,DIV NATIONAL STARCH & CHEM

Address:480 S. DEAN ST.

City:ENGLEWOOD

State:NJ

ZIP:07631

Country:US

Info Phone Num:201-567-9494

Emergency Phone Num:201-567-9494

Preparer's Name:DOD HMIS/DSCR-VBA

CAGE:61078

=== Contractor Identification ===

Company Name:PERMABOND INTERNATIONAL,DIV NATIONAL STARCH & CHEM

Address:480 S. DEAN ST.

Box:City:ENGLEWOOD

State:NJ

ZIP:07631

Country:US

Phone:201-685-5000

CAGE:61078

Company Name:U S ARMY TANK AUTOMOTIVE COMMAND AMSTA-TFP

Address:11 MILE RD

Box:City:WARREN

State:MI

ZIP:48397

Country:US

Phone:AV 786-6293 MSDS CALL SKIP ROBERTS

C

AGE:19207

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL CHLOROFORM (1,1,1-TRICHLOROETHANE) (SARA III)
CAS:71-55-6
RTECS #:KJ2975000
Fraction by Wt: 91%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:350 PPM/450 STEL
ACGIH TLV:350 PPM/450STEL;9192
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS
Ozone Depleting Chemical:1

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES
Health Hazards Acute and Chronic:EXCESSIVE INHALATION OF VAPORS CAN CAUSE NASAL AND RESPIRATORY IRRITATION.
Explanation of Carcinogenicity:NONE
Effects of Overexposure:INHALATION: DIZZINESS, WEAKNESS, NAUSEA, HEADACHE, POSSIBLY UNCONSCIOUSNESS. CONTACT WITH EYES: CAN CAUSE SEVERE IRRITATION, REDNESS, TEARING, BLURRED VISION. SKIN: PROLONGED OR REPEATED CONTACT CAN CAUSE IRRITATION & DERMATITIS. INGESTION: GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING.

=====
First Aid Measures
=====

First Aid:INHALATION: REMOVE TO FRESH AIR, IF BREATHING HAS STOPPED, GIVE ARTIFICIAL RESPIRATION & GET MEDICAL ATTENTION. DO NOT GIVE STIMULANTS. EYE CONTACT: FLUSH WITH WATER, SEE PHYSICIAN. INGESTION: DO NOT INDUCE VOMITING, CALL PHYSICIAN. SKIN CONTACT: WASH WITH SOAP AND WATER.

=====
Fire Fighting Measures
=====

Extinguishing Media:CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:WATER MAY BE USED TO KEEP FIRE

E EXPOSED

CONTAINERS COOL UNTIL FIRE IS OUT. USE AIR SUPPLIED MASK AND
PROCEDURE FOR CHEMICAL FIRES.

Unusual Fire/Explosion Hazard:AEROSOLS MUST BE KEPT AT TEMPERATURES
BELOW 130 F TO PREVENT ANY POTENTIAL HAZARD. BURNING PRODUCT GIVES
OFF HYDROGEN CHLORIDE AND TRACES OF PHOSGENE CHLORINE.

===== Accidental Release Measures =====

Spill Release Procedures:PROVIDE ADEQUATE VENTILATION. SOAK UP WITH
SAND, CLAY, EARTH OR OTHER ABSORBENT MATERIAL AND S
HOVEL INTO
CONTAINER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL LOCATION (60-80 F)
AWAY FROM SUNLIGHT OR ANY SOURCE OF HEAT, SPARKS OR FLAME.
Other Precautions:USE NORMAL GOOD INDUSTRIAL HYGIENIC PRACTICES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF TLV IS EXCEEDED, AN APPROVED AIR SUPPLIED
RESPIRATOR IS ADVISED.

Ventilation:LOCAL EXHAUST PREFERRED.

Protec

tive Gloves:POLYETHYLENE OR POLYVINYL ALCOHOL.

Eye Protection:SAFETY GLASSES, FACE SHIELD.

Other Protective Equipment:EYE WASH FOUNTAIN.

Work Hygienic Practices:AVOID PROLONGED BREATHING OF VAPORS OR CONTACT
WITH EYES. DO NOT DIRECT SPRAY TOWARD FACE.

Supplemental Safety and Health

KEY1:V2. THIS ENTRY DESCRIBES PART A OF A TWO PART KIT. SEE THIS SAME
NSN, CAGE 05972, FOR PART B DATA.

===== Physical/Chemical Properties =====

HCC:V2

Boiling Pt:B.P. Text:165F,7

4C

Vapor Pres:100 @ 68 F

Spec Gravity:1

Solubility in Water:INSOLUBLE

Appearance and Odor:GREEN AEROSOL SPRAY

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

AVOID CONTACT WITH WATER, REACTIVE METALS AND CAUSTIC SODA.

Stability Condition to Avoid:EXCESSIVE TEMPERATURES.

Hazardous Decomposition Products:CO₂, CO, HCL FUMES AND TRACE AMOUNTS
OF PHOSGENE FORMED IF COMBUSTION OCCURS IN THE AEROSOL FORM.

===== Dispos

al Considerations =====

Waste Disposal Methods:DISPOSE IN AN APPROVED WASTE DISPOSAL TERMINAL.
AEROSOL CANS MUST BE DISPOSED OF IN AN ENVIRONMENTALLY ACCEPTED
MANNER DUE TO THEIR POTENTIAL TO PRESENT AN EXPLOSION HAZARD.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this inform
ation to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.