

HEWLETT-PACKARD CO BOISE DIV -- HP LASER JET CARTRIDGE C3906A -- 6850-01-428-3583
===== Product Identification =====

Product ID:HP LASER JET CARTRIDGE C3906A
MSDS Date:01/16/1996
FSC:6850
NIIN:01-428-3583
Status Code:A
MSDS Number: CJCWV
=== Responsible Party ===
Company Name:HEWLETT-PACKARD CO BOISE DIV
Address:11311 CHINDEN BLVD
City:BOISE
State:ID
ZIP:83714
Country:US
Info Phone Num:208-39
6-6000/323-2551
Emergency Phone Num:208-396-6000/323-2551
CAGE:18660
=== Contractor Identification ===
Company Name:HEWLETT-PACKARD CO BOISE DIV
Address:11311 CHINDEN BLVD
Box:City:BOISE
State:ID
ZIP:83714
Country:US
Phone:208-396-6000
CAGE:18660
Company Name:ODYSSEY GROUP THE
Address:245 LOCHAN CV STE B18
Box:000
City:ALPHARETTA
State:GA
ZIP:30202-7614
Country:US
Phone:800-250-8716/FAX 770-754-1194
Contract Num:SP0450-98-M-CJ31
CAGE:05NL2

===== Composition/Information on Ingredients

=====

Ingred Name:STYRENE ACRYLATE COPOLYMER,
CAS:25153-46-2
Minumum % Wt:45.
Maxumum % Wt:55.

Ingred Name:IRON OXIDE
CAS:1317-61-9
Minumum % Wt:45.
Maxumum % Wt:55.
OSHA PEL:10 MG/M3
ACGIH TLV:5 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT) IS >5000 MG/M3
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE EYE IRRITATION. U
NLIKELY TO
CAUSE SKIN IRRITATION. MINIMAL RESPIRATORY TRACT IRRITATION MAY
OCCUR AS WITH EXPOSURE TO LARGE AMOUNTS OF ANY TOXIC DUST.
INGESTION IS NOT APPLICABLE ROUTE OF EN TRY FOR INTENDED USE.
Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT
CARCINOGENICITY. HMIS DOES NOT EXPECT IT TO BE CARCINOGENIC.
Effects of Overexposure:EYES-IRRITATION. INHALED-MINIMAL RESPIRATORY
IRRITATION.
Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION ON MSDS.

==

===== First Aid Measures =====

First Aid:INGESTED-DILUTE STOMACH CONTENTS WITH SEVERAL GLASSES OF
WATER. IF SYMPTOMS OCCUR, CONSULT A PHYSICIAN. INHALED-REMOVE
VICTIM TO FRESH AIR. IF SYMPTOMS OCCUR, CONSULT A PHYSICIAN.
EYES-FLUSH WITH RUNN ING WATER FOR AT LEAST 15 MINUTES, IF SYMPTOMS
OCCUR, CONSULT A PHYSICIAN. SKIN-WASH WITH SOAP & WATER. IF
SYMPTOMS OCCUR, CONSULT A PHYSICIAN.

===== Fire Fighting Measures =====

=====

Extinguishing Media:WATER, DRY CHEMICAL, CO2

Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:TONER MATERIAL LIKE MOST ORGANIC MATERIAL IN POWDER FORM, IS CAPABLE OF CREATING A DUST EXPLOSION.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PERSONAL PROTECTIVE EQUIPMENT AS DESCRIBED. MINIMIZE THE RELEASE OF PARTICULATES. VACUUM OR SWEEP THE MATERIAL INTO A BAG OR OTHER SEALED CONTAINER AND DISPOSE OF IN

ACCORDANCE WITH LOCAL REQUIRE MENTS. DO NOT DISCHARGE INTO DRAINS.

Neutralizing Agent:MFR GAVE NO INFORMATION ON MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP OUT OF REACH OF CHILDREN. KEEP FROM CONTACT WITH OXIDIZING MATERIALS. KEEP CONTAINER CLOSED AND STORE AT ROOM TEMPERATURE. AVOID INHALATION OF DUST AND CONTACT WITH EYES. KEEP AWAY FROM EXCESSIVE HEAT, SPARKS, AND OPEN FLAMES.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER INTENDED USE.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT UNDER INTENDED USE.

Protective Gloves:NONE REQUIRED UNDER INTENDED USE.

Eye Protection:NONE REQUIRED UNDER INTENDED USE.

Other Protective Equipment:NONE REQUIRED UNDER INTENDED USE.

Work Hygienic Practices:DLA-HMIS FOCAL POINT: USE GOOD INDUSTRIAL HYGIENE PRACTICE. AVOID UNNECESSARY CONTACT. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NONE

Melt/Freeze Pt: