View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-434-1191

READ RIGHT DIVISION OF ACCTECH LLC -- PC DUSTER 2(3507/8/9/10/22/3607/8/9)

6830-01-434-1191

Product ID:PC DUSTER 2(3507/8/9/10/22/3607/8/9)

MSDS Date:03/01/1998

FSC:6830

NIIN:01-434-1191

Status Code:A

MSDS Number: CJJRP === Responsible Party ===

Company Name: READ RIGHT DIVISION OF ACCTECH LLC

Address:33 MURRY HILL DRIVE

City:NANUET State:NY ZIP:10954

Coun try:US

Info Phone Num:800-327-1237

Emergency Phone Num:800-327-1237 Chemtrec Ind/Phone:(800)424-9300

CAGE:09ZF6

=== Contractor Identification === Company Name:ACCTECH LLC Address:33 MURRY HILL DRIVE

Box:City:NANUET

State:NY ZIP:10954 Country:US

Phone:800-284-5577

CAGE:09ZF6

Company Name: DEFENSE SUPPLY CENTER RICHMOND, ATTN: DSCR-VBA

Address: 8000 JEFFERSON DAVIS HIGHWAY

Box:City:RICHMOND

State:VA

ZIP:23297-5607 Country:US

Phone: 804-279-4371, DSN 695-4371

CAGE:SO004

====== Composition/In

Ingred Name:1,1,1,2-TETRAFLUOROETHANE CAS:811-97-2 = Wt:100.
======================================
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALATION: EXCESSIVE INHALATION OF VAPORS MAY BE FATAL. VAPORS REDUCE AVAILABLE OXYGEN IN AIR. REDUCED OXYGEN LEVELS TO 12-14% PRODUCE SYMPTOMS OF ASPHYXIATION. MATERIAL CAN INDUCE CARDIAC SENSITIZAT ION TO EPINEPHRINE AND CARDI AC
ARRHYTHMIA. SKIN: DIRECT EXPOSURE OF SKIN TO LIQUID MAY CAUSE FROSTBITE. EYES: IRRITANT. Explanation of Carcinogenicity:NOT LISTED. Effects of Overexposure:INHALATION: REDUCED OXYGEN LEVELS TO 12-14% PRODUCE DROWSINESS, LOSS OF COORDINATION, INCREASED PULSE RATE, NARCOSIS, CARDIAC SENSITIZATION AND DEEPER RESPIRATION. Medical Cond Aggravated by Exposure:ANEMIA, ASTHMA, DERMAL SENSITIVITY
AND LOW BLOOD PRESSURE. ===================================
======================================
First Aid:EYES: FLUSH WITH WATER FOR 15 MIN., INCLUDING UNDER EYELIDS. GET MEDICAL ATTENTION. SKIN: FLUSH WITH WATER. TREAT FOR FROSTBITE IF NECESSARY BY BATHING AREA WITH LUKEWARM WATER. GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. KEEP AT REST. RESTORE AND/OR SUPPORT BREATHING AS NEEDED. GET PROMPT MEDICAL ATTENTION. INGESTION: NOT A POTENTIAL ROUTE OF EXPOSURE.
======================================
Flash Point Metho d:TCC
Extinguishing Media:CARBON DIOXIDE,DRY CHEMICAL OR FOAM. WATER MAY BE USED TO COOL CONTAINERS EXPOSED TO THE FIRE TO REDUCE PRESSURE BUILDUP.
Fire Fighting Procedures:WATER MAY BE USED TO COOL CONTAINERS EXPOSED TO THE FIRE TO REDUCE PRESSURE BUILDUP.
Unusual Fire/Explosion Hazard:CYLINDERS ARE UNDER PRESSURE AND MAY RUPTURE UNDER FIRE CONDITIONS. DECOMPOSITION MAY PRODUCE HYDROCHLORIC AND HYDROFLUORIC ACID. EXPOSURE TO HEAT OR PROLONGED EXPOSURE TO SUN MAY CAUSE BU

formation on Ingredients =======

RSTING.
======== Accidental Release Measures ==========
Spill Release Procedures: VENTILATE AREA, ESPECIALLY LOW PLACES WHERE HEAVY VAPORS MAY COLLECT. REMOVE OPEN FLAMES. ISOLATE HAZARD UNTIL ALL GAS HAS DISPERSED. WATER SPRAY MAY BE USED TO REDUCE VAPORS.
============ Handling and Storage =============
Handling and Storage Precautions:STORE IN A CLEAN, COOL, VENTILATED AREA AWAY FROM SOURCES OF IGNITION & OXIDIZING AGENTS. MAINTAIN TEM
P AT LESS THAN 120F. STORE AS A LEVEL 1 AEROSOL (NFPA 30B). OVER HEATING, PRESSURIZING, OR RUSTING CAN CAUSE CAN TO BURST RESULTING IN SERIOUS PERSONAL INJURY. EMPTY CONTAINERS RETAIN RESIDUE. Other Precautions: FOLLOW ALL LABEL WARNINGS. DISPOSE OF EMPTY CONTAINER ACCORDING TO REGULATIONS. DO NOT REUSE THE CONTAINER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:UNDER NORMAL USE, NO RESPIRATORY PROTECTION IS REQUIRED. SELF-CONTAINED BREATHING APPARATUS IS REQUIRED IF A LARGE RELEASE OCCURS. Ventilation:NORMAL VENTILATION FOR STANDARD PROCEDURES IS GENERALLY ADEQUATE. LOCAL EXHAUST SHOULD BE USED WHEN LARGE AMOUNTS ARE RELEASED. SEE OTHER Protective Gloves:LINED NITRILE OR NATURAL RUBBER GLOVES Eye Protection:CHEMICAL SPLASH GOGGLES Work Hygienic Practices:DO NOT TAKE INTERNALLY. AVOID INHALATION OF VAPORS AND REPEATED OR PROLONGED CONTACT OF LIQUID WITH SKIN OR CLOTHING Supplemental Safety and Health
= ========== Physical/Chemical Properties ====================================
HCC:G3 Boiling Pt:=-26.C, -14.8F Vapor Pres:70 PSIG @ 70F Vapor Density:4.34 Spec Gravity:1.21 Evaporation Rate & Description R
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS, CHI ORINE AND CHEMICALLY ACTIVE M.

TEMPERATURES (OPEN FLAME, GLOWING METAL SURFACE, ETC) FORMING HYDROFLUORIC ACID, AND POSSIBLY CARBONYL HALIDES.
========== Toxicological Information ===========
Toxicological Information:NOT AVAILABLE.
========= Ecological Information ===========
Ecological:NOT A VAILABLE.
======= Disposal Considerations ==========
Waste Disposal Methods:FOLLOW FEDERAL, STATE, AND LOCAL REGULATIONS.
========= MSDS Transport Information ==========
Transport Information:DOT: CONSUMER COMMODITY. IATA/ICAP: CONSUMER COMMODITY. IMDG: 1,1,1,2-TETRAFLUOROETHANE, UN3159, CLASS 2.2, NONFLAMMABLE GAS.
======================================
SARA Title III Information:TOXIC CHEMICAL (SECTION 31
3): NOT LISTED. EXTREMELY HAZARDOUS SUBSTANCE (SECTION 302, 304, 311, 312): NOT LISTED.
Federal Regulatory Information:TSCA INVENTORY STATUS: LISTED IN THE TSCA INVENTORY

ALKALI OR ALKALINE EARTH METALS-POWDERED AL, ZN, ETC Stability Condition to Avoid: OPEN FLAMES OR HIGH TEMPERATURES.

ETALS;I.E.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use

. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.