View NSN Online: https://aerobasegroup.co.il/nsn/6505-01-174-2383

RHONE-POULENC RORER PHARMACEUTICAL CORP, ARCOLA LABORATORIES -- CROMOLYN SODIUM INHALATION SOLUTION USP NEBULIZER SOLUTION -- 6505-01-174-2383

Product ID:CROMOLYN SODIUM INHALATION SOLUTION USP NEBULIZER SOLUTION MSDS Date:04/16/1996 FSC:6505 NIIN:01-174-2383 Status Code:A MSDS Number: CJMSF === Responsible Party === Company Name: RHONE-POULENC RORER PHARMACEUT ICAL CORP, ARCOLA LABORATORIES Address:500 ARCOLA RD Box:1400 City:COLLEGEVILLE State:PA ZIP:19426-0109 Country:US Info Phone Num:610-454-8421 Emergency Phone Num:610-454-8181 CAGE:04518 === Contractor Identification === Company Name: RHONE-POULENC RORER PHARMACEUTICAL CORP, ARCOLA LABORATORIES Address:500 ARCOLA RD Box:1400 City:COLLEGEVILLE State:PA ZIP:19426-0109 Country:US Phone:610-454-8421 CAGE:04518

Ingred Name:

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Health Hazards Acute and Chronic: ADVERSE REACTIONS BASED ON TREATMENT W/CROMOLYN HAVE BEEN REPORTED. SYMPTOMS DEVELOPED IN PATIENTS INHALING A PLACEBO, THEREFORE THEY MAY HAVE BEEN CAUSED BY INHALATION OF THE POWDER RATHER THAT THE C ROMOLYN. SEE SECTION 11. Effects of Overexposure: BY INHALATION OF CROMOLYN POWD ER: IRRITATION, DIZZINESS, WHEEZING, NAUSEA, VOMITING, NASAL CONGESTION, BRONCHOSPASMS, GASTROINTESTINAL PROBLEMS, UTICARIA, MACULOPAPULAR RASHES. First Aid: EYES: FLUSH W/WATER FOR 15 MINS. OBTAIN MEDICAL ATTENTION IN ALL CASES. Extinguishing Media: USE WATERSPRAY, FOAM/DRY CHEMICAL Fire Fighting Procedures: USE FULL FIREFIGHTING TURNOUT BUNK **ER GEAR &** SELF CONTAINED BREATHING APPARATUS. KEEP PERSONNEL UPWIND & AWAY FROM FIRE. Unusual Fire/Explosion Hazard: ONLY POTENTIAL FIRE HAZARD WOULD INVOLVE PACKAGING MATERIAL. CO, CO2 & OXIDES OF NITROGEN MAY BE GENERATED IN A FIRE. Spill Release Procedures: LARGE: WEAR SUITABLE PROTECTIVE CLOTHING. IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY PROTECTION. KEEP UNNECESSARY PEOPLE AWAY. CONTAIN LEAK, ABSORB ON SUITABLE MEDIUM & DEPOSIT IN CONTAINER FOR DISPOSAL. MOP AREA. VENTILATE AREA AFTER MATERIAL PICKUP IS COMPLETE. Handling and Storage Precautions: PREVENT PHYSICAL DAMAGE TO PACKAGE/CONTAINER. STORE IN A COOL, DRY PLACE AT TEMPERATURES BETWEEN 59-86F. PROTECT FROM LIGHT. Respiratory Protection: ONCE PACKAGED, NONE REQUI

RED. APPROVED
RESPIRATOR WHEN A POTENTIAL FOR EXPOSURE TO INHALER CONTENTS EXISTS.
Ventilation:MANUFACTURING & PACKAGING OPERATIONS SHOULD BE DESIGNED SO AS TO OFFER NO SIGNIFICANT EXPOSURE TO THE INGREDIENTS.
Protective Gloves: IMPERVIOUS
Eye Protection:RECOMMENDED
Supplemental Safety and Health
======================================
Melt/Freeze Pt:=350.C, 662.F
pH:5.5
Solubility in Water:COMPLETE Appearance and Odor:CLEAR ODORLESS SOLUTION
====== Stability and Reactivity Data ==================================
Stability Indicator/Materials to Avoid:YES
AVOID CONTACT W/OXIDIZING AGENTS, REDUCING AGENTS, AMINES & MERCAPTANS.
Stability Condition to Avoid:STABLE UNDER SPECIFIED CONDITIONS OF STORAGE, SHIPMENT OR USE.
Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY YIELD THE
FOLLOWING: HYDROGEN CHLORIDE, SULFUR DIOXIDE & OXIDES OF NITROGEN.
Conditions to Avoid Polymerization: PRODUCT WILL NOT UNDERGO POLYMERIZATION.

Waste Disposal Methods: INCINERATION IS PREFERRED METHOD. WASTE MUST BE DISPOSED OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all lia bility for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.