

FERRO CORP COATING DIV -- 77288 V-700 -- 8010-01-387-4917

===== Product Identification =====

Product ID:77288 V-700

MSDS Date:02/03/1995

FSC:8010

NIIN:01-387-4917

Status Code:A

MSDS Number: CJMXJ

=== Responsible Party ===

Company Name:FERRO CORP COATING DIV

Address:4150 E 56TH ST

Box:6550

City:CLEVELAND

State:OH

ZIP:44105-4808

Country:US

Info Phone Num:216-641-8580

Emergency Phone Num:216-641

-8580

CAGE:9S819

=== Contractor Identification ===

Company Name:FERRO CORP COATING DIV

Address:4150 E 56TH ST

Box:6550

City:CLEVELAND

State:OH

ZIP:44105-4808

Country:US

Phone:216-641-8580

CAGE:9S819

===== Composition/Information on Ingredients =====

Ingred Name:CHROMIUM GREEN-BLACK HEMATITE

CAS:68909-79-5

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:UNKNOWN Ingestion:YES

Health Hazards Acute and Chronic:INHALATI

ON: MAY CAUSE IRRITATION OF
RESPIRATORY SYSTEM. EYES/SKIN: MAY IRRITATE. REPEATED/PROLONGED
EXPOSURE MAY LEAD TO PULMONARY PROBLEMS/CAUSE LUNG DAMAGE.
Effects of Overexposure:IRRITATION, NAUSEA, METALLIC TASTE IN THE MOUTH
Medical Cond Aggravated by Exposure:INHALATION/SKIN DISORDERS

=====
First Aid Measures
=====

First Aid:INHALATION: MOVE TO FRESH AIR. INGESTION: DRINK WATER/MILK.
NEVER GIVE ANYTHING BY MOUTH IF UNCONSCIOUS. EYES: RINSE THORO
UGHLY
W/PLENTY OF WATER FOR 15 MINS. SKIN: WASH OFF IMMEDIATELY W/SOAP &
PLENTY OF WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

=====
Fire Fighting Measures
=====

Extinguishing Media:ABC DRY CHEMICAL, WATER
Fire Fighting Procedures:NONE REQUIRED.

=====
Accidental Release Measures
=====

Spill Release Procedures:AVOID DUSTING. UNCONTAMINATED MATERIAL MAY BE
SCOOPED UP FOR USE. IF CONTAMINATED, SCOOP/VACUUM TO RECEPTACL
E FOR
DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:PROTECT CONTAINERS AGAINST PHYSICAL
DAMAGE. STORE IN A DRY AREA AWAY FROM FEED & FOOD PRODUCTS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE A NIOSH APPROVED RESPIRATOR FOR DUST.
Ventilation:LOCAL EXHAUST TO KEEP AIR CONTAMINANTS BELOW THEIR PEL.
Protective Gloves:COTTON WORK GLOVES
Eye Protection:SAFETY GLASSES
Other P
rotective Equipment:PROTECTIVE CLOTHING, COVERALLS, SMOCKS
Work Hygienic Practices:WASH THOROUGHLY BEFORE EATING, DRINKING,
SMOKING/APPLYING COSMETICS.
Supplemental Safety and Health
AVOID MAKING DUST. DON'T BREATHE/EAT DUST. USE ONLY W/ADEQUATE
VENTILATION.

=====
Physical/Chemical Properties
=====

pH:6
Solubility in Water:NEGLIGIBLE
Appearance and Odor:BLACK ODORLESS POWDER

=====
Stability and Reactivity Data
=====

Stability Indi

cator/Materials to Avoid: YES
NONE
Hazardous Decomposition Products: NONE

===== Ecological Information =====

Ecological: INJURIES ARE NOT KNOWN/EXPECTED UNDER NORMAL USE.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE W/LOCAL, STATE & FEDERAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information: NOT REGULATED.

===== Regulatory Information =====

SARA Title III Information: THIS PIGMENT IS A CRYSTALLINE COMPOUND, NOT A MIXTURE. THE APPROXIMATE PERCENT METAL REPORTABLE UNDER SARA TITLE III, SECTION 313: 60-70.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.