View NSN Online: https://aerobasegroup.co.il/nsn/6850-00-782-2732

MET-L-CHEK COMPANY -- FP-93A(M) FLUORESCENT PENETRANT -- 6850-00-782-2732

Product ID:FP-93A(M) FLUORESCENT PENETRANT

MSDS Date:01/01/2001

FSC:6850

NIIN:00-782-2732

MSDS Number: CJSQM === Responsible Party ===

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST City:SANTA MONICA

State:CA

ZIP:90404-3770 Country:US

Info Phone Num:310-450-1111

Emergency Phone N um:1-800-424-9300

Chemtrec Ind/Phone:(800)424-9300

CAGE:98733

=== Contractor Identification ===

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-00-M-D134

CAGE:98733

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-00-M-D617

CAGE:98733

Company Name: MET-L-CHEK CO

MPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046

Contract Num:SP0450-00-M-D761

CAGE:98733

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046

Contract Num:SP0450-00-M-SD40

CAGE:98733

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046

Contract Num:SP0450-00-M-SD80

CAGE:98733

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046

Contract Num:SP0450-00-M-SE99

CAGE:98733

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONICA

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046

Contract Num:SP0450-00-M-SF01

CAGE:98733

Company Name: MET-L-CHEK COMPANY

Address:1639 EUCLID ST

Box:00000

City:SANTA MONIC

Α

State:CA ZIP:90404 Country:US

Phone:310-450-1111/FAX 310452-4046

Contract Num:SP0450-01-M-D867

CAGE:98733

======= Composition/Information on Ingredients ========

Ingred Name: HYDROTREATED MIDDLE DISTILLATE (PETROLEUM)

CAS:64742-46-7 RTECS #:JN9379645 Minumum % Wt:40. Maxumum % Wt:70.

OSHA PEL:5 MG/M3 OSHA STEL:5 MG/M3

ACGIH TLV:10 MG/M3 TWA ACGIH STEL:10 MG/M3

========== Hazards Identification ===============

Routes of Entry: Inhalation:YES Skin:YES Ingesti

on:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: LIQUID MAY CAUSE IRRITATION,
REDNESS, TEARING AND STINGING OF EYES. SKIN: MAY CAUSE IRRITATION
WITH PROLONGED OR REPEATED CONTACT. SYMPTOMS MAY INCLUDE REDNESS,
BURNING AND CRACKING OF SKIN. IN HALATION: SMALL AMOUNTS MAY NOT
BE HARMFUL. LARGE AMOUNTS MAY BE HARMFUL. SWALLOWING: SMALL
AMOUNTS MAY NOT PRODUCE HARMFUL EFFECTS. LARGE AMOUNTS MAY BE
HARMFUL. INGESTION: SMALL A

MOUNTS MAY NOT BE HARMFUL. LARGE AMOUNTS MAY BE HARMFUL.

Explanation of Carcinogenicity:THIS MATERIAL IS NOT KNOWN, TO CONTAIN ANY CONSTITUENTS LISTED AS A CARCINOGEN BY THE INTERNATIONAL AGENCY FOR RESEARCH ON CANCER, THE NATIONAL TOXICOLOGY PROGRAM, OR OSHA.

Effects of Overexposure:EYES: IRRITATION, REDNESS, TEARING, AND STINGING. SKIN: IRRITATION, REDNESS, BURNING, AND CRACKING OF SKIN. INHALATION: NOSE, THROAT, AND AIRWAYS IRRITATION, CENTRAL NERVOUS SYSTEM DEPRESSIO

N (DIZZINE SS, DROWSINESS, FATIGUE, HEADACHE, UNCONSCIOUSNESS). INGESTION: STOMACH OR INTESTINAL UPSET (NAUSEA, VOMITING, DIARRHEA).

Medical Cond Aggravated by Exposure:NO DATA PROVIDED BY RESPONSIBLE PARTY.

First Aid:EYES: FLUSH WITH WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. SEEK MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH EXPOSED AREA WITH SOAP AND WATER. IF SYMPTOMS PERSIST, SEEK

MEDICAL ATTENTION. LAUNDER CLOTHING/ CLEAN SHOES BEFORE REUSE. SWALLOWING: CALL A PHYSICIAN IMMEDIATELY. IF INDIVIDUAL IS DROWSY OR UNCONSCIOUS, DO NOT GIVE ANYTHING BY MOUTH; PLACE INDIVIDUAL ON THEIR LEFT S IDE WITH THE HEAD DOWN. DO NOT LEAVE THE INDIVIDUAL UNATTENDED. INHALATION: MOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. GET MEDICAL ATTENT ION IMMEDIATELY.

===	=====	====	====	====	= Fir	e Fig	ghting	Measu
res	=====	====	====		====			

Flash Point Method: PMCC Flash Point: =93.3C, 200.F

Extinguishing Media:DRY CHEMICAL, WATER FOG, FOAM, OR CARBON DIOXIDE.
Fire Fighting Procedures:WATER MAY BE INEFFECTIVE. WATER SPRAY MAY BE
USED TO KEEP FIRE EXPOSED CONTAINERS COOL. WEAR FULL PROTECTIVE
CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH
FULL FACE PIECE OPERATE D IN THE PRESSURE DEMAND OR OTHER POSITIVE
PRESSURE MODE.

Unusual Fire/Explosion Hazard:NONE KNOWN. MAY FORM CARBON DIOXIDE AND CARBON MONOXIDE.

======== Accidental Release Measures ==========

Spill Release Procedures: VENTILATE AREA. REMOVE ALL SOURCES OF IGNITION. ISOLATE AREA. WEAR PROTECTIVE GEAR, KEEP UNNECESSARY PERSONNEL AWAY. CONTAIN AND RECOVER LIQUID WHEN POSSIBLE. COLLECT LIQUID IN AN APPROPRIATE CONTAINE R OR ABSORB WITH AN INERT MATERIAL SUCH AS VERMICULITE, DRY SAND, OR EARTH; DO NOT USE COMBUSTIBLE MATERIALS, AND PLACE IN A CHEMICAL WASTE CONT

Handling and Storage Precautions:PROTECT AGAINST PHYSICAL DAMAGE. STORE IN A COOL, DRY WELL-VENTILATED LOCATION, AWAY FROM AREAS WHERE FIRE HAZARD MAY EXIST. STORE AND USE IN NO SMOKING AREA. EMPTY CONTAINERS MAY CONTAIN RESIDUE LIQU ID AND VAPORS. FOR INDUSTRIAL USE ONLY. KEEP CONTAINER CLOSED AND AWAY FROM HEAT, OPEN F LAME. Other Precautions:ANY USE OF THIS PRODUCT IN ELEVATED TEMPERATURE PROCESSING SHOULD BE THOROUGHLY EVALUATED TO ESTABLISH AND MAINTAIN
IN A COOL, DRY WELL-VENTILATED LOCATION, AWAY FROM AREAS WHERE FIRE HAZARD MAY EXIST. STORE AND USE IN NO SMOKING AREA. EMPTY CONTAINERS MAY CONTAIN RESIDUE LIQU ID AND VAPORS. FOR INDUSTRIAL USE ONLY. KEEP CONTAINER CLOSED AND AWAY FROM HEAT, OPEN F LAME. Other Precautions: ANY USE OF THIS PRODUCT IN ELEVATED TEMPERATURE PROCESSING SHOULD BE THOROUGHLY EVALUATED TO ESTABLISH AND MAINTAIN
Other Precautions:ANY USE OF THIS PRODUCT IN ELEVATED TEMPERATURE PROCESSING SHOULD BE THOROUGHLY EVALUATED TO ESTABLISH AND MAINTAIN
SAFE OPERATING CONDITIONS. KEEP OUT OF REACH OF CHILDREN. DO NOT RE-USE CONTAINER FO R ANY OTHER PURPOSE UNTIL COMMERCIALLY CLEANED.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:PERSONAL RESPIRATORS (NIOSH APPROVED) IF EXPOSURE LIMIT IS EXCEEDED. Ventilation:SYSTEM OF LOCAL OR GENERAL EXHAUST RE COMMENDED TO KEEP EMPLOYEE EXPOSURE BELOW AIRBORNE EXPOSURE LIMITS. Protective Gloves:WEAR RESISTANT(IMPERVIOUS) GLOVES. NITRILE AND NEOPRENE RECOMMENDED. Eye Protection:CHEMICAL SPLASH GOGGLES, SAFETY GLASSES OR FULL FACE SHIELD IN COMPLIANCE OSHA. Other Protective Equipment:WEAR IMPERVIOUS CLOTHING AND BOOTS TO PREVENT REPEATED OR PROLONGED SKIN CONTACT EYE WASH AND QUICK-DRENCH FACILITIES SHOULD BE NEAR WORK AREA. Work Hygienic Practices:NO DATA PROVIDED BY RESPONSIBLE P ARTY. Supplemental Safety and Health LOCAL EXHAUST VENTILATION PREFERRED TO CONTROL EMISSIONS OF THE CONTAMINANT AT ITS SOURCE.
========= Physical/Chemical Properties ==========
HCC:V4 Boiling Pt:>204.4C, 400.F B.P. Text:@760 MM HG Spec Gravity:0.943 @ 60F(7.8 LBS/ GAL) VOC Grams/Liter:7.8 Solubility in Water:INSOLUBLE Appearance and Odor:FLUORESCENT YELLOW-GREEN LIQUID. SLIGHT HYDROCARBON ODOR. ===================================

AINER. DO

Stability Condition to Avoid:STABLE UNDER ORDINARY CONDITIONS OF USE AND STORAGE.
Hazardous Decomposition Products:MAY FORM CARBON DIOXIDE AND CARBON
MONOXIDE. Conditions to Avoid Polymerization:WILL NOT OCCUR.
======================================
Toxicological Information:NO DATA AVAILABLE ON PRODUCT.
======== Ecological Information ==========
Ecological:NO DATA AVAILABLE ON PRODUCT.
======= Disposal Considerations ==========
Waste Disposal Methods:PROCESSING, USE, OR CONTAMINATION OF THIS PRODUCT MAY CHANGE THE WASTE MANAGEMENT OPTIONS. STATE AND LOCAL DISPOSAL REGULATIONS MAY DIFFER FROM FEDERAL DISPOSAL REGULATIONS. DISPOSE OF CONTAINER AND U NUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.
======== MSDS Transport Information ==========
Transport Informat ion:DOT TRANSPORTATION INFORMATION: NOT REGULATED. REPORTABLE QUANTITY-49 CFR 172.101: NOT APPLICABLE.
========== Regulatory Information ============
SARA Title III Information:SARA 302 COMPONENTS 40 CFR 355 APPENDIX A: NONE. SEC 311/312 HAZ CLASS 40 CFR 370.2: IMMEDIATE, DELAYED. SARA 313 COMPONENTS 40 CFR 372.65= NONE. Federal Regulatory Information:LISTED ON THE TSCA INVENTORY. CERCLA RQ, 49 CFR SEC 302.4 (A): NONE LISTED. State Regulatory Information: CALIFORNIA PROPOSITION 65 REQUIRES THE FOLLOWING STATEMENT - PRODUCT MAY CONTAIN DETECTABLE AMOUNTS OF SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.
========== Other Information ============
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information

ability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZING AGENTS.

to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.