View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-386-8423

Product ID: ECOLINK 2005, CFC-FREE CONTACT CLEANER MSDS Date:08/06/1998 FSC:6850 NIIN:01-386-8423 Status Code:A MSDS Number: CJSSK === Responsible Party === **Company Name: ECOLINK INC** Address:1481 ROCK MOUNTAIN BLVD **City:STONE MOUNTAIN** State:GA ZIP:30083 Country:US Info Phone Num: (800) 886-8240 OR 404-621-8240 Emergency Phone Num: (800) 886-8240 OR 404-621-8240 CAGE:0WU71 === Contractor Identification === Company Name: ECOLINK INC Address:1481 ROCK MOUNTAIN BLVD Box:City:STONE MOUNTAIN State:GA ZIP:30083-1505 Country:US Phone:800-886-8240/770-621-8240 Contract Num:SP0450-99-M-NC19 CAGE:0WU71

Ingred Name:DICHLOROFLUOROETHANE CAS:1717-00-6 = Wt:100. Other REC Limits:NONE RECOMMENDED Ozone Depleting Chemical:2

====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SWALLOWING LARGE AMOUNTS MAY BE HARMFUL. MAY CAUSE GASTROINTESTINAL IRRITATION. INHALATION OF LARGE AMOUNTS MAY CAUSE NOSE, THROAT, RESPIRATORY TRACT IRRITATION. EYE CONTACT WILL IRRITATE EYES. SKIN C ONTACT MAY CAUSE MILD IRRITATION.

Explanation of Carcinogenicity:THIS COMP

OUND CONTAINS NO INGREDIENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:GI TRACT IRRITATION, NOSE IRRITATION, THROAT IRRITATION, RESPIRATORY TRACT IRRITATION, EYE

IRRITATION/STINGING/TEARING/REDNESS, SKIN REDNESS/BURNING. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INGESTION-SEEK MEDICAL ATTENTION IMMEDIATELY. IF D ROWSY OR

UNCONSCIOUS, DO NOT GIVE ANYTHING BY MOUTH; PLACE ON LEFT SIDE WITH HEAD DOWN. CONTACT PHYSICIAN FOR ADVICE ON WHETHER TO INDUCE VOMITING. IN HALATION-REMOVE TO FRESH AIR. IF BREATHING DIFFICULT, GIVE OXYGEN. SEEK MEDICAL ATTENTION. EYES-IRRIGATE IMMEDIATELY WITH WATER. SKIN- WASH WITH SOAP & WATER. GET MEDICAL ATTENTION FOR EYES/SKIN.

Flash Point Method:TCC Flash Point:NONE Lower Limits:7.6 %

Upper Limits:17.7 %

Extinguishing Media:REGULAR FOAM,WATER FOG,CARBON DIOXIDE,DRY CHEMICAL Fire Fighting Procedures:KEEP FIRE EXPOSED CONTAINERS COOL WITH WATER.FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE DEMAND MODE WITH APROPRIATE GEAR AND CHE MICAL RESISTANT PERSONAL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:MAY DECOMPOSE IN CONTACT WITH FLAMES OR HEAT TO FORM HYDROGEN CHLORIDE AND/OR HYDROGE

## N FLUORIDE.

Spill Release Procedures: ELIMINATE ALL IGNITION SOURCES. PERSONS NOT WEARING PROTECTIVE EQUIPMENT SHOULD BE EXCLUDED FROM AREA OF SPILL UNTIL CLEANUP HAS BEEN COMPLETED. STOP SPILL AT SOURCE. PUMP OR VACUUM TRANSFER SPILLED P RODUCT TO CLEAN CONTAINER. ASORB REMAINDER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling an

d Storage Precautions: KEEP THIS AND ALL CHEMICALS OUT OF REACH OF CHILDREN. STORE IN WELL VENTILATED AREA. AVOID CONTACT WITH EYES, SKIN & CLOTHING.

Other Precautions: EMPTY CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, STATIC ELECTRICITY OR OTHER SOURCES OF IGNITION. THEY MAY EXPLODE.

======= Exposure Controls/Personal Protection ==========

Respiratory Pr

otection:NOT REQUIRED UNDER CONDITIONS OF NORMAL USE IF VENTILATION IS ADEQUATE. IN ANY AREA WITH POOR VENTILATION,USE NIOSH CERTIFIED ORGANIC VAPOR MASK. Ventilation:LOCAL EXHAUST/HOOD OR FAN MAY BE USED. Protective Gloves:BUTYL RUBBER GLOVES Eye Protection:SAFETY GLASSES AND SPLASH PROTECTION. Other Protective Equipment:NONE REQUIRED UNDER NORMAL USE. Work Hygienic Practices:TREAT THIS CHEMICAL WITH RESPECT AND FOLLOW ALL MSDS INSTRUCTIONS.ALWAYS USE IN AREA WITH ADEQUATE VENTILATI ON.

Supplemental Safety and Health

TREAT THIS CHEMICAL WITH RESPECT AND FOLLOW ALL MSDS INSTRUCTIONS.

HCC:N1 Boiling Pt:=32.C, 89.6F Vapor Pres:586MMHG@20C Vapor Density:4.0 Spec Gravity:1.25 Evaporation Rate & amp; Reference:>1 (ETHER=1) Solubility in Water:SLIGHT Appearance and Odor:CLEAR,COLORLESS LIQUID, FAINT ETHER LIKE ODOR.

Stability Indicator/Materia

Is to Avoid:YES CHEMICALLY ACTIVE METALS:SODIUM, POTASSIUM, CALCIUM, POWDERED ALUMINUM, ZINC, MAGNESIUM, LITHIUM SHAVINGS ETC. Stability Condition to Avoid:SOURCES OF IGNITION SUCH AS SPARKS, HOT SPOTS, WELDING FLAMES AND CIGARETTES. IGNITION /FLASH MAY RESULT IF CONCENTRATION OF PRODUCT IS IN THE FLAMMABLE RANGE. Hazardous Decomposition Products:HYDROGEN CHLORIDE, HYDROGEN FLUORIDE AT TEMPERATURES ABOVE 100F.
======================================
T oxicological Information:NONE SPECIFIED BY MANUFACTURER.
======================================
Ecological:NONE SPECIFIED BY MAUFACTURER.
======================================
Waste Disposal Methods:ALL USED AND UNUSED PRODUCT SHOULD BE DISPOSED OF IN CONFORMANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
======================================
Transport Information: US DOT: NOT REGULATED.
======================================
SARA Title III Information:NONE SPECIFIED BY MAUFACTURER. Federal Regulatory Information:NONE SPECIFIED BY MAUFACTURER. State Regulatory Information:NONE SPECIFIED BY MAUFACTURER.
======================================
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.