View NSN Online: https://aerobasegroup.com/nsn/6850-01-167-2003

WACKER SILICONES CORP -- RTV SILICONE RUBBER T330 -- 6850-01-167-2003

Product ID:RTV SILICONE RUBBER T330 MSDS Date:11/18/1998 FSC:6850 NIIN:01-167-2003 Status Code:A MSDS Number: CKFTZ === Responsible Party === Company Name: WACKER SILICONES CORP Address:3301 SUTTON RD **City:ADRIAN** State:MI ZIP:49221 Country:US Info Phone Num:517-264-8500 Emergency Phone Num:517-264-8500 Resp. Party Other MSDS Num.:T330 Chemtrec Ind/Phone:(800)424-9300 CAGE:0DF77 === Contractor Identification === Company Name: ACCRABOND INC Address:8848 HACKS CROSS RD Box:City:OLIVE BRANCH State:MS ZIP:38654-3884 Country:US Phone:601-895-4480 Contract Num:SP0450-00-M-D893 CAGE:5V071 Company Name: SWS SILICONES DIVISION OF STAUFFER CHEMICAL CO Address:657 LINE RD Box:City:MATAWAN State:NJ ZIP:07747-1245 Country:US CAGE:07607 Company Name: WACKER SILICONES CORP Address:3301 SUTTON RD Box:Cit

y:ADRIAN State:MI ZIP:49221 Country:US Phone:517-264-8500 CAGE:0DF77

Ingred Name:CATALYST

Ingred Name:METHYL ETHYL KETOXIME CAS:96-29-7 RTECS #:FL9275000

LD50 LC50 Mixture:NO DATA PROVIDED BY RESPONSIBLE PARTY. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic:EY

E CONTACT: CAUSES SEVERE IRRITATION, MAY CAUSE BURNS. SKIN CONTACT: CAUSES IRRITATION, MAY BE ABSORBED THROUGH THE SKIN MAY CAUSE SKIN SENSITIZATION. INHALATION: INHALATION OF MISTS OR VAPORS MAY CA USE RESPIRATORY TRACT IRRITATION. INGESTION: NO EXPECTED IN INDUSTRIAL USE. CHRONIC EFFECTS OF EXPOSURE: PROLONGED SKIN CONTACT MAY CAUSE SEVERE IRRITATION AND BURNS.

Explanation of Carcinogenicity:CONTAINS CARBON BLACK WHAICH HAS BEEN CLASSIFIED BY THE IARC AS POSSIBLY CA

RCINOGENIC TO HUMANS (2B),

BASED ON INADEQUATE EVIDENCE IN HUMANS BUT SUFFICIENT EVIDENCE IN EXPERMIMENTAL ANIMALS. CARBON BL ACK HAS NOT BEEN LISTED AS CARCINOGEN BY NTP OR OSHA. DUE TO THE PHYSICAL NATURE OF THIS MATERIAL, INHALATION OF CARBON BLACK IS NOT EXPECTED.

Effects of Overexposure:EYE CONTACT: CAUSES SEVERE IRRITATION, MAY CAUSE BURNS. SKIN CONTACT: CAUSES IRRITATION, MAY BE ABSORBED THROUGH THE SKIN MAY CAUSE SKIN SENSITIZATION. INHALATION: INHALATION OF

MISTS OR VAPORS MAY CA USE RESPIRATORY TRACT IRRITATION. INGESTION: NO EXPECTED IN INDUSTRIAL USE. CHRONIC EFFECTS OF EXPOSURE: PROLONGED SKIN CONTACT MAY CAUSE SEVERE IRRITATION AND BURNS.

Medical Cond Aggravated by Exposure:CONTACT WITH THIS MATERIAL MAY CAUSE AN ALLERGIC RESPIRATORY REACTION IN PERSONS SENSITIVE TO A COMPONENT PRESENT AT