View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-465-1910

Product ID:SWCN0111, PROSAT AND SATWIPES FAMILY OF PRESATURATED WIPERS MSDS Date:03/09/2000 FSC:6850 NIIN:01-465-1910 MSDS Number: CKVZS === Responsible Party === Company Name: CONTEC, INC. Address:525 LOCUST GROVE RD City:SPARTANBURG State:SC ZIP:29303 Country:US In fo Phone Num:864-503-8333 Emergency Phone Num:800-424-9300 Resp. Party Other MSDS Num.: SKYKLEEN 1000 Preparer's Name:NOT PROVIDED Chemtrec Ind/Phone:(800)424-9300 CAGE:0M3C8 === Contractor Identification === Company Name: CONTEC, INC. Address:525 LOCUST GROVE RD Box:City:SPARTANBURG State:SC ZIP:29303 Country:US Phone:864-503-8333 Contract Num:SP0450-01-M-D263 CAGE:0M3C8 Company Name: CONTEC, INC. Address:525 LOCUST GROVE RD Box:City:SPARTANBURG State:SC ZIP:29303 Country:US Phone:864-503-8333 Con

tract Num:SP0450-01-M-D936 CAGE:0M3C8

Ingred Name:DIMETHYL GLUTARATE CAS:1119-40-0 Minumum % Wt:55. Maxumum % Wt:75. Other REC Limits:NOT PROVIDED OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name:DIMETHYL SUCCINATE CAS:106-65-0 RTECS #:WM7675000 Minumum % Wt:15. Maxumum % Wt:35. Other REC Limits:NOT PROVIDED OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name:DIMETHYL ADIPATE CAS:627-93-0 RTECS #:AV1645000 Minu mum % Wt:5. Maxumum % Wt:25. Other REC Limits:NOT PROVIDED OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

LD50 LC50 Mixture:ORAL LD50 RAT: 500MG/KG-5000MG/KG Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:CONTACT MAY CAUSE EYE IRRITATION. HIGH VAPOR CONCENTRATIONS MAY CAUSE IRRITATION OF EYES AND RESPIRATORY TRACT. Explanation of Carcinogenicity:NONE Effects of Overexposure:CONTACT

MAY CAUSE EYE IRRITATION. HIGH VAPOR CONCENTRATIONS MAY CAUSE IRRITATION OF EYES AND RESPIRATORY TRACT. Medical Cond Aggravated by Exposure:NOT PROVIDED

First Aid:NEVER GIVE FLUIDS OR INDUCE VOMITING IF PATIENT IS UNCONSCIOUS OR IS HAVING CONVULSIONS. GET MEDICAL ASSISTANCE FOR ALL CASES OF OVEREXPOSURE. SKIN CONTACT: WASH THOROUGHLY WITH SOAP AND WATER. EYE CO NTACT: IMMEDIATELY FLUSH THOROUGHLY WITH WATER

FOR AT LEAST 15 MINUTES. INHALATION: REMOVE TO FRESH AIR; GIVE ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. INGESTION: IF CONSCIOUS, DRINK 2-4 GLASSE S OF WATER, OBTAIN MEDICAL ATTENTION.

Flash Point:=102.C, 215.6F

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, "ALCOHOL" FOAM, WATER SPRAY TO COOL FIRE-EXPOSED CONTAINERS AND TO DISPERSE VAPORS. Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE KNOWN.

Spill Release Procedures: SPILLS ARE UNLIKELY WITH PRESATURATED WIPERS, BECAUSE THE LIQUID SOLVENT SOLUTION HAS BEEN ABSORBED BY THE WIPER FABRIC. IN CASE OF A SPILL, EVACUATE THE AREA OF ALL UNNECESSARY PERSONNEL. WEAR SUITAB LE PROTECTIVE EQUIPMENT. ELIMINATE ALL SOURCES OF IGNITION. CONTAIN THE SPILL AND ELIMINATE ITS SOURCE, IF THIS CAN BE DONE WITHOUT RISK. TAKE UP AND CONTAINERIZE FOR PROPER DISOSAL.

Neutralizing Agent:NOT PROVIDED

Handling and Storage Precautions: KEEP CONTAINER CLOSED. STORE IN COOL AREA AWAY FROM OXIDIZERS. DO NOT GET IN EYES. Other Precautions: NOT PROVIDED

Respiratory Protection: IF WORKPLACE EXPOSURE LIMITS ARE EXCEEDED (REFERENCE TLV/PEL), A NIOSH/MSHA APPROVED AIR SUPPLIED RESPIRA TOR IS ADVISED IN ABSENCE OF PROPER ENVIRONMENTAL CONTROL. Ventilation: ENGINEERING AND ADMINISTRATIVE CONTROLS SHOULD BE IMPLEMENTED TO REDUCE EXPOSURE. TRANSFER MATERIAL IN AN APPROVED FUME HOOD WITH ADEQUATE VENTILATION. Protective Gloves: BUTYL RUBBER, PVC OR EQUIVALENT Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS MUST BE WORN AT ALL TIMES Other Protective Equipment: EYE WASH AND SAFETY EQUIPMENT SHOULD BE READILY AVAILABLE. Work Hygienic Practices: WASH THOROUGHLY AFTER H ANDLING. DO NOT TAKE INTERNALLY. Supplemental Safety and Health P/N: CONTAINING 100% SKYKLEEN 1000/CANISTER. ABBREVIATION: N/A = NOT APPLICABLE, N/AV = NOT AVAILABLE, N/K = UNKNOWN, N/P = NOT PROVIDED, N/R = NOT RELEVANT, N/D = NOT DETERMINED, N/E = NOT ESTABLISHE D. HCC:V5 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text: 196-226C Melt/Freeze Pt:=-40.C, -40.F Vapor Pres:0.06 @ 20C/68F Spec Gravity:1.086 pH: NOT PROVIDED Viscosity:NOT PROVIDED Evaporation Rate & amp; Reference:NOT PROVIDED Solubility in Water: PARTIAL Appearance and Odor: CLEAR, COLORLESS LIQUID; SWEET ODOR Percent Volatiles by Volume:100 Corrosion Rate:NOT PROVIDED

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZERS, ACIDS, AND ALKALIS. Stability Condition to Avoid:HEAT, CONTACT WITH IGNITION SOURCES. VAPOR FORMS EXPLOSIVE MIXTURE IN AIR. Hazardous Decom

position Products:CARBON MONOXIDE, CARBON DIOXIDE, AND LOW MOLECULAR WEIGHT HYDROCARBONS.
======================================
Toxicological Information:ORAL (RAT) LD50: 500 MG/KG-5000 MG/KG; SKIN (RABBIT): LD50: >5000 MG/KG.
======================================
Ecological:DO NOT ALLOW PRODUCT TO CONTAMINATE PONDS, WATERCOURSES, SOILS AND DRAINS. DO NOT DISPOSE OF PRODUCT DOWN THE DRAIN. DIMETHYL ESTERS OF SUCCINIC , GLUTARIC AND ADIPIC WERE DETERMINED TO BE "INHERENTLY BIODEGRADABLE" IN A SEMI-CONTINUOUS ACTIVATED SLUDGE (SCAS) TEST FOLLOWING OECD GUIDELINES METHOD 302A. THESE MATERIALS WERE ALSO FOUND TO BE "READILY BIODEGRADABLE" IN FIVE-DAY BOD TESTS WITH ALL MAT ERIALS HAVING BOD-5/COD RATIOS GREATER THAN 0.6.
======================================
Waste Disposal Methods:PRODUCT MAY BE DISPOSED THROUGH INCINERATION, IF GOVERNMENTAL REGULATIONS PE RMIT. ALWAYS CONTACT A LICENSED, PERMITTED TREATMENT, STORAGE AND DISPOSAL FACILITY TO ASSURE COMPLIANCE WITH ALL LOCAL AND STATE GOVERNMENTAL REGULATIONS.
======================================
Transport Information:THIS PRODUCT IS NOT HAZARDOUS UNDER THE APPLICABLE DOT, ICAO/IATA OR IMDG REGULATIONS.
======================================
SARA Title III Information:NOT PROVIDED Federal Regulatory Information:NOT PROVI DED State Regulatory Information:NOT PROVIDED
======================================
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professio nal advice to verify and assume responsibility for the suitability of this information to their particular situation.