View NSN Online: https://aerobasegroup.com/nsn/8030-00-433-9032

Product ID: POLYSULFIDE RUBBER SOLUTION PR1436G SPRAYABLE KT ( PART TWO MSDS Date:03/30/1994 FSC:8030 NIIN:00-433-9032 Status Code:A MSDS Number: CKWYF === Responsible Party === Company Name: SEMCO DIV COURTAULDS AEROSPACE (FORMERLY P RODUCT Address:5454 SAN FERNANDO RD (RESEARCH&CHEMICAL) City:GLENDALE State:CA ZIP:91203-1521 Country:US Info Phone Num:818-240-2060 Emergency Phone Num:800-228-5635 Chemtrec Ind/Phone:(800)424-9300 CAGE:92108 === Contractor Identification === Company Name: PRC-DESOTO INTL INC Address:5454 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91203 Country:US Phone:818-240-2060/800-228-5635 CAGE:92108 Ingred Name:CALCIUM DICHROM ATE CAS:14307-33-6 RTECS #:HX7630000 = Wt:35. **OSHA STEL:0.1 AS CRO3** ACGIH TLV:0.05 MG/M3 Ingred Name: DIMETHYL ACETAMIDE (VP= 2)

CAS:127-19-5 RTECS #:AB7700000 = Wt:30. OSHA PEL:10 SKIN PPM ACGIH TLV:10 SKIN PPM

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000

Health Hazards Acute and Chronic:CALCIUM DICHROMATE: PROLONGED EXPOSURE

AND MUCOUS MEMBRANES OF THE NOSE AND PEROFORATTION OF THE CARTLILAGINOUS N ASAL SEPTUM. ALTHOUGH THIS CHROMIUM COMPOUND IS NOT DESIGNATED BY NTP OR IARC AS CANCER CAUSING CHEMICALS, THE LIST ENTITLED "CHEMICALS KNOWN BY THE STATE OF CALIFORNIA TO CAUSE CANCER" AS REQUIRED BY THE SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT, PROPOSITION 65 INCLUDES HEXAVALENT CHROMIUM COMPOUNDS. Effects of Overexposure:SITE: CHEMICAL) EFFECTS EYE CONTACT: 2) MAY CAUSE BURNING, TEA RING, REDDENING. POSSIBLE TRANSIENT CORNEAL INJURY. SKIN CONTACT: 2) HARMFUL IF ABSORBED THROUGH SKIN; RAPIDELY ABSORBED THROUGH SKIN. LABORATORY TESTS HAVE SHOWN THAT DERMAL APPLICATION OF DMAC TO PREGNANT RATS PRODUCDD FETAL ABNORMALITIES. INHALATION: 2) MAY CAUSE LIVER OR KIDNEY DAMAGE. First Aid: EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT PHYSICIAN. SKIN: WASH WIT H SOAP AND WATER. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR . IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. INGESTION: CONSULT A PHYSICIAN. Flash Point:>93.3C, 200.F >200F Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures: USE COMPLETE PERSONAL PROTECTION. Unusual Fire/Explosion Hazard:NONE KNOWN ================== Accidental Release Measures === \_\_\_\_\_ Spill Release Procedures: DIKE AND COVER SPILL WITH NON-OXIDIZABLE ABSORBANT. SCOOP INTO CONTAINER. SPRINKLE SODIUM THIOSULFATE ON RESIDUE. WORK IN TO RESIDUE. SCOOP INTO DISPOSAL CONTAINER. CLEAN AREA WITH WATER.

Handling and Storage Precautions:DUE TO TOXICITY BY SKIN ABSORPRION, AVOID ALL SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING.

====== Exposu

re Controls/Personal Protection =========

Respiratory Protection:WHEN APPLYING IN ANY CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVEL OF HAZARDOUS INGREDIENTS IN EXCESS OF TLV, USE AN ORGANIC VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR.
Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL.
Protective Gloves:NITRILE, BUTYL OR NATURAL RUBBER GLOVES FOR OCCASIONAL CONTACT.
Eye Protection:CHEMICAL GOGGLES, OR IF A SPLASH HAZZARD EXISTS, FULL-FACE SHIELD.
Other Protective
Equipment:GLOVES ARE NOT ADEQUATE PROTECTION FOR IMMERSION. SKIN AREAS SUBJECT TO SPLASH SHOULD BE PROTECTED WITH NITRILE, BUTYL OR NATURAL RUBBER, OR POLYETHYLENE APRON OR COVERALLS.
Supplemental Safety and Health NONE

Vapor Density:>AIR Spec Gravity:1.30 Evaporation Rate & amp; Reference: