

SUPER CHEM CORP -- 565530, EGW COOLANT MS139-A -- 6850-01-400-2896

===== Product Identification =====

Product ID:565530, EGW COOLANT MS139-A

MSDS Date:05/15/1998

FSC:6850

NIIN:01-400-2896

MSDS Number: CKXWB

=== Responsible Party ===

Company Name: SUPER CHEM CORP

Address: 4095 LEAVERTON CT

City: ANAHEIM

State: CA

ZIP: 92807

Country: US

Info Phone Num: 714-630-1430

Emergency Phone Num: 714-630-5211

CAGE: 1F

NG2

=== Contractor Identification ===

Company Name: SUPER CHEM CORP

Address: 4095 LEAVERTON CT

Box: City: ANAHEIM

State: CA

ZIP: 92807

Country: US

Phone: (714) 630-5211

Contract Num: SP0450-01-M-ZD59

CAGE: 1CRY1

Company Name: SUPER CHEM CORP

Address: 4095 LEAVERTON CT

Box: City: ANAHEIM

State: CA

ZIP: 92807

Country: US

Phone: 714-630-1430

Contract Num: SP0450-01-M-D549

CAGE: 1FNG2

===== Composition/Information on Ingredients =====

Ingred Name: ETHYLENE GLYCOL

CAS: 107-21-1

RTECS #: KW2975000

= Wt: 6

2.8
ACGIH STEL:C127 MG/M3;C50 PPM
EPA Rpt Qty:1 LB
DOT Rpt Qty:1 LB

Ingred Name:BENZOTRIAZOLE
CAS:95-14-7
RTECS #:DM1225000
= Wt:.5
OSHA PEL:NONE
ACGIH TLV:N/E

Ingred Name:TEAP
= Wt:1.55
OSHA PEL:NONE
ACGIH TLV:NONE

Ingred Name:NAMBT-50
CAS:2492-26-4
= Wt:.15
OSHA PEL:NONE
ACGIH TLV:N/E

===== Hazards Identification =====

LD50 LC50 Mixture:NO DATA PROVIDED BY MANUFACTURER
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP
:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: SLIGHTLY TOXIC WHEN INGESTED OR
ABSORB THROUGH SKIN. CHRONIC: CAN CAUSE BRONCHIAL PNEUMONIA &
SEVERE CONJUNCTIVITIS.
Explanation of Carcinogenicity:NO DATA PROVIDED BY MANUFACTURER.
Effects of Overexposure:MENTAL SLUGGISHNESS, DIFFICULTY IN BREATHING,
SOFTENING OF THE SKIN & EYE IRRITATION.
Medical Cond Aggravated by Exposure:NONE KNOWN

===== First Aid Measures =====

First Aid:INGES

TION: INDUCE VOMITING & CONTACT A PHYSICIAN IMMEDIATELY.

INHALATION: REMOVE TO FRESH AIR, CPR IF NEEDED, CALL A PHYSICIAN.

EYE & SKIN CONTACT: WASH W/WATER FOR AT LEAST 15 MIN CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:>93.3C, 200.F

Lower Limits:1.6

Upper Limits:7.75

Extinguishing Media:USE MEDIA APPROPRIATE FOR PRIMARY CAUSE OF FIRE.

Fire Fighting Procedures:WEAR SELF CONTAINED BREATHING APPARATUS DUE TO TOXIC COMBUSTION FUMES.

Unusual Fire/Explosion Hazard:NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY).

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL TO MINIMIZE CONTAMINATED AREA & FACILITATE SALVAGE. FLUSH AREA W/WATER/USE ABSORBENT.

Neutralizing Agent:NO DATA PROVIDED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP AWAY FROM EXCESSIVE HEAT. KEEP

CONTAINERS TIGHTLY CLOSED. USE ONLY DOT APPROVED CONTAINERS.

Other Precautions:NO DATA PROVIDED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR DUE TO MIST.

Ventilation:LOCAL EXHAUST: ADEQUATE. MECHANICAL (GENERAL): OPTIONAL.

Protective Gloves:NEOPRENE OR RUBBER

Eye Protection:GOGGLES

Other Protective Equipment:WHERE SPLASHING IS POSSIBLE USE RUBBER APRON & BOOTS. SAFETY SHOWER & EY

E BATH SHOULD BE NEARBY.

Work Hygienic Practices:NO DATA PROVIDED BY MANUFACTURER

Supplemental Safety and Health

NO DATA PROVIDED BY MANUFACTURER

===== Physical/Chemical Properties =====

HCC:V5

Boiling Pt:>148.9C, 300.F

Melt/Freeze Pt:1 (AIR=1)

Spec Gravity:1.080/1.100 (H2O=1)

Viscosity:NOT PROVIDED BY MFR

Evaporation Rate & Reference: