View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-389-1740

EASTMAN KODAK COMPANY -- 801 8657, KODAK STARMATE 500 (SEE SUPPL DATA) 6850-01-389-1740

Product ID:801 8657,KODAK STARMATE 500 (SEE SUPPL DATA)

MSDS Date: 08/06/1999

FSC:6850

NIIN:01-389-1740 Status Code:A

Kit Part:Y

MSDS Number: CKYGZ === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Count ry:US

Info Phone Num:716-722-5151/(800) 242-2424

Emergency Phone Num:716 722-5151 Preparer's Name:NOT PROVIDED

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name: IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt: SEE ING 1%

Other REC Li

mits:NOT PROVIDED OSHA PEL:10 MG/M3

ACGIH TLV:5 MG/M3;2 PPM

Ingred Name: MAGNESIUM OXIDE

CAS:1309-48-4

RTECS #:OM3850000

Fraction by Wt: SEE ING 1%

Other REC Limits:NOT PROVIDED

OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name: STYRENE-ACRYLATE COPOLYMER

CAS:27136-15-8 Minumum % Wt:1. Maxumum % Wt:5.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name: CARBON BLACK

CAS:1333-86-4

RTECS #:FF5800000

< Wt:1.

Other REC Limits:NOT PROVIDED

OSHA PEL:3.5 MG/M3

ACGIH

TLV:3.5 MG/M3

Ingred Name: FERRITE (CONTAINING INGREDIENTS 2, 3, 4 AND 5)

Minumum % Wt:90. Maxumum % Wt:95.

Other REC Limits: NOT PROVIDED

OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name: COPPER OXIDE

CAS:1317-38-0

RTECS #:GL7900000

< Wt:25.

Other REC Limits: NOT PROVIDED

OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name:ZINC OXIDE

CAS:1314-13-2

RTECS #:ZH4810000

< Wt:25.

Other REC Limits: NOT PROVIDED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3 (TDUST)

ACGIH STEL:10 MG/M3

======

======== Hazards Identification =============
LD50 LC50 Mixture:NOT PROVIDED  Reports of Carcinogenicity:NTP:NO   IARC:NO OSHA:NO   Health Hazards Acute and Chronic:EFFECTS OF EXPOSURE: INHALATION:
======================================
First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: ANY MATERIAL THAT CONTACTS THE EYE SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION I F SYMPTOMS OCCUR. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOU S PERSON.
========= F ire Fighting Measures ====================================
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEMICAL Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS. Unusual Fire/Explosion Hazard:NONE, BASED ON LIMITED QUANTITY OF CHEMICAL CONTAINED IN CARTRIDGE. HOWEVER, COMPONENT IS COMBUSTIBLE.

========== Accidental Release Measures ===============

Spill Releas

e Procedures:DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILLS
OF POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE OR
EXPLOSION. SWEEP MATERIAL ONTO PAPER AND PLACE IN A FIBER CARTON.
AVOID GENERATION OF DUS T. CLEAN SURFACE THOROUGHLY TO REMOVE
RESIDUAL CONTAMINATION.
Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:KEEP CONTAINER CLOSED. KEEP FROM

Ot

her Precautions:AVOID BREATHING DUST. AVOID CONTACT WITH EYES AND PROLONGED OR REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: NONE SHOULD BE NEEDED.

CONTACT WITH OXIDIZING MATERIALS.

Ventilation: GOOD VENTILATION (TYPICALLY 4-6 ROOM VOLUMES PER HOUR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:FOR PROLONGED OR REPEATED SKIN CONTACT IMPERVIOUS GLOVES SHOULD BE WORN.

Eye Protection:IT IS A GOOD INDUSTRIAL HYGIENE PRACTICE TO MINIMIZE EYE CONTACT.

Other Protective Equipment: WASHING FACILITIES

Work Hygienic Practices:IT IS A GOOD INDUSTRIAL HYGIENE PRACTICE TO MINIMIZE EYE CONTACT. IT IS A GOOD INDUSTRIAL HYGIENE PRACTICE TO MINIMIZE SKIN CONTACT.

Supplemental Safety and Health

CONTINUED FROM PRODUCT ID: TONER/DEVELOPER CARTRIDGE KIT/NEGATIVE (CARTRIDGE). ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABLE. N

/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NO T DETERMINED. N/E = NOT ESTABLISHED.

======== Physical/Chemical Properties ==========

HCC:N1

NRC/State Lic Num: NOT RELEVANT

Melt/Freeze Pt:M.P/F.P Text:NOT AVAILABLE Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Pres:NEGLIGIBLE Vapor Density:NEGLIGIBLE


Spec Gravity:4.13

Evaporation Rate & Presence: NEGLIGIBLE

Solubility in Water: NEGLIGIBLE

Appearance and Odor:BLACK SOLID (POWDER) ODOR: SLIGHT

Percent Volati



======== Regulatory Information =============	
SARA Title III Information: CHEMICAL(S) SUBJECT TO THE REPORTING	
REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND	)
AMENDMENTS AND REAUTHORIZATION ACT (SARA) OF 1986 AND	40 CFR
PART 372: COPPER OXIDE, ZINC OXIDE	
Federal Regulatory Information:NOT PROVIDED	

State Regulatory Information:MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: CARBON BLACK - MATERIAL(S) KNOWN TO THE STATE OF CALIFO

RNIA TO CAUSE ADVERSE REPRODUCTIVE EFFECTS: NONE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.