View NSN Online: https://aerobasegroup.com/nsn/8030-01-014-5869

HERNON MANUFACTURING -- NUTS N' BOLTS 423, ANAEROBIC -- 8030-01-014-5869

Product ID:NUTS N' BOLTS 423, ANAEROBIC MSDS Date:12/13/1995 FSC:8030 NIIN:01-014-5869 Status Code:A MSDS Number: CKZKB === Responsible Party === Company Name: HERNON MANUFACTURING Address:121 TECH DRIVE City:SANFORD State:FL ZIP:32771 Country:US Info Phone Num:407-322-4000/800-255-3924 Emer gency Phone Num:1-800-255-3924 Preparer's Name: ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300 CAGE:61603 === Contractor Identification === Company Name: HERNON MANUFACTURING Address:121 TECH DRIVE Box:City:SANFORD State:FL ZIP:32771 Country:US Phone:407-322-4000/800-255-3924 CAGE:61603

Ingred Name:POLYGLYCOL DIMETHACRYLATE Minumum % Wt:65. Maxumum % Wt:70.

Ingred Name:POLYGLYCOL ESTER Minumum % Wt:25. Maxumum % Wt:30.

Ingred

Name:SACCHARIN Minumum % Wt:1. Maxumum % Wt:5.

Ingred Name:CUMENE HYDROPEROXIDE Minumum % Wt:1. Maxumum % Wt:3.

Ingred Name:SILICA, AMORPHOUS TREATED Minumum % Wt:1. Maxumum % Wt:3.

Ingred Name:N,N-DIALKYLTOLUIDINES Minumum % Wt:.1 Maxumum % Wt:1.

Ingred Name:TITANIUM DIOXIDE > Wt:.1

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Health Hazards Acute and Chronic:INGESTION:DO NOT INDUCE VOMITING. KEEP IND

IVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION: DOES NOT APPLY. SKIN CONTACT: WASH WITH SOAP AND WATER. EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION. MAY CAUSE DERMATITUS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS. Effects of Overexposure: MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUALS.

First Aid:INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION: DOES NOT APPLY. SKIN CONTACT: WASH WITH SOAP AND WATER. EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER . OBTAIN MEDICAL ATTENTION.

Flash Point Method:TCC Flash Point:>93.3C, 200.F Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL Fire Fighting Procedures:IRRITATING ORGANIC VAPORS. Unusual Fire/Explosion Hazard:NONE

==================

| Spill Release Procedures:STEPS TO BE TAKEN IN CASE OF SPILL OR LEAK: SOAK UP WITH AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL. |
|---|
| ====================================== |
| Handling and Storage Precautions:STORE BELOW 110%F TO PRESERVE SHELF LIFE. AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES. |
| ====================================== |
| Ventilation:DOES NOT APPLY. Protective Gloves:R UBBER OR PLASTIC GLOVES. Eye Protection:SAFETY GLASSES OR GOGGLES. Supplemental Safety and Health |
| ====================================== |
| Boiling Pt:=148.9C, 300.F Vapor Pres:LESS THAN 5MM AT80 F Spec Gravity:1.01 AT 75 Evaporation Rate & amp; Reference:(ETHER=1) Solubility in Water:SLIGHT Appearance and Odor:BLUE LIQUID MILD ODOR Percent Volatiles by Volume:13.3 |
| ====================================== |
| Stability Indicator/Materials to A void:YES Hazardous Decomposition Products:(NON-THERMAL): INCOMPATIBILITY:Hazardous Polymerization Indicator:NO Conditions to Avoid Polymerization:WILL NOT OCCUR. |
| ====================================== |
| Toxicological Information:MILD EYE IRRITANT; ESTIMATED ORAL LD50 > 5000 MG/KG. ESTIMATED DERMAL LD50 MORE THAN 2000 MG/KG |
| ====================================== |
| Waste Disposal Methods: INCINERATE FOLLOWING EPA AND LOCAL REGULATION |

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume respons ibility for the suitability of this information to their particular situation.

====