View NSN Online: https://aerobasegroup.com/nsn/7510-00-224-6732 SPECIALITY INK CO INC -- METAL INK -- 7510-00-224-6732 ============ Product Identification ========================= Product ID:METAL INK MSDS Date:08/16/1997 FSC:7510 NIIN:00-224-6732 Status Code:A MSDS Number: CKZTB === Responsible Party === Company Name: SPECIALITY INK CO INC Address:20 DUNTON AVE Box:R City:DEER PARK State:NY ZIP:11729-4702 Country:US Info Phone Num:516-586-3666 Emergency Phone Num:1-516-586-3666 Prepar er's Name: ALLEN WERWA CAGE:18029 === Contractor Identification === Company Name: SPECIALITY INK CO INC Address:20 DUNTON AVE Box:R City:DEER PARK State:NY ZIP:11729-4702 Country:US Phone:516-586-3666 CAGE:18029 ======= Composition/Information on Ingredients ======== Ingred Name: MINERAL OIL CAS:64742-52-5 RTECS #:PY8035000 = Wt:20.OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

RTECS #:OI6180000

OSHA PEL:500 PPM ACGIH TLV:125 PPM

CAS:8032-32-4

=========

= Wt:43.

Ingred Name: MINERAL SPIRITS

====== Hazards Identification ============
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: HEADACHE, DEPRESSION, NAUSEA. CHRONIC: IRRITANT TO EYES, SKIN AND MUCOUS MEMBRANES. Effects of Overexposure:HEADACHE, DIZZINESS, AND NAUSEA. SKIN IRRITATION AND DERMITITUS. PROLONGED BREATHING OF VAPORS MAY CAUSE MILD DEPRESSION OR CONVULSIONS. Medical Cond Aggravated by Exposure: EYE, NOSE, THROAT AND SKIN IRRITATIONS.
======================================
First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINITUES. SKIN: KWASH WITH SOAP AND WATER. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.
======================================
Flash Point Method:CC Flash Point:=44.4C, 112.F 112 F Autoignition Temp:=315.6C, 600.F Autoignition Temp Text:600F Lower Limits:0.9 Upper Limits:6.0 Extinguishing Media:FOAM, DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY BUT NOT ON FLAME Fire Fighting Procedures:WEAR AIR SUPPLIED BREATHING APPARATUS. WEAR PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL FIRE EXPOSED AREA. USE WATER SPRAY TO PROTECT PERSONELL. Unusual Fire/Explosion Hazard:SUITABLE EYE PROTECTION TO PREVENT EYE CONTACT. ===================================
Spill Release Procedures:REMOVE SOURCES OF IGNITION. VENTILATE. CONTAIN SPILL WITH AN ABSORBENT. SOAK UP AND PLACE IN A DISPOSAL DRUM. DO NOT ALLOW SPILL TO ENTER WATERWAYS.
======================================
Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID PROLONGED BREATHING BREATHING OF VAPORS. USE ONLY WITH PROPPER VENTILATION. KWASH UP BEFORE EATING, DRINKING, SMOKING.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE ONLY WITH

Eye Protection: SPLASH GLASSES Other Protective Equipment: EVE BATH
Other Protective Equipment:EYE BATH Work Hygienic Practices:DUE CARE SHOULD BE TAKEN WHEN USING THIS PRODUCT
Supplemental Safety and Health
======================================
Boiling Pt:=161.7C, 323.F
B.P. Text:323-390F
Vapor Pres:1.5
Vapor Density:4.8 Spec Gravity:0.780
VOC Pounds/Gallon:22
Solubility in Water:NEGLIGABLE
Appeara
nce and Odor:MOBILE LIQUID NAPHTHA ODOR
========= Stability and Reactivity Data =========
Stability Indicator/Materials to Avoid:YES
STRONG OXIDANTS, CHLORINE
Stability Condition to Avoid:HEAT, SPARKS AND OPEN FLAME.
Hazardous Decomposition Products:BURNING CAN PRODUCE CO AND CO2
======== Disposal Considerations ==========
Waste Disposal Methods:INCINERATE IN CHEMICAL FURNACE. MUST CONFORM TO LOCAL, STATE AND FEDERAL REGULATIONS.
=======================================
====== Other Information =============
Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and

PROPPER VENTILATION

Ventilation: SHOULD BE EQUAL TO OUTDOORS Protective Gloves:CHEMICAL IMPERVIOUS

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitab

