View NSN Online: https://aerobasegroup.co.il/nsn/9150-00-188-9862

UNIMARK OIL CO LLC -- GARDFLEET MC 40 MIL-PRF-2104G -- 9150-00-188-9862

Product ID:GARDFLEET MC 40 MIL-PRF-2104G

MSDS Date:03/15/2000

FSC:9150

NIIN:00-188-9862

Status Code:A

MSDS Number: CKZXD === Responsible Party ===

Company Name: UNIMARK OIL CO LLC

Address:2727 ROE LANE

City:KANSAS CITY

State:KS

ZIP:66103-1543

Country:US

Info Phone Num:913-236-5000 FAX/913-4

32-8309

Emergency Phone Num:913-236-5000

Preparer's Name: MICHAEL S. MCLEMORE

Chemtrec Ind/Phone:(800)424-9300

CAGE:1RU67

=== Contractor Identification ===

Company Name: UNIMARK OIL CO LLC

Address:2727 ROE LANE Box:City:KANSAS CITY

State:KS

ZIP:66103-1543

Country:US

Phone:913-236-5000 FAX/913-432-8309

CAGE:1RU67

======= Composition/Information on Ingredients ========

Ingred Name: HYDROTREATED PARAFINNIC DISTILLATES

Minumum % Wt:80. Maxumum % Wt:90.

OSHA PEL:5 MG/M3 OIL MIST

ACGIH TLV

:5 MG/M3 OIL MIST

ACGIH STEL:10 MG/M3 OIL MIST

Ingred Name: PROPRIETARY ADDITIVES

Minumum % Wt:10. Maxumum % Wt:20.

OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST ACGIH STEL:10 MG/M3 OIL MIST

Ingred Name: ZINC SALTS OF DIALKYLDITHIOPHOSPHORIC ACID

CAS:68649-42-3

< Wt:.5

OSHA PEL:5 MG/M3 OIL MIST ACGIH TLV:5 MG/M3 OIL MIST ACGIH STEL:10 MG/M3 OIL MIST

=========== Hazards Identification =================

LD50 LC50 Mixture:NOT PROVIDED Reports of Carcinogenicity:NTP:NO

IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE:NOT EXPECTED TO CAUSE IRRITATION.
MAY CAUSE MILD DISCOMFORT. SKIN:NOT EXPECTED TO CAUSE IRRITATION.
PROLONGED CONTACT MAY LEAD TO AN ALLERGIC SKIN SENSITIZATION.
INHALATION: VAPORS FROM HOT MATER IAL MAY CAUSE NON-SPECIFIC
DISCOMFORT. INGESTION: RELATIVELY NON-TOXIC UNLESS LUNG ASPIRATION
OCCURS. ASPIRATION MAY LEAD TO CHEMICAL PHEUMONITIS.

Explanation of Carcinogenicity: NOT DETERMINED.

Effects of Overexposure:EYES:TEARI

NG, OR BLURRING OF VISION. SKIN:

IRRITATION, ALLERGIC SENSITIZATION (REDDENING OF SKIN & IRRITATION) INHALATION: NAUSEA, HEADACHE. INGESTION:ABDOMINAL CRAMPS, DIARRHEA. APIRATION INTO LUNGS IS CHARACTERIZED BY PULMONARY EDEMA, HEMORRHAGE, DEATH, INCREASED RESPIRATORY RATE, INCREASED HEART RATE, BLUISH DISCOLORATION OF THE SKIN,

Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid

EYES: FLUSH WITH WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL ATTENTION. INH ALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING DUE TO ASPIRATION HAZARD. IMMEDIATELY GIVE 2 GLASSES OF WATER. NEVER GIVE ANYTHING BY MOUTH IF UNCONSCIOUS. IF VOMITING OCCURS, LOWER HEAD BELOW KNEES TO AVOID ASP

IRATION. SEEK IMMEDIATE MEDICAL HELP.

========== Fire Fighting Measures ===============

Flash Point Method:COC Flash Point:=240.6C, 465.F Lower Limits:NOT DETERM Upper Limits:NOT DETERM

Extinguishing Media: USE DRY CHEMICAL, FOAM, WATER FOG, CARBON DIOXIDE.

Fire Fighting Procedures: WATER MAY BE INEFFECTIVE BUT MAY BE USED TO COOL CONTAINERS EXPOSED TO HEAT OR FLAME. CAUTION SHOULD BE EXERCISED WHEN USING WATER OR FOAM AS FROTHING MAY OCCUR.

Unusual Fire/Explosion Haza

rd:DENSE SMOKE MAY BE GENERATED WHILE

BURNING. TOXIC FUMES, GASES OR VAPORS MAY EVOLVE ON BURNING. HEAVY FLAMMABLE VAPORS MAY TRAVEL TO LOW AREAS AND IGNITE.

======== Accidental Release Measures ===========

Spill Release Procedures:IMMEDIATELY TURN OFF ANY SOURCE OF IGNITION.
EVACUATE AREA AND VENTILATE. CONTAIN MATERIAL WITH INERT MATERIAL
AND COLLECT IN SUITABLE CONTAINERS FOR DISPOSAL. PREVENT MATERIAL
FROM ENTERING SEWERS OR WATERWAYS. IF A LARGE SPI

LL OCCURS NOTIFY

APPROPRIATE AUTHORITIES.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

=========== Handling and Storage ==============

Handling and Storage Precautions: KEEP CONTAINERS CLOSED WHEN NOT IN USE. DO NOT TRANSFER TO UNMARKED CONTAINERS. FIRE EXTINGUISHERS SHOULD BE KEPT READILY AVAILABLE.

Other Precautions:SEE NFPA 30 AND OSHA 1910.106--FLAMMABLE AND COMBUSTIBLE LIQUIDS. EMPTY CONTAIENRS RETAIN PRODUCT RESIDUE WHCIH MAY EXHIBIT HAZARDS O



icological Information ============	
-------------------------------------	--

Toxicological Information:ORAL AND DERMAL TOXICIRY: NOT DETERMINED.
INHALATION TOXICITY: ON RARE OCCASIONS, PROLONGED AND REPEATED
EXPOSURE TO ALL MISTS POSES A RISK OF PULMONARY DISEASE SUCH AS
CHRONIC LUNG INFLAMMATION. DERM AL SENSITIZATION: PROLONGED OR
REPEATED CONTACT MAY MAKE SKIN MORE SENSITIVE TO OTHER SENSITIZERS.
MUTAGENICITY: THIS PRODUCT CONTAINS ZINC ALKYL DITHIOPHOSPHATES
(ZDP). SEVERAL ZDPS HAVE BEEN REPORTE D TO

ACTIVITY IN CULTURED MAMMALIAN CELLS BUT ONLY AT CONCENTRATIONS THAT WERE TOXIC TO THE TEST CELLS.

======= Ecological Information ==========

Ecological: THIS MATERIAL MAY BE TOXIC TO AQUATIC ORGANISMS AND SHOULD BE KEPT OUT OF SEWAGE AND DRAINAGE SYSTEMS AND ALL BODIES OF WATER. ENVIRONMENT FATE: NO DATA AVAILABLE.

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSAL SHOULD BE MAD

E IN ACCORDANCE WITH

HAVE WEAK MUTAGENICITY

FEDERAL, STATE, AND LOCAL REGULATIONS. UNDER RCRA IT IS THE RESPONSIBILITY OF THE USER OF THE PRODUCT TO DTERMINE AT THE TIME OF DISPOSAL WHETHER THE PRODUCT MEETS RCRA CRITERIA FOR HAZARDOUS WASTE.

======== MSDS Transport Information ===========

Transport Information: NOT REGULATED BY DOT.

======== Regulatory Information ===========

SARA Title III Information:CLEAN WATER ACT/OIL POLLUTION ACT: UNDER SEC 3

11 OF CWA (40CFR 110) 7 OIL POLLUTION ACT OF 1990, THIS MATERIAL IS CONSIDERED AN OIL. ANY SPILL OR DISCHARGES THAT PRODUCE A VISIBLE SHEEN OR FILM ON SUR FACE OF WATER, OR IN WATERWAYS, DICHES OR SEWERS LEADING TO SURFACE WATER MUST BE REPORTED. CONTACT NRC AT 800-424-8802. SEC 313 TOXIC CHEMICALS: ZN