

KOH-I-NOOR RAPIDOGRAPH INC -- 291 KOH=I-LAR LIQUID ERASER -- 7510-01-027-9129

===== Product Identification =====

Product ID:291 KOH=I-LAR LIQUID ERASER

MSDS Date:05/27/1994

FSC:7510

NIIN:01-027-9129

Status Code:A

MSDS Number: CLBDD

=== Responsible Party ===

Company Name:KOH-I-NOOR RAPIDOGRAPH INC

Address:100 NORTH STREET

City:BLOOMSBURY

State:NJ

ZIP:08804-9501

Country:US

Info Phone Num:908-479-

4124

Emergency Phone Num:000000000000

CAGE:75364

=== Contractor Identification ===

Company Name:KOH-I-NOOR RAPIDOGRAPH INC

Address:100 NORTH STREET

Box:City:BLOOMSBURY

State:NJ

ZIP:08804-9501

Country:US

Phone:908-479-4124

CAGE:75364

===== Composition/Information on Ingredients =====

Ingred Name:N-BUTYL ALCOHOL

CAS:71-36-3

RTECS #:EO1400000

= Wt:5.

OSHA PEL:100 PPM

ACGIH STEL:C50 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:AMMONIUM HYDROXIDE

CAS:1336-21-6

RTECS #

:BQ9625000
= Wt:2.
ACGIH TLV:25 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
= Wt:93.

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL-RAT GREATER THAN 5G/KG
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITATION OF EYES, SKIN, RESPIRATORY
TRACT, MUCOUS MEMBRANES FROM ACUTE EXPOSURE
Effects of Overexposure:REDNESS OR EYES, NOSE AND SKIN.

===== First Aid Measures =====

First Aid:INGESTION: DRINK 1-2 GLASSES OF WATER TO DILUTE, CONSULT
PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. SPLASHES SKIN OR
EYES: FLUSH WITH COUPOUS AMOUNTS OF WATER. INHALATION: REMOVE TO
FRESH AIR.

===== Fire Fighting Measures =====

Flash Point:=47.8C, 118.F
118 F ASM D56
Extinguishing Media:LIQUID WILL NOT BURN OR SUPPORT COMBUSTION

===== Accidental Release Measure
S =====

Spill Release Procedures:RINSE AWAY WITH WATER.

===== Handling and Storage =====

Other Precautions:KEEP FROM FREEZING

===== Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL
Protective Gloves:NOT REQUIRED
Eye Protection:PROTECTION SPLASHING INTO EYES
Work Hygienic Practices:GOOD INDUSTRIAL HYGIENE
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Bo

Boiling Pt: =104.4C, 220.F

B.P. Text: 220 F

Melt/Freeze Pt: =-1.5C, 29.F

M.P/F.P Text: 29 F

Spec Gravity: .99

Evaporation Rate & Reference: LIKE WATER

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR COLORLESS LIQUID ODOR PRIMARILY FROM BUTANOL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods: BURY, INCINERATE OR RUN INTO S

EWER IN ACCORDANCE

WITH ALL LEGAL REGULATIONS.

===== Regulatory Information =====

SARA Title III Information: N-BUTYL ALCOHOL

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for

its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.