

HAMPTON PRODUCTS CORP -- HP 100 SEPIA ERADICATOR -- 7510-00-229-8732

=====
Product Identification
=====

Product ID:HP 100 SEPIA ERADICATOR
MSDS Date:01/01/1993
FSC:7510
NIIN:00-229-8732
Status Code:A
MSDS Number: CLBHF
=== Responsible Party ===
Company Name:HAMPTON PRODUCTS CORP
Address:40 PIER LANE WEST
Box:1227
City:FAIRFIELD
State:NJ
ZIP:07007-1227
Country:US
Info Phone Num:201-575-1619
Emerge
ncy Phone Num:201-575-1619
CAGE:HAMPT
=== Contractor Identification ===
Company Name:HAMPTON PRODUCTS CORP
Address:40 PIER LANE WEST
City:FAIRFIELD
State:NJ
ZIP:07007-1227
Country:US
Phone:201-575-1619
CAGE:HAMPT

=====
Composition/Information on Ingredients
=====

Ingred Name:CATALYST SNCL II
CAS:7772-99-8
RTECS #:XP8700000
Fraction by Wt: 10-15%

Ingred Name:VEHICLE WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 40-50%

Ingred Name:ACETONE (SARA III)
CAS:67-64-1
RTECS

#:AL3150000
Fraction by Wt: 5-10%
ACGIH TLV:1000 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ADDITIVES METHYL CELLOSOLVE ACETATE
CAS:110-49-6
RTECS #:KL5950000
Fraction by Wt: 20-30%
ACGIH TLV:1000 PPM

Ingred Name:HYDROCHLORIC ACID; (HYDROGEN CHLORIDE) (ACTIVE) (SARA III)
CAS:7647-01-0
RTECS #:MW4025000
Fraction by Wt: 1-5%
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Health Hazards Acute and Chronic:THRESHOLD LIMIT VALUE: NONE - DIRECT SKIN/EYE CONTACT CAUSES ACID BURNS. GENERAL OVEREXP: NO RESIDUAL DAMAGE IF TREATED PROMPTLY; EYES & WET TISSUE(MOUTH/NASAL/THROAT) TEMPORARY IRRITATION W/ TREATMENT.

Explanation of Carcinogenicity:NOT RELEVANT

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:SKIN:FLUSH W/LARGE AMOUNTS OF WATER. EYE:FLUSH W/LARGE

AMOUNTS OF WATER FOR AT LEAST 15 MINUTES & IMMEDIATELY SEEK MEDICAL ATTENTION. INGEST:CALL MD & POISON CENTER IMMEDIATELY. DO NOT INDUCE VOMITING , GIVE MILK OF MAGNESIA, SEEK MEDICAL ATTENTION & HAVE THIS DOCUMENT AVAILABLE. INHAL: REMOVE TO FRESH AIR.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=-34.C, 93.2F

Lower Limits:1.7%

Upper Limits:8.2%

Extinguishing Media:WATER, FOAM.

Fire Fighting Procedures:NONE.

Unusual

Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:SPREAD SPILL W/ SODIUM BICARBONATE (NAHCO3) UNTIL FOAMING CEASES. MOP UP.
Neutralizing Agent:NAHCO*3.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY HEAT OR OPEN FLAME. AVOID INHALING VAPORS & AVOID SKIN CONTACT. USE ADEQUATE VENTILATION.

===== Exposure Controls/Personal Protection =====

=====

Respiratory Protection:NONE
Ventilation:ADEQUATE -- LOCAL EXHAUST.
Protective Gloves:YES
Eye Protection:GOGGLES
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:=266.C, 510.8F
B.P. Text:266 - 270 C
Vapor Pres:25 @ 70F
Vapor Density:1.18 AIR=1
Spec Gravity:1.13 (H*2O=1)
pH:2.0
Evaporation Rate & Reference:1 WATER=1
Solubility in Water:MISCIBILE
Appearance and Odor:CLOUDY, WATER WHITE SOLUTION, SLIGHT MINT ODOR.
Percent Vol
atiles by Volume:80

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
ALKALINE MATERIALS, BASE METALS & ALLOYS.
Stability Condition to Avoid:WILL BE OXIDIZED BY AIR & LIGHT.

===== Disposal Considerations =====

Waste Disposal Methods:DILUTE OR NEUTRALIZE (NAHCO*3) UNTIL NO LONGER ACID. FILTER & FLUSH FILTRATE DIRECTLY.

=====

Discl

aimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.