View NSN Online: https://aerobasegroup.com/nsn/6850-01-464-9137

PITT PENN OIL CO -- PITT PENN PREMIUM HEAVY DUTY MILITARY ANTIFRE

MSDS Safety Information

FSC: 6850

NIIN: 01-464-9137 MSDS Date: 04/23/2000 MSDS Num: CLBPG

Product ID: PITT PENN PREMIUM HEAVY DUTY MILITARY ANTIFREEZE, PREMIXED

MFN: 04

Responsible Party Cage: 0A1G5

Name: PITT PENN OIL CO Address: 426 FREEPOR

T RD Box: 296

City: CREIGHTON PA 15030-0296 Info Phone Number: 724-226-2712

Emergency Phone Number: 800-255-3924 CHEM TEL

Item Description Information

Item Manager: S9G

Item Name: ANTIFREEZE

Specification Number: A-A-52624 Type/Grade/Class: TY I, RECYCLED

Unit of Issue: CO

Quantitative Expression: 00000000005GL

UI Container Qty: 1

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: ORAL, RAT LD50: 4.7-8.5 G/KG

Effects of Exposure: EYE: BELIEVED TO CAUSE SLIGHT EYE IRRITATION. SKIN:

BELIEVED TO BE SLIGHTLY IRRITATING UPON PROLONGED CONTACT. RESPIRATORY

SYSTEM: DROWSI

NESS, NARCOSIS, AND UNCONSCIOUSNESS POSSIBLE UPON EXPOSURE TO H IGH CONCENTRATIONS IN POORLY VENTILATED CONFINED SPACES. CHRONIC: LIVER AND KIDNEY DAMAGE IN A 2 YEAR RAT FEEDING STUDY USING 1-2% ETHYLENE GLYCOL. ORAL ADMINISTRATION OFF VERY HIGH DOSES OF ETHYLENE GLYCOL PRODUCED BIRTH DEFECTS IN LABORATORY ANIMALS. SKIN AND RESPIRATORY SENSITIZATION: UNKNOWN.

Signs And Symptions Of Overexposure: RESPIRATORY SYSTEM: DROWSINESS, NARCOSIS, AND UNCONSCIOUSNESS.

First Aid: EYE: IMMEDIATELY

FLUSH WITH LARGE QUANTITIES OF WATER FOR AT LEAST

15 MINUTES AND CALL A PHYSICIAN. SKIN: REMOVE EXCESS WITH CLOTH OR PAPER TOWEL. WASH THOROUGHLY WITH SOAP AND WATER. IF IRRITATION PE RSISTS, GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. RESTORE AND/OR SUPPORT BREATHING AS REQUIRED. KEEP VICTIM WARM AND AT REST. SWALLOWED: IMMEDIATELY CONTACT A PHYSICIAN, POISON CONTROL C ENTER OR EMERGENCY TREATMENT CENTER. DO NOT INDUCE VOMITING! ASPIRATION HAZARD: PRODUCT MAY BE INHALED INTO LUNGS IF VOMITED.

Handling and Disposal

Spill Release Procedures: CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB ON SUITABLE MATERIAL AND SHOVEL UP. EMERGENCY TELEPHONE NUMBER-CHEM TEL, INC 1-800-255-3924.

Waste Disposal Methods: UNDER RCRA, IT IS THE RESPONSIBILITY OF THE USER OF PRODUCTS TO DETERMINE, AT THE TIME OF DISPOSAL, WHETHER PRODUCT MEETS RCRA CRITERIA FOR HAZA

RDOUS WASTE. THIS IS BECAUSE PRODUCT USES TRANSFORMATION S, MIXTURE, PROCESSES, ETC., MAY RENDER THE RESULTING MATERIAL HAZARDOUS. DISPOSE OF IN ACCORDANCE W ITH FEDERAL, STATE AND LOCAL LAWS.

Handling And Storage Precautions: MINIMUM FEASIBLE HANDLING TEMPERATURE SHOULD BE MAINTAINED. PERIODS OF EXPOSURE TO HIGH TEMPERATURE SHOULD BE MINIMIZED. WATER CONTAMINATION SHOULD BE AVOIDED.

Other Precautions: HARMFUL OR FATAL IF SWALLOWED. KEEP OUT OF REACH OF CHILDREN. MAY CAUSE IRRITATION T

O EYES. DO NOT DRINK ANTIFREEZE OR SOLUTION.

AVOID CONTACT WITH EYES. WASH THOROUGHLY AFTER HANDLING. DO NOT STORE I N OPEN OR UNLABELED CONTAINERS.

Fire and Explosion Hazard Information

Flash Point Method: COC Flash Point: >128.C, 262.4F

Autoignition Temp: >413.C, 775.4F

Lower Limits: 3.2 Upper Limits: 15.3

Extinguishing Media: USE WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DI

OXIDE

Fire Fighting Procedures: WATER OR FOAM MAY CAUSE FROTHING. USE WATER SPRAY TO DISPERSE THE VAPORS AND TO PROVIDE PROTECTION FOR PERSON ATTEMPTING TO STOP THE LEAK.

Unusual Fire/Explosion Hazard: NONE.

Control Measures

Respiratory Protection: SUPPLIED AIR RESPIRATORY PROTECTION FOR CLEANING LARGE SPILLS UPON ENTRY INTO TANKS, VESSELS, OR OTHER CONFINED SPACES.

Ventilation:

NORMAL TO MAINTAIN EXPOSURE BELOW TLV.

Eye Protection: CHEMICAL TYPE GOGGLES OR FACE SHIELD OPTIONAL.

Work Hygienic Practices: EXPOSED EMPLOYEES SHOULD EXERCISE REASONABLE PERSONAL CLEANLINESS; THIS INCLUDES CLEANSING EXPOSED SKIN AREAS SEVERAL TIMES DAILY WITH SOAP/WATER, & LAUNDERING/DRY CLEANING SOILED WORK CLOTHING WEEKLY. Supplemental Safety and Health: SYNONYMS: ETHYLENE GLYCOL, ETHYLENE GLYCOL

SOLUTION.

Physical/Chemical Prop

erties

HCC: V5

Boiling Point: =110.C, 230.F Decomp Temp: =412.8C, 775.F Vapor Pres: NOT DETERMINED

Vapor Density: N/D Spec Gravity: 1.1 PH: 10-11(NEAT)

Evaporation Rate & DETERMINED

Solubility in Water: SOLUBLE

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: HIGH TEMPERATURES ABOVE 413 C

(775F) (PRODUCT CAN

DECOMPOSE.

Materials To Avoid: STRONG OXIDIZERS.

Hazardous Decomposition Products: CARBON DIOXIDE AND CARBON MONOXIDE.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: DOES NOT OCCUR.

Toxicological Information

Toxicological Information: MEDIAN LETHAL DOSE (LD50 LC50 X SPECIES): ORAL:

BELIEVED TO BE 4.7 - 8.5 G/KG (RAT); MODERATELY TOXI

C. INHALATION: NOT

DETERMINED. DERMAL: BELIEVED TO BE 1-3 G/KG (RABBIT); SLIGHTLY TOXIC. OTHER: NOT DETERMINED. IRRITATION INDEX/ESTIMATION OF IRRITATION (SPECIES): SKIN: BELIEVED TO BE 0.5-1.8/8.0 (RABBIT); SLIGHTLY IRRITATING. EYES: BELIEVED TO

BE 15-25/110 (RABBIT); SLIGHTLY IRRITATING.

Ecological Information

MSDS Tra

nsport Information

Regulatory Information

Sara Title III Information: SARA 313 INFORMATION: CONTAINS FOLLOWING SUBSTANCE WHICH IS LISTED IN TITLE III: ETHYLENE GLYCOL. SARA HAZARD CATEGORY: AN IMMEDIATE HEALTH HAZARD. A DELAYED HEALTH HAZARD.

Federal Regulatory Information: ALL COMPONENTS LISTED ON TSCA (USA) INVENTORY.

====

Other Information

Other Information: ALL COMPONENTS LISTED ON DSL INVENTORY (CANADA).

Transportation Information

Responsible Party Cage: 0A1G5

Trans ID NO: 156589

Product ID: PITT PENN PREMIUM HEAVY DUTY MILITARY ANTIFREEZE, PREMIXED

MSDS Prepared Date: 04/23/2000

Review Date: 04/09/2001 MFN: 4

Net Unit Weight: 45.8 LBS

Multiple KIT Number: 0

Review IND: Y Unit Of Issue: CO Container QTY: 1

Type Of Container: CONTAINER

Detail DOT Information

DOT PSN Code: FST

Symbols: G

DOT Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

Hazard Class: 9 UN ID Num: UN3082 DOT Packaging Group: III

Label: CLASS 9

Special Provision: 8,T1

Packaging Ex

ception: 155

Non Bulk Pack: 203 Bulk Pack: 241

Max Qty Pass: NONE Max Qty Cargo: NONE Vessel Stow Req: A

Detail IMO Information

IMO PSN Code: GMW

IMO Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. o

IMDG Page Number: 9028

UN Number: 3082 UN Hazard Class: 9 IMO Packaging Group: III Subsidiary Risk Label: -EMS Number: NONE

MED First Aid Guide NUM: NON

======

Detail IATA Information

IATA PSN Code: KTV IATA UN ID Num: 3082

IATA Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

*

IATA UN Class: 9

IATA Label: MISCELLANEOUS

UN Packing Group: III

Packing Note Passenger: 914 Max Quant Pass: NO LIMIT Max Quant Cargo: NO LIMIT Packaging Note Cargo: 914

Exceptions: A97

Detai

I AFI Information

AFI PSN Code: KTV AFI Symbols: *

AFI Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S.

AFI Hazard Class: 9
AFI UN ID NUM: UN3082
AFI Packing Group: III
Special Provisions: P5, 8
Back Pack Reference: A13.3

HAZCOM Label

Product ID: PITT PENN PREMIUM HEAVY DUTY MILITARY ANTIFREEZE, PREMIXE

D

Cage: 0A1G5

Company Name: PITT PENN OIL CO

Street: 426 FREEPORT RD

PO Box: 296

City: CREIGHTON PA Zipcode: 15030-0296

Health Emergency Phone: 800-255-3924 CHEM TEL

Label Required IND: Y

Date Of Label Review: 04/09/2001

Status Code: A
Origination Code: F
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: NO
Signal Word: WARNING

Respiratory Protection IND: YES

Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: Slight Reactivity Hazard: None

Hazard And Precautions: EYE: B

ELIEVED TO CAUSE SLIGHT EYE IRRITATION. SKIN:

BELIEVED TO BE SLIGHTLY IRRITATING UPON PROLONGED CONTACT. RESPIRATORY SYSTEM: DROWSINESS, NARCOSIS, AND UNCONSCIOUSNESS POSSIBLE UPON EXPOSURE TO HIGH CONCENTRATIONS IN POORLY VENTILATEDCONFINED SPACES. CHRONIC: LIVER AND KIDNEY DAMAGE IN A 2 YEAR RAT FEEDING STUDY USING 1-2% ETHYLENE GLYCOL. ORAL ADMINISTRATION OFF VERY HIGH DOSES OF ETHYLENE G LYCOL PRODUCED BIRTH DEFECTS IN LABORATORY ANIMALS. SKIN AND RESPIRATORY SENSITIZATION: UNKNOWN.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any ins

trumentality of the United

States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.