

AMERICAN WRITING INK CO. INC. -- STAMP PAD INK CID: A-A-209B -- 7510-00-161-4236

=====
Product Identification
=====

Product ID:STAMP PAD INK CID: A-A-209B
MSDS Date:03/26/1997
FSC:7510
NIIN:00-161-4236
Status Code:A
MSDS Number: CLBXG
=== Responsible Party ===
Company Name:AMERICAN WRITING INK CO. INC.
Address:33 ENDICOTT STREET
City:NORWOOD
State:MA
ZIP:02062-3006
Country:US
Info Phone Num:617
-762-0026
Emergency Phone Num:617-482-9167
Preparer's Name:H LEVINSON
CAGE:82956
=== Contractor Identification ===
Company Name:AMERICAN INK AND OIL CORP
Address:33 ENDICOTT STREET
Box:City:NORWOOD
State:MA
ZIP:02062-3006
Country:US
Phone:781-762-0026 / FAX: 781-762-1617
Contract Num:GS-14F-64041
CAGE:82956

=====
Composition/Information on Ingredients
=====

Ingred Name:NO HAZARDOUS INGREDIENTS

=====
Hazards Identification
=====

Reports of C

arcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYE: IRRITATION, TEARING, REDNESS.

SKIN: IRRITATION. PROLONGED/REPEATED EXPOSURE CAUSES REDNESS, DRINESS, CRACKING OF SKIN. INHAL: BREATHING HIGH CONCENTRATIONS OF VAPORS/MISTS CAUSES IRRITATION OF NO SE/THROAT. INGEST: IRRITATION OF DIGESTIVE TRACT.

Medical Cond Aggravated by Exposure:PRE-EXISTING EYE/SKIN/RESPIRATORY DISORDERS, OR PRE-EXISTING IMPAIRED PERIPHERAL NERVE FUNCTION MAY BE AGGRIVATED B Y EXPOSURE TO INK.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES, LIFTING LIDS TO RINSE ENTIRE EYE. WASH W/ANTI-IRRITATING SOAP, SUCH AS BABY SOAP. CALL DR IMMED. SKIN: FLUSH W/COPIOUS AMOUNTS OF WATER FOR 15 MINS, USING MILD S OAP. REMOVE CONTAMINATED CLOTHING IMMEDIATELY. CALL DR. INHALATION: NO ADVERSE EFFECTS EXPECTED. INGESTION: INDUCE VOMITING. CALL DR.

=====
===== Fire Fighting Measure s =====

Flash Point Method:TCC

Flash Point:=182.2C, 360.F

Extinguishing Media:CO2, DRY CHEMICAL FOR SMALL FIRES. ALCOHOL TYPE FOAM OR WATER SPRAY FOR LARGE FIRES.

Fire Fighting Procedures:NONE

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL. PREVENT CONTAMINATION OF GROUND AND SURFACE WATERS. REMOVE SPILLED INK WITH ABSORBANTS SUCH AS SAWDUST/VERMICULITE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS TIGHTLY CLOSED AND ON END TO PREVENT SEAPAGE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED

Ventilation:ADEQUATE AIR CIRCULATION NORMALLY SUFFICIENT

Protective Gloves:IMPERVIOUS

Eye Protection:APPROVED EYE PROTECTION TO PREVENT EYE CONTACT

Other Protective Equipment:SOURCE OF CLEAN WATER IN WORK AREA FOR FLUSHING EYES AN

D SKIN.

Work Hygienic Practices:WASH WITH SOAP AND WATER IF SPLASHING OCCURS.

LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:>121.1C, 250.F

Vapor Pres: