View NSN Online: https://aerobasegroup.co.il/nsn/6830-01-376-8394

Product ID:BROMOTRIFLUOROMETHANE, HALON 1301R MSDS Date:04/25/2001 FSC:6830 NIIN:01-376-8394 Status Code:A **MSDS Number: CLCGZ** === Responsible Party === Company Name: DEFENSE GENERAL SUPPLY CENTER Address:8000 JEFFERSON DAVIS HWY City:RICHMOND State:VA ZIP:23297-5000 Info Phone Num:804-279-4371 Emergency Phone Num:800-851-8061 Preparer's Name:HMIS/VBA CAGE:13873 === Contractor Identification === Company Name: DEFENSE GENERAL SUPPLY CENTER Address:8000 JEFFERSON DAVIS HWY Box:City:RICHMOND State:VA ZIP:23297-5000 Phone:804-279-4371 CAGE:13873 Ingred Name: BROMOTRIFLUOROMETHANE CAS:75-63-8 RTECS #:PA5425000 = Wt:100. Code:F Other REC Limits:NONE RECOMMENDED OSHA PEL:6100 MG/M3;1000 PPM ACGIH TLV:6090 M

LD50 LC50 Mixture: TLV IS 1000 PPM.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: CENTRAL NERVOUS SYSTEM, HEART, RESPIRATORY TRACT. ACUTE - EYE: THE LIQUID FORM OF THIS PRODUCT CAN PRODUCE CHILLING SENSATION AND DISCOMFORT. SKIN: EVAPORATION OF LIQUID FROM SKIN CAN C AUSE CHILLING SENSATION. FROSTBITE CAN OCCUR. INHALATION: VAPOR IS HEAVIER THAN AIR AND CAN CAUSE SUFFOCATION BY REDUCING OXYGEN. BREATHING VERY HIGH CONCENTRATIONS OF VAPOR CAN CAUSE CENTRAL NERVOUS SYSTEM EFFECTS, AND MAY LEAD TO NARCOSIS, CARDIAC IRREGULARITIES, UNCONSICOUSNESS OR EVEN DEATH. INGESTION: INGESTION IS NOT LIKELY TO OCCUR SINCE THIS MATERIAL IS GAS AT ROOM TEMPERATURE. CHRONIC - U NKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure: EYE O R SKIN FROSTBITE AND FREEZE BURNS, HEADACHE, DROWSINESS, DIZZINESS, RAPID BREATHING, IRREGULAR HEART RATE, SHORTNESS OF BREATH, MUSCULAR WEAKNESS, RINGING IN THE EAR, UNCONSCIOUSNESS, COMA, DEATH

Medical Cond Aggravated by Exposure:PERSONNEL WITH PRE-EXISTING DISEASES OF THE CENTRAL NERVOUS SYSTEM OR CARDIOVASCULAR SYSTEM MAY HAVE INCREASED SUSCEPTIBILITY TO THE TOXICITY OF EXCESSIVE EXPOSURES.

First A

id:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH WITH WATER FOR AT LEAST 15 MINUTES. CALL PHYSICIAN. TREAT FOR FROSTBITE IF NECESSARY. INHALED: REMOVE VICTIM TO FRESH AIR. IF COUGH O R OTHER RESPIRATORY SYMPTOMS OCCUR, CONSULT MEDICAL PERSONNEL. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, PROVIDE OXYGEN. SKIN: WASH THE MATERIAL OFF THE SKIN WITH COPIO US AMOUNT OF WATER FOR AT LEAST 15 MINUTES. TREAT FOR POSSIBLE FROS TBITE USING WARM WATER (105F). INGESTION: INGESTION IS NOT LIKELY TO OCCUR SINCE THIS MATERIAL IS GAS AT ROOM TEMPERATURE..

Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT Extinguishing Media:THIS IS A FIRE EXTINGUISHING AGENT. USE APPROPRIATE AGENTS FOR SURROUNDING FIRE. Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A NIOSH-APPROVED SELF CONTAINED BREATHING APPARATU S. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY. EVACUATE AREA. Unusual Fire/Explosion Hazard:FORMS TOXIC AND/OR CORROSIVE GASES. CYLINDER MAY RUPTURE.

Spill Release Procedures: EVACUATE AREA. WEAR NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. REMOVE OPEN FLAMES. VENTILATE TO OUTSIDE ATMOSPHERE. STOP LEAK IF POSSIBLE. UNCONTROLLED RELEASES SHOULD BE RESPONDED TO BY TRAIN ED PERSONNEL USING PRE-PLANNED PROCEDURES.

Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE IN A COOL, WELL-VENTILATED PLACE AWAY FROM OPEN FLAMES AND INCOMPATIBLES. KEEP CYLINDERS SECURED AND UPRIGHT. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: KEEP AWAY FROM SOURCES OF HEAT. USE WITH ADEQUATE VENTILATION. THIS GAS IS HEAVIER THAN AIR AND TENDS TO ACCUMULATE NEAR THE FLOOR IN CLOSED SPACES. READ ALL LABEL INST RUCTIONS.

====== Exposure Controls/Personal Protection ==========

Respiratory Protection: IF ABOVE TLV OR UNKNOWN CONCENTRATIONS, USE NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS OR SUPPLIED AIR RESPIRATOR.

Ventilation:SUFFICIENT TO PREVENT ACCUMULATION ABOVE TLV. LOCAL EXHAUST LOCATED NEAR THE FLOOR.

Protective Gloves: INSULATED NEOPRENE IF HANDLING LIQUID

Eye Protection:SAFETY GOGGLES RECOMMENDED

Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, INDUS

TRIAL-TYPE WORK CLOTHING, SAFETY SHOES AND APRON AS REQUIRED. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. Supplemental Safety and Health MATERIAL IN A FIRE EXTINGUISHER CONTAINER (CYLINDER) THAT HAS BEEN RETURNED OR RECOVERED FOR RECLAMATION. HCC:G3 NRC/State Lic Num:NOT RELEVANT Vapor Density:>1 Spec Gravity:1.57 (LIQUID) Viscosity:NOT RELEVANT Evaporation Rate & amp; Re ference:NOT RELEVANT (GAS) Solubility in Water:NEGLIGIBLE Appearance and Odor: CLEAR, COLORLESS LIQUEFIED GAS - SLIGHT ETHEREAL ODOR Percent Volatiles by Volume:100 Stability Indicator/Materials to Avoid:YES ACTIVE METALS, ALKALI Stability Condition to Avoid: OVERHEATING CYLINDERS, HIGH TEMPERATURES, GLOWING METAL SURFACES, OPEN FLAME Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN FLUORIDE , HYDROGEN BROMIDE, BROMINE, CARBONYL FLUORIDE, CARBONYL BROMIDE Waste Disposal Methods: WASTE DISPOSAL MUST BE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. RECYCLE OR REUSE IF POSSIBLE.

Transport Information: PSN: BROMOTRIFLUOROMETHANE OR REFRIGERANT GAS, 2.2, UN1009. LABEL: NON-FLAMMABLE GAS.

====== Regulatory Inform

SARA Title III Information:IT IS LISTED ON EPCRA 313. State Regulatory Information:CONSULT STATE AUTHORITIES.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should

seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.