

PIMA VALVE INC. -- MOBIL DTE OIL HEAVY MEDIUM -- 9150-00-993-8588

===== Product Identification =====

Product ID:MOBIL DTE OIL HEAVY MEDIUM

MSDS Date:12/07/1994

FSC:9150

NIIN:00-993-8588

Status Code:A

MSDS Number: CLDJF

=== Responsible Party ===

Company Name:PIMA VALVE INC.

Address:6525 W ALLISON RD

Box:5010

City:CHANDLER

State:AZ

ZIP:85226

Country:US

Info Phone Num:520-796-1095

Emergency Phone

Num:520-796-1095

CAGE:30263

=== Contractor Identification ===

Company Name:AMERICAN INK AND OIL CORP

Address:33 ENDICOTT STREET

Box:City:NORWOOD

State:MA

ZIP:02062-3006

Country:US

Phone:781-762-0026 / FAX: 781-762-1617

Contract Num:SP0450-01-M-LC91

CAGE:82956

Company Name:MOBIL OIL CORP, NORTH AMERICAS MARKETING AND REFINING

Address:3225 GALLOWS ROAD

Box:City:FAIRFAX

State:VA

ZIP:22037

Country:US

Phone:800-662-4525/ 856-224-4644

CAGE:3U728

Company Name:PIMA VALVE INC

Address:6525 W. ALLISON RD

B

ox:5010  
City:CHANDLER  
State:AZ  
ZIP:85226-9405  
Country:US  
Phone:520-796-1095  
CAGE:MO457  
Company Name:PIMA VALVE INC.  
Address:6525 W ALLISON RD  
Box:5010  
City:CHANDLER  
State:AZ  
ZIP:85226  
Country:US  
Phone:520-796-1095  
CAGE:30263  
Company Name:SALATHE OIL CO INC  
Address:2226 PETERS RD  
Box:City:HARVEY  
State:LA  
ZIP:70058  
Country:US  
Phone:504-366-4542  
CAGE:0T5C6

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PRODUCT IS NOT FORMULATED TO CONTAIN INGREDIENTS WHICH HAVE

EXPOSURE LIMITS ESTABLISHED BY REGULATORY AGENCIES.  
RTECS #:9999999ZZ  
Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >2000 MG/KG  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INGESTION: PRACTICALLY NON-TOXIC. EYE  
AND SKIN: PRACTICALLY NON-IRRITATING AND NON-SENSITIZING.  
INHALATION: NO HAZARD EXPECTED

Explanation of Carcinogenicity: THERE ARE NO INGREDIENTS ABOVE 0.1% WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP, IARC, OR OSHA.  
Effects of Overexposure: NO SYMPTOMS ANTICIPATED.  
Medical Cond Aggravated by Exposure: NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid: SKIN: REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER.  
EYES: FLUSH WITH WATER FOR 15 MINUTES. CALL PHYSICIAN IF IRRITATION OCCURS.  
INHALATION: MOVE TO FRESH AIR. GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.  
INGESTION: NOT EXPECTED TO BE A PROBLEM. IF MORE THAN 1 PINT IS INGESTED, DO NOT INDUCE VOMITING. GET PROMPT QUALIFIED MEDICAL ATTENTION. IF CONSCIOUS, GIVE 1-2 GLASSES OF WATER.

=====  
===== Fire Fighting Measures =====

Flash Point Method: COC  
Flash Point: >400F, >204C  
Lower Limits: 0.6  
Upper Limits: 7.0  
Extinguishing Media: WATER FOG, DRY CHEMICAL, CARBON DIOXIDE, FOAM.  
Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT. COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.  
Unusual Fire/Explosion Hazard: NONE SPECIFIED BY MANUFACTURER.

=====  
===== Accidental Release Measures =====

Spill Release Procedures: SOAK UP WITH NON-COMBUSTIBLE INERT ADSORBANT (EG. CLAY); PLACE COLLECTED MATERIAL IN AN APPROPRIATE CONTAINER FOR DISPOSAL; CLEAN SPILL AREA TO REMOVE SLIPPERINESS. AVOID RUNOFF INTO WATER WAYS. REPORT SPILLS RESULTING IN SHEEN UPON WATER TO 800-424-8802.  
Neutralizing Agent: NOT APPLICABLE.

=====  
===== Handling and Storage =====

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL-VENTILATED PLACE. KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP AWAY FROM HEAT, SPARKS, FLAMES, AND INCOMPATIBLE MATERIALS.  
Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT NEEDED

IN NORMAL SERVICE.

Ventilation:USE GENERAL DILUTION VENTILATION.

Protective Gloves:NOT NEEDED IN NORMAL SERVICE.

Eye Protection:SAFETY GLASSES

Other Protective Equipment:PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:USE REASONABLE CARE IN HANDLING THIS PRODUCT.  
WASH HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>600F, >316C

Vapor Pres:4

1CS @ 104F

Solubility in Water:NEGLIGIBLE

Appearance and Odor:LIQUID; LIGHT AMBER; MILD ODOR.

Percent Volatiles by Volume: