

WACKER SILICONES CORP -- RTV SILICONE RUBBER T330 -- 6850-01-159-4844

=====  
Product Identification  
=====

Product ID:RTV SILICONE RUBBER T330

MSDS Date:11/18/1998

FSC:6850

NIIN:01-159-4844

Status Code:A

MSDS Number: CLDPT

=== Responsible Party ===

Company Name:WACKER SILICONES CORP

Address:3301 SUTTON RD

City:ADRIAN

State:MI

ZIP:49221

Country:US

Info Phone Num:517-264-8500

Emergency Phone Num:517-

264-8500

Resp. Party Other MSDS Num.:T330

Chemtrec Ind/Phone:(800)424-9300

CAGE:0DF77

=== Contractor Identification ===

Company Name:ACCRABOND INC

Address:8848 HACKS CROSS RD

Box:City:OLIVE BRANCH

State:MS

ZIP:38654-3884

Country:US

Phone:601-895-4480

Contract Num:SP0450-00-M-D893

CAGE:5V071

Company Name:INLAND PACKAGING INC

Address:209 PETERSON DR

Box:644

City:ELIZABETHTOWN

State:KY

ZIP:42701-9804

Country:US

Phone:502-737-6757

Contract Num:SP0450-01-M-ZC54

CAGE:66172

Company Name:SWS SILICONES D

DIVISION OF STAUFFER CHEMICAL CO  
Address:657 LINE RD  
Box:City:MATAWAN  
State:NJ  
ZIP:07747-1245  
Country:US  
CAGE:07607  
Company Name:WACKER SILICONES CORP  
Address:3301 SUTTON RD  
Box:City:ADRIAN  
State:MI  
ZIP:49221  
Country:US  
Phone:517-264-8500  
CAGE:0DF77

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CATALYST (MIXTURE)

Ingred Name:METHYLETHYLKETOXIME (HYDROLYSIS BY-PRODUCT)  
CAS:96-29-7  
RTECS #:FL9275000  
Other REC Limits:36 MG/M3,10 PPMTWA

=====  
Hazard Identification  
=====

Routes of Entry: Inhalation:UNKNOWN Skin:UNKNOWN Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:EYE CONTACT: CAUSES SEVERE IRRITATION,  
MAY CAUSE BURNS. SKIN CONTACT: CAUSES IRRITATION, MAY BE ABSORBED  
THROUGH THE SKIN. MAY CAUSE SKIN SENSITIZATION. INHALATION: MISTS  
OR VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION. INGESTION: NO  
EXPECTED IN INDUSTRIAL USE. CHRONIC EFFECTS OF EXPOSURE:  
PROLONGED SKIN CONTACT MAY CAUSE SEVERE IRRITATION AND BURNS.  
Explanation of Carcinogenicity:CONTAINS CARBON BLACK WHICH HAS BEEN  
CLASSIFIED BY IARC AS POSSIBLY CARCINOGENIC TO HUMANS (GROUP 2B),  
BASED ON INADEQUATE EVIDENCE IN HUMANS BUT SUFFICIENT EVIDENCE IN  
EXPERIMENTAL ANIMALS. CARBON BLACK HAS NOT BEEN LISTED AS  
CARCINOGEN BY NTP OR OSHA. DUE TO THE PHYSICAL NATURE OF THIS  
MATERIAL, INHALATION OF CARBON BLACK IS NOT EXPECTED.  
Effects of Overexposure:EYE CON

TACT: CAUSES SEVERE IRRITATION, MAY

CAUSE BURNS. SKIN CONTACT: CAUSES IRRITATION, MAY BE ABSORBED THROUGH THE SKIN MAY CAUSE SKIN SENSITIZATION. INHALATION: INHALATION OF MISTS OR VAPORS MAY CAUSE RESPIRATORY TRACT IRRITATION. INGESTION: NO EXPECTED IN INDUSTRIAL USE. CHRONIC EFFECTS OF EXPOSURE: PROLONGED SKIN CONTACT MAY CAUSE SEVERE IRRITATION AND BURNS.

Medical Cond Aggravated by Exposure:NO DATA AVAILABLE COVERING MEDICAL CONDITIONS RECOGNIZED AS BEING AGGRAVATE

D BY EXPOSURE TO THIS

PRODUCT. MAY CAUSE ALLERGIC RESPIRATORY REACTION IN PERSONS SENSITIVE TO A COMPONENT PRESENT AT