View NSN Online: https://aerobasegroup.co.il/nsn/6850-01-272-1845

\_\_\_\_\_

## ATOFINA CHEMICALS, INC. -- M5610, TURCO - HTC

MSDS Safety Information

\_\_\_\_\_ FSC: 6850 NIIN: 01-272-1845 MSDS Date: 02/27/2001 MSDS Num: CLGCG Product ID: M5610, TURCO - HTC MFN: 01 **Responsible Party** Cage: UO550 Name: ATOFINA CHEMICALS, INC. Address: 2000 MARKET STREET City: PHILADELPHIA, PA 19103 Info Phone Number: 800-848-0085 Emergency Phone Number: 703-527-3887 Chemtrec IND/Phone: (800)424-9300 Proprietary Ind: Y Review Ind: Y Published: Y \_\_\_\_\_ Contractor Summary \_\_\_\_\_\_ Cage: UO550 Name: ATOFINA CHEMICALS, INC. Address: 2000 MARKET STREET City: PHILADELPHIA, PA 19103 Phone: 800-848-0085 Cage: 0PGK2 Name: SDB CONSULTANTS LTD Address: 401 WHITNEY AVE SUITE 120 City: GRETNA LA 70056 Phone: 504-366-9105 Contract Number: SP0450-01-M-ZD31 \_\_\_\_\_\_ Item Description Information \_\_\_\_\_ Item Manager: S9G Item Name: CLEANING COMPOUND, ALKALI, FERROUS SURFACE Unit of Issue: DR Quantitative Expression: 0000000125LB UI Container Qty: 0 Type of Container: DRUM \_\_\_\_\_ Ingredients \_\_\_\_\_ Name: \*

------

\_\_\_\_\_

## Health Hazards Data

\_\_\_\_\_

Route Of Entry Inds - Inhalation: YES

Skin: YES

Effects of Exposure: BASED ON ITS COMPOSITION, IT IS ANTICIPATED TO BE CORROSIVE TO EYES AND SKIN. REPEATED CONTACT MAY CAUSE AN ALLERGIC SKIN REACTION. DERMATITIS (INFLAMMATION OF THE SKIN) AND SUPERFICIAL SKIN DAMAGE MA Y RESULT FROM REPEATED OR PROLONGED CONTA

CT. DUST MAY BE CORROSIVE TO THE

RESPIRATORY TRACT AND MAY CAUSE COUGHLING, SORE THROAT AND SHORTNESS OF BREATH. PROLONGED EXPOSURE MAY RESULT IN ULCERATION OF THE NASAL PASSAGES. Medical Cond Aggravated By Exposure: MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY EXPOSURE TO THIS MATERIAL INCLUDE LUNG DISEASE OR LIMITED RESPIRATORY

CAPACITY.

First Aid: IF IN EYES, IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MINS. GET MEDICAL ATTENTION IMMEDIATELY. IF ON SKIN, IMMEDIATELY FLUSH WITH P LENTY OF

WATER. REMOVE CONTAMINATED CLOTHING & amp; SHOES. GET MEDICAL ATTENTION. IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE WATER TO DRINK. GET MEDICAL ATTENTION IMMEDIATELY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. GET MEDICAL ATTENTION.

\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_

\_\_\_\_\_

Spill Release Procedures: STOP THE LEAK, IF POSSIBLE. VENTILATE THE SPACE INVOLVED. CONTAIN, SWEEP UP, PLACE IN CONTAINER FOR DISPOSAL. SHUT OFF OR REMOVE ALL IGNITION SOURCES. PREVENT WATERWAY CONTAMINATION. CONSTRUCT A DIKE TO PREVENT SPREADING. COLLECT RUN-OFF & amp; TRANSFER TO DRUMS OR TANKS FOR LATER DISPOSAL. CONSULT A REGULATORY SPECIALIST TO DETERMINE APPROPRIATE STATE OR LOCAL REPORTING REQUIREMENTS, FOR ASSISTANCE.

Waste Disposal Methods: RECOVER, RECLAIM OR

RECYCLE WHEN PRACTICAL. DISPOSE OF

IN ACCORDANCE WITH FEDERAL, STATE & amp; LOCAL REGULATIONS. "SEE OTHER INFORMATION"

Handling And Storage Precautions: HANDLING: DO NOT GET IN EYES, ON SKIN OR CLOTHING. AVOID BREATHING DUST. KEEP CONTAINER CLOSED. USE ONLY WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINER TIGHTLY CLOSED. EMPTY CONTAINER MAY CONTAIN HAZARDOUS RESIDUES.

Other Precautions: STORAGE: STORE IN A COOL, DRY PLACE. AVOID EXCESSIVE HEAT. STORE OUT OF

DIRECT SUNLIGHT IN A COOL, WELL-VENTILATED PLACE.

\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Extinguishing Media: USE WATER FOG OR WATER SPRAY. Fire Fighting Procedures: FIRE FIGHTERS AND OTHERS WHO MAY BE EXPOSED TO PRODUCTS OF COMBUSTION SHOULD WEAR FULL FIRE FIGHTING TURN OUT GEAR (FULL BUNKER GEAR) AND SELF-CONTAINED BREATHING APPARATUS (PRESSURE DEMAND NIOSH APPR OVED OR EQUIVA

LENT). FIRE FIGHTING EQUIPMENT SHOULD BE THOROUGHLY DECONTAMINATED AFTER USE.

Unusual Fire/Explosion Hazard: DUST CLOUDS GENERATED DURING HANDLING AND/OR STORAGE CAN FORM EXPLOSIVE MIXTURES WITH AIR. NOTE: FOR ANY OPERATION INVOLVING THIS MATERIAL, USE ONLY CLASS 1 ELECTRICAL EQUIPMENT. ENSURE THAT ALL EQUIP MENT IS ADEQUATELY GROUNDED.

Control Measures

\_\_\_\_\_

Respiratory Protection:

AVOID BREATHING DUST. WHEN AIRBORNE EXPOSURE LIMITS ARE EXCEEDED (SEE BELOW), USE NIOSH APPROVED RESPIRATORY PROTECTION EQUIPMENT APPROPRIATE TO THE MATERIAL AND/OR ITS COMPONENTS. CONSULT RESPIRATOR MANUFACTURER TO DETERMINE APPROPRIATE TYPE EQUIPMENT FOR GIVEN APPLICATION. OBSERVE RESPIRATOR USE LIMITATIONS SPECIFIED BY NIOSH OR THE MANUFACTURER. FOR

Ventilation: INVESTIGATE ENGINEERING TECHNIQUES TO REDUCE EXPOSURES BELOW AIRBORNE EXPOSURE LIMITS. PROVIDE VENTILATION IF NECESSAR

**Y TO CONTROL** 

EXPOSURE LEVELS BELOW

Protective Gloves: PROTECTIVE GLOVES, CONSULT GLOVE MANUFACTURER.

Eye Protection: WEAR A FACE SHIELD, CHEMICAL GOGGLES.

Other Protective Equipment: PROVIDE A SAFETY SHOWER. EYE FLUSHING EQUIPMENT.

APPROPRIATE CHEMICAL RESISTANT PROTECTIVE CLOTHING

Work Hygienic Practices: RINSE IMMEDIATELY IF SKIN IS CONTAMINATED. WASH

CONTAMINATED CLOTHING AND CLEAN PROTECTIVE EQUIPMENT BEFORE REUSE. WASH SKIN THOROUGHLY AFTER HANDLING. DESTROY CONTAMINATED SHOES.

Supp

Iemental Safety and Health: PRODUCT NAME: TURCO-HTC. CHEMICAL FAMILY: STRONG ALKALI. CHEMICAL FORMULA: MIXTURE. PRODUCT USE: ALKALINE CLEANER.

\_\_\_\_\_

Physical/Chemical Properties

## HCC: B2

PH: (5%SOLUTION)>12 Solubility in Water: SOLUBLE Appearance and Odor: TAN, GRANULAR MIXTURE

\_\_\_\_\_

Reactivity Data

\_\_\_\_\_

Stability Indicator: YES
Stability Condition To Avoid: AVOID EXCESSIVE HEAT. STORE OUT OF DIRECT SUNLIGHT IN A COOL, WELL-VENTILATED PLACE.
Materials To Avoid: STRONG ACIDS.
Hazardous Decomposition Products: NONE KNOWN
Hazardous Polymerization Indicator: NO

\_\_\_\_\_

Toxicological Information

\_\_\_\_\_

Toxicological Information: SODIUM METASILICATE: SINGLE EXPOSURE (ACUTE) STUDIES

INDICATE THAT THIS MATERIAL IS SLIGHTLY TOXIC TO RATS IF SWALLOWED (LD50 800-1,349 MG/KG; CORROSIVE TO MUCOUS MEMBRANES OF THE GASTROINTESTINAL TRA CT CAUSING VOMITING & amp; BLEEDING) & amp; CORROSIVE TO RABBIT EYES & amp; SKIN (4-HR & amp; 24-HR EXPOSURE). SODIUM HYDROXIDE: SINGLE EXPOSURE (ACUTE) STUDIES INDICATE THAT THIS MATERIAL IS SLIGHTLY TOXIC IF ABSORBED T HROUGH THE SKIN (RAT LD50 1,350 MG/KG; DRY SODIUM HYDROXIDE) & amp; CORROSIVE TO RABBIT EYES & amp; SKIN. MANY PUBLICATIONS C ONFIRM THAT THIS MATERIAL IS CORROSIVE TO ALL TISSUES.

**Ecological Information** 

\_\_\_\_\_

Ecological: SODIUM HYDROXIDE: DATA FOM SEVERAL SPECIES OF FISH SHOWED A RANGE OF TOLERANCE (BROOK TROUT>SPOTFIN & LAKE EMERALD SHINERS>MINNOWS>MOSQUITOFISH>GOLDFISH) THAT WAS MOST LIKELY RELATED TO CHANGES IN THE PH PRODUCED BY ADDITION OF SODIUM HYDROXIDE TO THE WATER. THE MINIMUM

LETHAL CONCENTRATION FOR MINNOW. MAYFLY LARVAE & amp; DAPHINIA WAS 100PPM & amp; FOR CHIRONOMUS LARVAE, 700 PPM. TRISODIUM PHOSPHATE: THIS MATERIAL IS PRACTICALLY NON-TOXIC TO MOSQUITO FISH (LC50 151 MG/L), AFRICAN CATFISH (LC50 748 MG/L) & amp; DAPHINA MAGNA (LC50>52 MG/L). SURFACTANT: THIS MATERIAL I S SLIGHTLY TOXIC O DAPHNIA MAGNA (48-HR LC50 52-99 MG/L).

\_\_\_\_\_

MSDS Transport Information

\_\_\_\_\_

\_\_\_\_\_

Transport Information: DOT NAME: CORROSIVE SOLID, BASIC, INORGANIC, NOS. DOT TECHNICAL NAME: (SODIUM HYDROXIDE, SODIUM METASILICATE). DOT HAZARD CLASS: 8. UN NUMBER: 3262. DOT PACKING GROUP: PG II. RQ: 1000 LBS. (SODIUM HYD ROXIDE).

\_\_\_\_\_

**Regulatory Information** 

\_\_\_\_\_

Sara Title III Information: HAZARD CATEGORIES UNDER CRITERIA OF SARA TITLE III RULES (40 CFR PART 370)" IMMEDIAT E (ACUTE) HEALTH-Y; DELAYED (CHRONIC) HEALTH-N; FIRE-N; REACTIVE-N, SUDDEN RELEASE OF PRESSURE-N. SARA REPORTABLE QU ANTITIES: SODIUM HYDROXIDE-1000 LBS. TRISODIUM ORTHOPHOSPAHTE-5000 LBS. Federal Regulatory Information: SODIUM METASILICATE, SODIUM HYDROXIDE, TRISODIUM ORTHOPHOSPHATE AND PROPRIETARY SURFACTANT: ARE IDENTIFIED AS HAZARDOUS CHEMICALS ACCORDING TO THE CRITERIA OF THE OSHA COMMUNICATION STANDARD (29 CFR 1 910.1200). THIS MATERIAL IS CLASSIFIED AS HAZARDOUS UNDER **FEDERAL** OSHA REGULATIONS. THE COMPONENTS OF THIS PRODUCT ARE ALL ON THE TSCA INVENTORY LIST. State Regulatory Information: MASSACHUSETTS RIGHT TO KNOWN: SODIUM HYDROXIDE, TRISODIUM ORTHOPHOSPAHTE. PENNSYLVANIA ENVIRONMENTAL HAZARD: SODIUM HYDROXIDE, TRISODIUM ORTHOPHOSPHATE. PENNSYLVANIA RIGHT TO KNOWN: SODIUM HYDROXIDE, TRISODIUM ORTHOPHOSPAHTE. \_\_\_\_\_ Other Information \_\_\_\_\_ Other Information: DISPOSAL: NOTE-CHEMICAL ADDITIONS TO, PROCESSING OF, OR OTHERWISE ALTERING THIS MATERIAL MAY MAKE THIS WASTE MANAGEMENT INFORMATION INCOMPLETE, INACCURATE, OR OTHERWISE INAPPROPRIATE. FURTHERMORE, STA TE & amp; LOCAL WASTE DISPOSAL REQUIREMENTS MAY BE MORE RESTRICTIVE OR OTHERWISE DIFFERENT FROM FEDERAL LAWS & amp; REGULATIONS. \*\*CLEANUP PROCEDURES: TRANSFER TO CONTAINERS IN PREPARATION FOR LATER DISPOSAL. A VOID GENERATION OF VAPORS. PLACE IN NON-SPARKING CONTAINERS FOR RECOVERY OR D **ISPOSAL. REMOVE FROM SPILL** LOCATION. DECONTAMINATE AREA. \_\_\_\_\_ Transportation Information \_\_\_\_\_ Responsible Party Cage: UO550 Trans ID NO: 157727 Product ID: M5610, TURCO - HTC MSDS Prepared Date: 02/27/2001 Review Date: 07/01/2001 **MFN: 1** Net Unit Weight: 125 LB Multiple KIT Number: 0 **Review IND: Y** Unit Of Issue: DR Container QTY: 0

Type Of Container: DRUM

\_\_\_\_\_

\_\_\_\_\_ DOT PSN Code: DYB Symbols: G DOT Proper Shipping Name: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. Hazard Class: 8 UN ID Num: UN3263 DOT Packaging Group: II Label: CORROSIVE Packaging Exception: 154 Non Bulk Pack: 212 Bulk Pack: 240 Max Qty Pass: 15 KG Max Qty Cargo: 50 KG Vessel Stow Rea: B \_\_\_\_\_ Detail IMO Information \_\_\_\_\_ \_\_\_\_\_ IMO PSN Code: ETE IMO Proper Shipping Name: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. o IMDG Page Number: 8150-1 UN Number: 3263 **UN Hazard Class: 8** IMO Packaging Group: I/II/III Subsidiary Risk Label: -EMS Number: 8-15 MED First Aid Guide NUM: 760 Detail IATA Information \_\_\_\_\_ IATA PSN Code: HMR IATA UN ID Num: 3263 IATA Proper Shipping Name: CORROSIVE SOLID, BASIC, OR GANIC, N.O.S. \* IATA UN Class: 8 IATA Label: CORROSIVE UN Packing Group: II Packing Note Passenger: 814 Max Quant Pass: 15KG Max Quant Cargo: 50KG Packaging Note Cargo: 816 \_\_\_\_\_ Detail AFI Information \_\_\_\_\_\_ AFI PSN Code: HNG AFI Symbols: \* AFI Proper Shipping Name: CORROSIVE SOLID, BASIC, ORGANIC, N.O.S. AFI Hazard Class: 8 AFI UN ID NUM: UN3263 AFI Packing Group: II Special Provisions: P5 Back

\_\_\_\_\_\_

## HAZCOM Label

\_\_\_\_\_ Product ID: M5610, TURCO - HTC Cage: UO550 Assigned IND: Y Company Name: ATOFINA CHEMICALS, INC. Street: 2000 MARKET STREET City: PHILADELPHIA, PA Zipcode: 19103 Health Emergency Phone: 703-527-3887 Label Required IND: Y Date Of Label Review: 07/01/2001 Status Code: A Origination Code: F Eye Protection IND: YES Skin Protection IND: YES Signal Word: D ANGER **Respiratory Protection IND: YES** Health Hazard: Severe Contact Hazard: Severe Fire Hazard: None Reactivity Hazard: None Hazard And Precautions: TAN, GRANULAR MIXTURE. DANGER! CAUSES EYE & amp; SKIN BURNS. MAY CAUSE BLINDNESS. CAUSES RESPIRATORY TRACT IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. \_\_\_\_\_ \_\_\_\_\_

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Departme nt of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of Am

erica should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.