

THE DEXTER CORPORATION -- LAM X500 OFF WHITE SURFACER, 8W5 -- 8010-01-068-7723

=====  
Product Identification  
=====

Product ID:LAM X500 OFF WHITE SURFACER, 8W5

MSDS Date:06/13/2000

FSC:8010

NIIN:01-068-7723

Status Code:A

MSDS Number: CLGFD

=== Responsible Party ===

Company Name:THE DEXTER CORPORATION

Address:1 EAST WATER STREET

City:WAUKEGAN

State:IL

ZIP:60085

Country:US

Info Phone Num:847-623-4200

Emergency Phone Num:847-623-4200

Preparer's Name:RYAN MICKELSON

CAGE:91342

=== Contractor Identification ===

Company Name:DEXTER CORP THE PACKAGING PRODUCTS DIV

Address:1-7 E WATER ST

Box:City:WAUKEGAN

State:IL

ZIP:60085-5614

Country:US

Phone:847-623-4200

CAGE:91342

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CRYSTALLINE SILICA (QUARTZ)

CAS:14808-60-7

Code:F

RTECS #:VV7330000

Minumum % Wt:10.

Maxumum % Wt:20.

OSHA PEL:SEE TABLE Z-3

ACGIH TLV:0.1 MG/M3

Ing

red Name:MAGNESIUM SILICATE  
CAS:14807-96-6  
Code:F  
RTECS #:WW2710000  
Minumum % Wt:10.  
Maxumum % Wt:20.  
OSHA PEL:SEE TABLE Z-3  
ACGIH TLV:2 MG/M3

Ingred Name:BUTYL ACETATE  
CAS:123-86-4  
RTECS #:AF7350000  
&lt; Wt:10.  
OSHA PEL:710 MG/M3;150 PPM  
ACGIH TLV:713 MG/M3;150 PPM  
ACGIH STEL:950 MG/M3;200 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:1-METHOXY-2-PROPYL ACETATE  
CAS:108-65-6  
RTECS #:AI8925000  
Minumum % Wt:20.  
Maxumum % Wt:30.

Ingred Name:ALUMINUM OXIDE  
CAS:1344-28-1  
RTECS #:BD1200  
000  
Minumum % Wt:28.  
Maxumum % Wt:29.  
OSHA PEL:15 MG/M3  
ACGIH TLV:10 MG/M3

=====  
===== Hazards Identification =====  
=====

Health Hazards Acute and Chronic:ACUTE: OVEREXPOSURE BY INHALATION MAY CAUSE IRRITATION OF THE RESPIRATORY TRACT, HEADACHE, DIZZINESS, OR DROWSINESS. CHRONIC HEALTH EFFECTS: THOSE HAZARDOUS MATERIALS LISTED IN SECTION II MAY AFFECT T HE FOLLOWING ORGANS: RESPIRATORY TRACT- ALLERGIC RESPIRATORY/ SKIN REACTION/ CORNEAL INJURY, CENTRA

L NERVIIOUS SYSTEM, KIDNEYS, LIVER, REPRODUCTIVE SYSTEM.

Effects of Overexposure:SKIN/EYE CONTACT: IRRITANT TO EYES AND SKIN,  
SKIN SENSITIVITY.

Medical Cond Aggravated by Exposure:UNKNOWN AT THIS TIME

=====  
===== First Aid Measures =====

First Aid:INHALATION: REMOVE FROM EXPOSURE. EYE CONTACT: FLUSH  
IMMEDIATELY WITH LARGE AMOUNTS OF RUNNING WATER FOR AT LEAST 15  
MINUTES. SKIN CONTACT: REMOVE CONTAMINATED CLOTHING AND WASH SKIN  
WITH SOAP AND WA TE

R. INGESTION: DRINK WATER.

=====  
===== Fire Fighting Measures =====

Flash Point Method:SCC

Flash Point:=-34.4C, 94.F

Lower Limits:1.50

Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL, OR CARBON  
DIOXIDE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL SOURCES OF IGNITION, AVOID  
BREATHING VAPORS, VENTILATE AREA, AND REMOVE WITH INERT ABSORBANT  
AND NON-SPARKING TOOLS. DISPOSE OF IN ACCORDANCE WI  
TH LOCAL, STATE,  
AND FEDERAL REGULATIONS. BEF ORE ATTEMPTING TO CLEAN UP, SEE  
SECTION II.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:VENTILATION: PROVIDE GENERAL DILUTION  
OR LOCAL EXHAUST VENTILATION TO KEEP TWA AND LEL BELOW ACCEPTABLE  
LIMITS AND TO REMOVE DECOMPOSITION PRODUCTS. RESPIRATORY  
PROTECTION: WHERE GENERAL DILUTION OR LOCAL EXHAUST FAILS TO  
ADEQUATELY DILUTE THE TWA/PEL OF THE MATERIAL, THEN RESPIRA  
TORY  
PROTECTION SH

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:PAPROV/CCRFOV

Ventilation:GOOD MECHANICAL VENTILATION WITH LOCAL EXHAUST.

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:SKIN CREAMS

Work Hygienic Practices:WASH THOROUGHLY WITH SOAP AND WATER.

Supplemental Safety and Health

NK

=====  
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:259-999 DEG F

Vapo

r Density:>AIR

===== Stability and Reactivity Data =====

Hazardous Decomposition Products:FUMES MAY CONTAIN CARBON MONOXIDE AND OXIDES OF NITROGEN. MAY PRODUCE HAZARDOUS FUMES WHEN HEATED TO DECOMPOSITION AS IN WELDING.

===== Regulatory Information =====

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.