

DYNAMOLD, INC. -- MR-502Y, CATALYST (SEE SUPPL) -- 6850-01-163-0277

=====  
Product Identification  
=====

Product ID:MR-502Y, CATALYST (SEE SUPPL)

MSDS Date:09/01/1998

FSC:6850

NIIN:01-163-0277

Status Code:A

Kit Part:Y

MSDS Number: CLGTG

=== Responsible Party ===

Company Name:DYNAMOLD, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX

ZIP:76107

Country:US

Info Phone Num:817-335-0862

E

mergency Phone Num:800-255-3924

Preparer's Name:P. MICHAEL PECK

CAGE:30256

=== Contractor Identification ===

Company Name:DYNAMOLD SOLVENTS, INC.

Address:2905 SHAMROCK AVE

Box:9617

City:FORT WORTH

State:TX

ZIP:76107

Country:US

Phone:817-335-0862

Contract Num:SP0450-99-M-NC99

CAGE:30256

=====  
Composition/Information on Ingredients  
=====

Ingred Name:DIBUTYLTIN DILAURATE

CAS:77-58-7

RTECS #:WH7000000

&lt; Wt:.05

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED

ACGIH TLV:NOT P

ROVIDED

Ingred Name:TIN CARBOXYLATE

CAS:301-10-0

&lt; Wt:.05

Other REC Limits:NOT PROVIDED

OSHA PEL:0.1 MG/M3

ACGIH TLV:0.1 MG/M3

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:SKIN CONTACT IS NOT KNOWN TO CAUSE IRRITATION. EYE CONTACT MAY CAUSE TRANSIENT IRRITATION.

Explanation of Carcinogenicity:N

ONE

Effects of Overexposure:EYE CONTACT MAY CAUSE TRANSIENT IRRITATION.

Medical Cond Aggravated by Exposure:NOT PROVIDED

===== First Aid Measures =====

First Aid:INHALATION: IF OVERCOME BY EXPOSURE, REMOVE TO FRESH AIR IMMEDIATELY. GIVE OXYGEN OR ARTIFICIAL RESPIRATION AS NEEDED. OBTAIN EMERGENCY MEDICAL ATTENTION. PROMPT ATTENTION IS ESSENTIAL. EYE CONTACT: IMMEDIATELY RINSE WITH CLEAN WATER FOR 15-20 MINUTES. RETRACT EYELIDS OFTEN. IF I

RRITATION OCCURS OBTAIN EMERGENCY

MEDICAL ATTENTION. SKIN CONTACT: REMOVE CONTAMINATED CLOTHING. WASH SKIN THOROUGHLY WITH MILD SOAP AND WATER. IF STICKY, USE WATERLESS CLEANER FIRST. INGESTION: IF LARGE QUANTITY SWALLOWED, GIVE LUKE WARM WATER (PINT) IF VICTIM IS COMPLETELY CONSCIOUS/ALERT. DO NOT INDUCE VOMITING. OBTAIN EMERGENCY MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:129.4C, 265.F

APPR

OXIMATELY

Extinguishing Media: DRY CHEMICAL, CO2, WATER SPRAY. DRY CHEMICAL CO2 IS PERMISSIBLE.

Fire Fighting Procedures: DO NOT ENTER FIRE AREA WITHOUT PROPER PROTECTION. FIGHT FIRE FROM SAFE DISTANCE/PROTECTED LOCATION. HEAT MAY BUILD PRESSURE/RUPTURE CLOSED CONTAINERS, SPREADING FIRE, INCREASING RISK OF BURNS AND INJURIES, USE WATER SPRAY/FOG FOR COOLING. NOTIFY AUTHORITIES IF LIQUID ENTERS SEWER/PUBLIC WATERS.

Unusual Fire/Explosion Hazard: NONE. AVOID EXTREME HEAT OR FIRE.

===== Accidental Release Measures =====

Spill Release Procedures: UTILIZE PERSONAL PROTECTIVE EQUIPMENT. LIMIT ACCESS TO QUALIFIED PERSONNEL. SOAK UP WITH INERT SOLIDS. PLACE IN LABELED, SEALED CONTAINER. PREVENT FLOW TO SEWERS. NOTIFY FIRE/ENVIRONMENTAL AUTHORITIES. COVER SLIPPERY SURFACES WITH GRANULAR SOLID. CONTAIN SPILLS TO PREVENT ESCAPE INTO THE ENVIRONMENT.

===== Handling and Storage =====

Handling and

Storage Precautions: STORE IN COOL DRY AREA. STORE ONLY IN CLOSED CONTAINERS AWAY FROM IGNITION SOURCES. PRACTICE CAUTION. AVOID EYE OR SKIN CONTACT.

Other Precautions: WASH THOROUGHLY AFTER HANDLING. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NONE NEEDED.

Ventilation: GENERAL.

Protective Gloves: NONE SHOULD BE NEEDED.

Eye Protection: CHEMICAL SPLASH GOGGLES (ANSI Z87.1 1979).

Other Protective Equip

ment: NONE SHOULD BE NEEDED.

Work Hygienic Practices: NOT PROVIDED

Supplemental Safety and Health

THIS IS A KIT. THE OTHER MSDS SERIAL NUMBER: CLGTF.

===== Physical/Chemical Properties =====

HCC: V5

NRC/State Lic Num: NOT RELEVANT

Boiling Pt: >148.9C, 300.F

B.P. Text: APPROXIMATELY

Melt/Freeze Pt: M.P/F.P Text: NOT PROVIDED

Decomp Temp: Decomp Text: NOT PROVIDED

Vapor Pres: APPROXIMATELY 1 @ 20C

Vapor Density: NEG

Spec Gravity: APPROXIMATELY 1.0

Viscosity: NOT PROVIDED

Evaporatio

n Rate & Reference: