

BF GOODRICH CORP -- 74-451-206, BFGOODRICH PATCH PRIMER -- 1650-00-856-7939

=====  
Product Identification  
=====

Product ID:74-451-206, BFGOODRICH PATCH PRIMER

MSDS Date:06/21/2000

FSC:1650

NIIN:00-856-7939

Status Code:A

MSDS Number: CLNXQ

=== Responsible Party ===

Company Name:BF GOODRICH CORP

Address:1555 CORPORATE WOODS PKY

City:UNIONTOWN

State:OH

ZIP:44685

Country:US

Info Phone Num:330-374-4011

/ 330-374-2882

Emergency Phone Num:(330) 374-4011

Resp. Party Other MSDS Num.:ID: BFG-007

Chemtec Ind/Phone:(800)424-9300

CAGE:0AJJ0

=== Contractor Identification ===

Company Name:BF GOODRICH CORP

Address:1555 CORPORATE WOODS PKY

Box:City:UNIONTOWN

State:OH

ZIP:44685

Country:US

Phone:330-374-4011/ 330-374-2882

Contract Num:SP0470-01-M-Z865

CAGE:0AJJ0

=====  
Composition/Information on Ingredients  
=====

Ingred Name:CYCLOHEXANE

CAS:110-82-7

RTECS #:GU6300000

Minumum % Wt:45.

Max

umum % Wt:55.  
OSHA PEL:1050 MG/M3;300 PPM  
ACGIH TLV:1030 MG/M3;300 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:XYLENE (O-, M-, P- ISOMERS)  
CAS:1330-20-7  
RTECS #:ZE2100000  
Minumum % Wt:25.  
Maxumum % Wt:35.  
ACGIH TLV:434 MG/M3;100 PPM  
ACGIH STEL:651 MG/M3;150 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ETHYL ALCOHOL  
CAS:64-17-5  
RTECS #:KQ6300000  
Minumum % Wt:5.  
Maxumum % Wt:10.  
OSHA PEL:1900 MG/M3;1000 PPM  
ACGIH TLV:1880 MG/M3;1000 PPM

Ingred Name:ETHYL BENZENE  
CAS:1  
00-41-4  
RTECS #:DA0700000  
Minumum % Wt:3.  
Maxumum % Wt:7.  
OSHA PEL:435 MG/M3;100 PPM  
ACGIH TLV:434 MG/M3;100 PPM  
ACGIH STEL:543 MG/M3;125 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ETHYLACETATE  
CAS:141-78-6  
RTECS #:AH5425000  
Minumum % Wt:2.  
Maxumum % Wt:5.  
OSHA PEL:1400 MG/M3;400 PPM  
ACGIH TLV:1440 MG/M3;400 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ACRYLIC POLYMER  
Minumum % Wt:1.  
Maxumum % Wt:5.

Ingred Name:CHLORINATED POLYETHYLENE  
CAS:68609-36-9  
Minumum % Wt:1

Maximum % Wt:2.

Ingredient Name: ISOPROPYL ALCOHOL

CAS:67-63-0

RTECS #:NT8050000

&lt; Wt:1.

OSHA PEL:980 MG/M3;400 PPM

ACGIH TLV:983 MG/M3;400 PPM

ACGIH STEL:1230 MG/M3;500 PPM

Ingredient Name: EPOXY RESIN

CAS:25068-38-6

RTECS #:CE6880000

= Wt:.5

=====  
Hazards Identification  
=====

Health Hazards Acute and Chronic: THIS PRODUCT IS CONSIDERED HAZARDOUS UNDER 29 CFR 1910.1200 (OSHA HAZARD COMMUNICATION STANDARD). EYES: PRODUCT MAY CAUSE SEVERE IRRITATION VAPORS

MAY ALSO CAUSE

IRRITATION. SKIN: PRODUCT MAY CAUSE IRRITATION. PROLONGED OR REPEATED CONTACT MAY DRY AND DEFAT SKIN. PRODUCT CONTAINS A COMPONENT WHICH MAY BE HARMFUL IF ABSORBED THROUGH SKIN. PRODUCT CONTAINS LOW LEVELS (1 GM/KG. CARCINOGENICITY, EPIDEMIOLOGY, NEUROTOXICITY, MUTAGENICITY, TERATOGENICITY: NO DATA AVAILABLE FOR THIS PRODUCT FOR THESE ITEMS. OTHER TOXICITY INFORMATION: NONE..

=====  
Ecological Information  
=====

Ecological

ECOTOXICITY: NO DATA AVAILABLE FOR THIS PRODUCT. ORGANIC SOLVENTS MAY PRODUCE SIGNIFICANT TOXICITY TO AQUATIC ORGANISMS AND ECOSYSTEMS. ENVIRONMENTAL FATE: NO DATA IS AVAILABLE CONCERNING ENVIRONMENTAL FATE, BIODEGRADATION, OR BIOCONCENTRATION FOR THIS PRODUCT. XYLENE IS PRIMARILY REMOVED FROM ENVIRONMENTAL SYSTEMS BY VOLATILIZATION. XYLENES ARE MODERATELY MOBILE IN SOIL AND MAY LEACH INTO GROUNDWATER WHERE THEY ARE KNOWN TO PERSIST FOR SEVERAL YEARS. BIOCONCENTRATION

RATION IS NOT EXPECTED TO BE SIGNIFICANT.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF WASTE MATERIAL IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE ,OR PROVINCIAL AND LOCAL ENVIRONMENTAL REGULATIONS. WASTES MUST BE TESTED USING METHODS DESCRIBED IN 40 CFR PART 261 TO DETER MINE IF IT MEETS APPLICABLE DEFINITIONS OF HAZARDOUS WASTES. IF DISCARDED AS SOLD, THIS PRODUCT WOUL D BE CONSIDERED (CONTD. SEE "FEDERAL REGULA TIONS")

===== Regulatory Information =====

Federal Regulatory Information:(CONTD. FROM "WASTE DISPOSAL") A RCRA IGNITABLE WASTE, D001. COMPONENT WASTE NUMBERS: CYCLOHEXANE (110-82-7): RCRA: WASTE NUMBER U056 (IGNITIBLE WASTE); XYLENES (O-, M-, P- ISOMERS) (1330-20-7): RCR A: WASTE NUMBER U0239 (IGNITABLE WASTE; TOXIC WASTE); ETHYLACETATE (141-78-6): RCRA: WASTE NUMBER U112 (IGNITABLE WASTE). DISPOSAL INSTRUCTIONS: DISPOSE OF WASTE MAT  
ERIAL IN ACCORDANCE WITH ALL APPLIC ABLE FEDERAL, STATE OR PROVINCIAL AND LOCAL ENVIRONMENTAL REGULATIONS.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. An  
y person utilizing this  
document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.