

GENERAL SEALANTS INC -- GS#424 (MIL-S-11030 TYPE III) -- 8030-00-965-2438

=====
Product Identification
=====

Product ID:GS#424 (MIL-S-11030 TYPE III)

MSDS Date:03/06/1999

FSC:8030

NIIN:00-965-2438

Status Code:A

MSDS Number: CLNZB

=== Responsible Party ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Info Phone Num:

818-961-0211

Emergency Phone Num:626-961-0211

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:53992

=== Contractor Identification ===

Company Name:GENERAL SEALANTS INC

Address:300 S TURNBULL CANYON RD

Box:3855

City:CITY OF INDUSTRY

State:CA

ZIP:91744

Country:US

Phone:818-961-0211

CAGE:53992

=====
Composition/Information on Ingredients
=====

Ingred Name:CHLORINATED PARAFFINS

CAS:61788-76-9

OSHA PEL:5 MG/M3

=====
Hazards Identification
=====

=====

Health Hazards Acute and Chronic:SOLID MATERIAL. MAY BURN AT OR ABOVE FLASHPOINT, CONCENTRATED AIRBORNE DUST MAY CAUSE IRRITATION BREATHING TO SENSITIVE PERSONS.

Medical Cond Aggravated by Exposure:

===== Fire Fighting Measures =====

Flash Point:=426.7C, 800.F

Extinguishing Media:WATER CARBON DIOXIDE.

Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED SURFACES AND TO PROTECT PERSONNEL. RESPIRATORY AND EYE PROTECTION REQUIRED.

Unusual Fire/Explosion Hazard:NON-EXPLOSIVE, MAY PRODUCE CARBON MONOXIDE AND IRRITATING SMOKE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCE OF IGNITION, PREVENT ADDITIONAL DISCHARGE OF MATERIAL;

===== Handling and Storage =====

Handling and Storage Precautions:STORE AT 72 F.

===== Exposure Controls/Personal Protection =====

Protective Gloves:USE WHEN MATERIAL IS HOT.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Melt/Freeze Pt:=110.C, 230.F

Vapor Pres:SOLID

Vapor Density:LESS THAN

Spec Gravity:1.532

Solubility in Water:INSOLUBLE

Appearance and Odor:BLACK, SLIGHT POLYSULFIDE ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Hazardous Decomposition Products:FLAMMABLE HYDROCARBONS.

Conditions to Avoid Polymerization:WILL NOT

OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:STANDARD, RECOVER MATERIAL AND PLACE IN
CONTAINERS FOR RECYCLE OR DISPOSAL, ENSURE LOCAL DISPOSAL
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
d
isclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.