View NSN Online: https://aerobasegroup.com/nsn/8040-00-810-5414

Product ID:TWO PART EPOXY A-1177-B-1 MSDS Date:02/15/1999 FSC:8040 NIIN:00-810-5414 Status Code:A MSDS Number: CLQZH === Responsible Party === Company Name: SIA ADHESIVES INC Address:123 W BARTGES ST **City:AKRON** State:OH ZIP:44311-1081 Country:US Info Phone Num: 330-374-2786 / 330-374-2900 Emergency Phone Num:330-374-2900 Preparer's Name: ERNEST CARTER Chemtrec Ind/Phone:(800)424-9300 CAGE:1HS43 === Contractor Identification === Company Name: SIA ADHESIVES INC Address:123 W BARTGES ST Box:City:AKRON State:OH ZIP:44311-1081 Country:US Phone: 330-374-2786 / 330-374-2900 CAGE:1HS43

Ingred Name:EPOXY RESIN SYSTEM CAS:25085-99-8 Code:F = Wt:75.

Ingred Name:CALCIUM CARBONATE CAS:1317-65-3 Code:F RTECS #:EV9580000 = Wt:25. OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:AMORPHOUS SILICA CAS:112945-52-5 Code:F RTECS #:VV7310000 &It; Wt:5.

Health Hazards Acute and Chronic:SOME PEOPLE MAY DEVELOP SKIN RASH, ALLERGIC REACTIONS AND/OR SKIN SENSITIZATION.
Effects of Overexposure:EYES: MINOR TRANSIENT IRRITATION. SKIN: MINOR IRRITATION, SOME PEOPLE MAY DEVELOP ALLERGIC REACTION AND SENSITIZATION. INHALATION: NONE LIKELY UNLESS HEATED TO HIGH TEMPERATURE.

Medical Cond Aggravated by Exposure:SKIN RASHES.

First Aid:EYES: FLUSH WITH WATER. SEE A PHYSICIAN. SKIN: WASH WITH SOAP AND WATER. REMOVE AND WASH CONTAMINATED CLOTHING. SEE A PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. INGESTION: DO N OT INDUCE VOMITING. CONSULT A PHYSICIAN.

Flash Point Method:TOC

Flash

Point:=248.9C, 480.F

 Extinguishing Media:WATER, CARBON DIOXIDE, DRY CHEMICAL, FOAM.
 Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE SPACE WITHOUT PROPER PROTECTIVE EQUIPMENT. INCLUDING NIOSH APPROVED SELF CONTAINED BREATHING APPARATUS.
 Unusual Fire/Explosion Hazard:THIS MATERIAL IS NON-FLAMMABLE AND NON-COMBUSTIBLE UNDER NORMAL CONDITIONS. TOXIC FUMES POSSIBLE.

Spill Release Procedures: AVOID EYE AND SKIN CONTA

CT.ABSORB WITH INERT	
ABSORBENT, SCRAPE UP AND PLACE IN A CONTAINER FOR DISPOSAL.	

Handling and Storage Precautions: AVOID EYE AND SKIN CONTACT. KEEP OUT OF THE REACH OF CHILDREN.STORE IN A COOL DRY PLACE AWAY FROM HEAT. EMPTY CONTAINERS MAY BE HAZARDOUS AND ALL PRECAUTIONS CITED SHOULD BE OBSERVED.

Other Precautions: THE INFORMATION CONTAINED HEREIN IS BASED ON DATA TAKEN FROM SOURCES BELIEVED TO BE BOTH CURRE

NT AND RELIABLE AT TIME OF PUBLICATION. SOVEREIGN ENGINEERED ADHESIVES, L.L.C., HOWEVER MAKES NO WARRANTIE S EXPRESSED OR IMPLIED, AS TO ITS ACCURACY AND ASSUMES NO LIABILITY ARISING FROM ITS USE BY OTHERS. COMPLIANCE WITH FEDE

Respiratory Protection:NONE USUALLY NECESSARY UNDER MOST INDUSTRIAL OPERATING CONDITIONS.

Ventilation: GOOD GENERAL VENTILATION USUALLY ADEQUATE.

Protective Gloves: PROTECTIVE GLOVES:

IMPERVIOUS.

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment: CLEAN LONG SLEEVES LONG LEG CLOTHING. Supplemental Safety and Health

Vapor Density:HEAVIER Spec Gravity:1.37335 Evaporation Rate & amp; Reference:N-BUTYL ACETATE Appearance and Odor:VERY VISCOUS LIQUID WITH EPOXY ODOR

Stability Indicator/Materials to Avoid:YES ACID, BASE. Stability Cond ition to Avoid:AMINE COMPOUNDS IN UNCONTROLLED CONDITIONS. `
 Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE AND OTHERS POSSIBLE.
 Conditions to Avoid Polymerization:WILL NOT OCCUR.

Waste Disposal Methods: AVOID EYE AND SKIN CONTACT. KEEP OUT OF THE REACH OF CHILDREN STORE IN A COOL DRY PLACE AWAY FROM HEAT. EMPTY CONTAINERS MAY BE HAZARDOUS AND ALL PRECAUTIONS CITED SHOULD BE OBSERVED.

====

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utiliz ing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.