View NSN Online: https://aerobasegroup.co.il/nsn/6750-01-169-1851

Product ID:PHOTOCOLOR CHROME SIX COLOR DEVELOPER B MSDS Date:04/01/1992 FSC:6750 NIIN:01-169-1851 Kit Part:Y MSDS Number: BPXGN === Responsible Party === Company Name: PHOTO TECHNOLOGY LTD Address:CRANBORNE INDUSTRIAL ESTATE **City:POTTERS BAR HERTS** Country:UK **Emergency Phone Num:** NONE Preparer's Name: PATRICIA DSIDA CAGE:U3444 === Contractor Identification === Company Name: JOBO FOTOTECHNIC INC, SUB OF JOBO LABORTECHNIK Address:251 JACKSON PLZ Box:3721 **City: ANN ARBOR** State:MI ZIP:48106 Country:US CAGE:6Z640 Company Name: PHOTO TECHNOLOGY LTD Address:CRANBORNE INDUSTRIAL ESTATE **City:POTTERS BAR HERTS** Country:UK CAGE:U3444

Ingred

Name:4-(N-ETHYL-N-2-METHANESULFONYLAMINOETHYL)-2-METHYLPHENYLENEDIA M INE CAS:25646-71-3 RTECS #:PB0431000 Fraction by Wt: 5-15% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYES: MAY CAUSE EYE IRRITATION. CONTACT WILL CAUSE REDNESS, BURNING AND TEARING. SKIN: MAY CAUSE **IRRITATION AND ALLERGIC REACTION. INHA** LATION: INHALATION OF MISTS OR VAPORS ARE IRRITATING TO NOSE, THR OAT AND LUNGS. INGESTION: HARMFUL OR TOXIC IF SWALLOWED. NO KNOWN EFFECTS OF CHRONIC EXPOSURE. Explanation of Carcinogenicity: MANUFACTURER STATES " NO INGREDIENT IN THIS PRODUCT IS LISTED AS A KNOWN OR SUSPECTED CARCINOGEN". Effects of Overexposure: SEE HEALTH HAZARDS Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:E YES: FLUSH EYES WITH CLEAN, FLOWING WATER FOR 10 MINUTES. IF **IRRITATION PERSISTS CALL A PHYSICIAN. SKIN: FLUSH CONTAMINATED AREA** WITH WATER, REMOVE CONTAMINATED CLOTHING, INHALATION: REMOVE TO FRESH AIR. INGESTION: IMMEDIATELY CALL A PHYSICIAN. INDUCE VOMITING IF PERSON IS CONSCIOUS. Flash Point:NON-FLAMMABLE Extinguishing Media: USE METHODS APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures: THIS ITEM IS NON-FLAMMABLE. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER. Spill Release Procedures: CONTAIN SPILL IF POSSIBLE. USE PROPER PROTECTIVE EQUIPMENT. DILUTE WITH WATER. MATERIAL MAY STAIN SURFACES. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: DO NOT SWALLOW. DO NOT BREATHE MISTS. DO NOT GET ON

SKIN, EYES OR CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THROUGHLY AFTER HANDLING. Other Precautions: STORE IN COOL WELL-VENTILATED AREA. STORE AWAY FROM ACIDS AND OXIDIZING AGENTS. KEEP AWAY FROM FOOD OR FEED STUFFS. Respiratory Protection: NONE REQUIRED UNDER NORMAL USE AND HANDLING. Ventilation: MECHANICAL (GENERAL) ROOM VENTILATION IS NORMALLY ADEQUATE. LOCAL EXHAUST MAY BE NECESSARY FOR GENERATION OF MISTS. Ρ rotective Gloves: NEOPRENE OR NATURAL RUBBER Eye Protection: SAFETY GLASSES WITH SIDE SHIELDS Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR. Supplemental Safety and Health THIS ITEM IS PART OF A KIT. UNIT PACKAGE YIELD 0.6 LITERS. SEE THIS NSN AND CAGE FOR OTHER COMPONENTS. KEY 1: HCC FOR THIS COMPONENT IS C3. ======= Ph HCC:C3 pH:1-3 Solubility in Water:COMPLETE Appearance and Odor:LIQUID, SULPHUR DIOXIDE ODOR, ALMOST COLORLESS. Stability Indicator/Materials to Avoid:YES REACTS WITH ACIDS AND OXIDIZING AGENTS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products: OXIDES OF SULFUR, AND NITROGEN, CARBON DIOXIDE AND CARBON MONOXIDE. Conditions to Avoid Po lymerization:REACTION WITH OXIDIZING AGENTS PRODUCE TAR WITH HEAT EVOLVED. Waste Disposal Methods: DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL

APPLICABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, express ly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.